

GE APPLIANCES GGS600AV 30 Inch Slide In Front Control Convection Gas Range



GE APPLIANCES GGS600AV 30 Inch Slide In Front Control Convection Gas Range Instructions

[Home](#) » [GE Appliances](#) » [GE APPLIANCES GGS600AV 30 Inch Slide In Front Control Convection Gas Range Instructions](#) 

Contents

- [1 GE APPLIANCES GGS600AV 30 Inch Slide In Front Control Convection Gas Range](#)
- [2 Product Usage](#)
- [3 Features and Benefits](#)
- [4 Documents / Resources](#)
 - [4.1 References](#)
- [5 Related Posts](#)



GE APPLIANCES

GE APPLIANCES GGS600AV 30 Inch Slide In Front Control Convection Gas Range



Specifications

- **Model:** GGS600AV
- **Electrical Rating:** 120V, 60Hz, 13A
- **Breaker Size:** 15A

Installation Instruction

Before installing, ensure you have adequate clearances between the range and adjacent combustible surfaces for safe use. **Cabinet Clearances**

Allow a minimum of 30" clearance between burners and the bottom of an unprotected wood or metal cabinet. If the bottom of the cabinet is protected, a minimum of 24" clearance is acceptable. **Microwave Oven Installation**

If installing a microwave oven or cooking appliance over the cooktop, refer to the installation instructions provided with that appliance for proper installation.

Island Installation

For island installation, maintain 2-1/2" minimum from the cutout to the back edge of the countertop and 3" minimum from the cutout to the side edges of the countertop.

Consult the installation instructions packed with the product for current dimensional data before proceeding with the installation.

Rear Trim Installation

For all installations, ensure to install the required rear trim to the back of the range using the 4 screws provided.

Product Usage

All GE Appliances ranges are equipped with an Anti-Tip device. Make sure to install this device as it is a crucial step in the range installation process.

FAQ

- **Q: What should I do if I don't have the required clearances for installation?**

- A: If you do not have the specified clearances, consult a professional installer for advice on modifications or alternate installation configurations.

- **Q: Can I replace my old range with a GE slide-in model?**

- A: Yes, GE slide-in ranges are designed for an exact fit to replace old free-standing ranges. Visit geappliances.com for more information and to claim up to \$300 toward modifications.

®GGS600AV

GE 30" Slide-In Gas Convection Range with No Preheat Air Fry and EasyWash™ Oven Tray

Dimensions and Installation Information (in inches)

Provide adequate clearances between the range and adjacent combustible surfaces. These dimensions must be met for safe use of your range.

Allow 30" (76.2 cm) minimum clearance between burners and bottom of unprotected wood or metal cabinet, or allow a 24" (61 cm) minimum when bottom of wood or metal cabinet is protected by no less than 1/4" (6.4 mm) thick flame-retardant millboard covered with no less than No. 28 MSG sheet metal (.015" [.38 mm] thick), .015" (.38 mm) thick stainless steel, .025" (0.64 mm) aluminum or .020" (0.5 mm) copper.

Installation of a listed microwave oven or cooking appliance over the cooktop shall conform to the installation instructions packed with that appliance.

For island installation, maintain 2-1/2" minimum from cutout to back edge of countertop and 3" minimum from cutout to side edges of countertop.


Note: Door handle protrudes 3" from door face. Cabinets and drawers on adjacent 45° and 90° walls should be placed to avoid interference with the handle.

Note: Cabinets installed adjacent to slide-in ranges must have an adhesion spec of at least 194° F (90° C) temperature rating. Before installing, consult installation instructions packed with product for current dimensional data.

For all installations, install the required rear trim to back of range with 4 screws provided.

Electrical Rating: 120V, 60Hz, 13A

Breaker Size: 15A



GE APPLIANCES

For answers to your Monogram, Café™, GE Profile™ or GE Appliances product questions, visit our website at geappliances.com or call GE Answer Center® Service, 800.626.2000.

All GE Appliances ranges are equipped with an Anti-Tip device. The installation of this device is an important, required step in the installation of the range.



Specification Revised 5/24

®GGS600AV

GE 30" Slide-In Gas Convection Range with No Preheat Air Fry and EasyWash™ Oven Tray

Features and Benefits

- **EasyWash™ Oven Tray** – Oven cleaning is easier than ever with the EasyWash™ Oven Tray. This enameled tray is easily removed and rinsed clean in the sink or, for bigger messes, guaranteed to fit in all GE Appliances dishwashers.
- **Built-In WiFi** – Built-in WiFi and the SmartHQ™ app give you oven control functions like remote preheat, the ability to monitor and change oven temperature, turn off your oven and more!
- **No Preheat Air Fry** – No preheat air frying is a great way to get crispier versions of your favorite foods in less time.
- **No Preheat Fresh Reheat** – This no preheat mode is USDA MyPlate-Certified and perfect for reheating healthy leftovers from the night before, the to-go box from your favorite restaurant or restoring foods to ideal crispiness, saving you time and delivering delicious results.
- **No Preheat Pizza** – Specifically designed to cook your frozen pizza perfectly, this no preheat option is a time saver and a great way to get dinner on the table fast.
- **Express Preheat** – Get food on the table quicker thanks to a fast preheat oven. In just 7 minutes*, you have a perfectly preheated oven.*Preheats oven in just 7 minutes, bake mode to preheat beep, 350 degrees, one standard rack.
- **18,000 BTU Power Boil™ Burner** – Boil water faster than ever with an 18,000 BTU element that delivers high heat for quick boiling.
- **Edge-to-Edge Cooktop** – A large cooking surface gives you extra room for pots and pans of all sizes and lets cookware move easily from burner to burner.
- **Convection** – Cook and brown foods more evenly with convection cooking that uses a rear fan to circulate hot air.
- **Precise Simmer Burner** – Prepare your delicate dishes over the low, even heat of this precise simmer burner.
- **Extra-Large Integrated Griddle** – With an integrated griddle that is 20% larger than leading competition, you can cook up to six grilled cheeses at once.
- **Steam Clean** – Save your time and effort by steam-cleaning the oven after use without the need for special water, kits or extra steps thanks to this simple steam clean oven function.
- **Center Oval Burner** – Custom cookware and griddles easily fit on this powerful fifth central oval burner that offers a flexible cooking solution.
- **Heavy-Duty, Dishwasher-Safe Grates** – Enjoy a safe and easy-to-clean solution thanks to these heavy-duty, dishwasher-safe grates.

Model GGS600AVWW – White

Model GGS600AVES – Slate

Model GGS600AVFS – Fingerprint-Resistant Stainless

Model GGS600AVDS – Black Slate




Guaranteed Fit

Replace your old 30" free-standing range with a new 30" slide-in model. GE slide-in ranges are guaranteed for an exact fit or GE Appliances will pay up to \$300 toward modifications.

Visit geappliances.com for more info.

Specification Revised 5/24

Documents / Resources

	<p>GE APPLIANCES GGS600AV 30 Inch Slide In Front Control Convection Gas Range [pdf] Instructions</p> <p>GG600AV 30 Inch Slide In Front Control Convection Gas Range, GGS600AV, 30 Inch Slide In Front Control Convection Gas Range, Slide In Front Control Convection Gas Range, Front Control Convection Gas Range, Control Convection Gas Range, Convection Gas Range, Gas Range, Range</p>
---	---

References

- [User Manual](#)

[Manuals+](#), [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.