



GE APPLIANCES PHP9036DJ 36 Inch Built-In Touch-Control Induction Cooktop Instruction Manual

[Home](#) » [GE Appliances](#) » GE APPLIANCES PHP9036DJ 36 Inch Built-In Touch-Control Induction Cooktop Instruction Manual 



PHP9036DJ
GE Profile™ 36" Built-In Touch-Control Induction Cooktop

DIMENSIONS AND INSTALLATION INFORMATION (IN INCHES)

IMPORTANT: Requires a 3" free area between the bottom of the cooktop to any combustible material, i.e., shelving. Free area not required when installing wall oven underneath cooktop. Refer to installation instructions. Requires a 15" minimum from cooktop to adjacent overhead cabinets. Units are furnished with a 48" flexible armored cable.


NOTE: 36" induction cooktops are approved for use over select GE 30" Single Wall Ovens and Warming Drawers. Refer to cooktop and wall oven/warming drawer installation instructions packed with product for current dimensional data. If installed with a GE Telescopic Downdraft System, consult both the cooktop and downdraft installation instructions packed with product before installing. Cooktop gas/electric supply may need to be re-routed to install downdraft. The countertop cutout requires 23-1/2" minimum flat countertop surface and 25" minimum total countertop depth.

In addition, other clearances to front edge of the countertop must be considered.

Before installing, consult installation instructions packed with product for current dimensional data.


APPROXIMATE COOKING DIMENSIONS

4-5/8" at baffle near center of unit (except when installed above an approved wall oven) and 3-1/4" at rear of air intake




To insure accuracy, it is best to make a template when cutting the opening in the counter

13" MAX. depth of unprotected overhead cabinets (when no hood or microwave is installed)



INSTALLATION ABOVE A WALL OVEN



KW RATING	
240V	11.1
208V	9.6
AMPERAGE	
240V	50 Amps†
208V	50 Amps†

NOTE: Check local codes for required breaker size.

For answers to your Monogram, GE Café™ Series, GE Profile™ Series or GE Appliances product questions, visit our website at geappliances.com or call GE Answer Center® Service, 800.626.2000.




Listed by Underwriters Laboratories

FEATURES AND BENEFITS

- Five induction elements
- Digital touch controls
- Power Boil (11" 3,700-watt induction element)
- SyncBurners
- Auto-pan size detection
- Worry-free pan detection
- Kitchen timer
- Control lock capability
- Red LED with black glass surface

Hot surface indicator lights
Fit Guarantee
Model PHP9036DJBB – Black on black



GUARANTEED FIT

Replacing a similar cooktop from GE Appliances or another brand? GE cooktops are guaranteed for an exact fit or GE Appliances will pay up to \$100 toward modifications Visit [geappliances.com](https://www.geappliances.com) for more info



Specification Revised 03/23

Documents / Resources

	<p>GE APPLIANCES PHP9036DJ 36 Inch Built-In Touch-Control Induction Cooktop [pdf] Instr uction Manual</p> <p>PHP9036DJ, PHP9036DJ 36 Inch Built-In Touch-Control Induction Cooktop, 36 Inch Built-In To uch-Control Induction Cooktop, Built-In Touch-Control Induction Cooktop, Touch-Control Inducti on Cooktop, Control Induction Cooktop, Induction Cooktop, Cooktop</p>
--	--

References

- [GE Appliances: Shop for Home, Kitchen, & Laundry Appliances](#)