

## GE current WWD2-2IW Daintree Networked Wireless Wall Dimmer Installation Guide

[Home](#) » [GE current](#) » GE current WWD2-2IW Daintree Networked Wireless Wall Dimmer Installation Guide 



Installation Guide  
CTRL027  
WWD2 -21W  
Daintree® Networked  
Wireless Wall Dimmer





## BEFORE YOU BEGIN

Read these instructions completely and carefully.  
Save these instructions for future use.



## WARNING / AVERTISSEMENT

### RISK OF ELECTRIC SHOCK

- Disconnect power before service installation, or maintenance of the product.

#### RISK OF FIRE

- Follow all relevant IEC or UL instructions and local building codes.

#### RISK OF INJURY

- Wears safety glasses and gloves during installation and servicing.

## FCC / IC COMPLIANCE STATEMENTS

This device contains license-exempt transmitter(s)/receiver(s) that comply with Innovation, Science, and Economic Development Canada's license-exempt RSS(s). Operation is subject to the following two conditions:

- This device may not cause interference.
- This device must accept any interference, including interference that may cause undesired operation of the device.

To satisfy FCC/ISED RF exposure requirements a separation distance of 20 cm or more must be maintained between the antenna of this device and persons during operation. Operation at closer than 20cm is not permitted.

## Prepare Electrical Wiring

### Electrical Requirements

- In the case of Digital bus miswiring, mains can be present on the device. Make sure all electricity is switched off before inspection.



### Grounding Instructions

- The grounding and bonding of the overall system shall be done in accordance with the National Electric Code (NEC) Article 600 and local codes.

## IMPORTANT

To ensure the product warranty is valid, please ensure all installation instructions and environmental conditions for storage and operation are complied with. Installation to be performed by factory-trained or qualified personnel.





### Save These Instructions

Use only in the manner intended by the manufacturer. If you have any questions, contact the manufacturer.


**Contents**

- [1 Installation](#)
- [2 Network Reset](#)
- [3 Battery Replacement](#)
- [4 Product Dimensions](#)
- [5 Product Overview](#)
  - [5.1 Technical Data](#)
- [6 Product Availability](#)
- [7 Product Certifications](#)
- [8 Documents / Resources](#)
  - [8.1 References](#)
- [9 Related Posts](#)

**Installation**

	
<p>Use a standard screwdriver to remove the devices from the back housing</p>	<p>Separate the battery cover from the device. Pull the plastic in. Put the battery cover back on the device.</p>
	
<p>Install the main body of the device into the back housing.</p>	<p>Install the faceplate onto the device. Note: The device support</p>






**Network Reset**




To reset the network of the device, remove the faceplate from the device. Then press and hold the reset button for 5 seconds. Install the faceplate back onto the device.

Press either dimming up or down button to enter the pairing mode to join the device to a network.

## Battery Replacement

		
<p>The device's LED flashing every 30 seconds indicates that the batteries need to be replaced.</p>	<p>Remove the device from the back housing.</p>	<p>Separate the battery cover from the batteries. All batteries need to be replaced.</p>
		
<p>Install the main body of the device into the back housing.</p>	<p>Install the faceplate onto the device. The device will rejoin the network.</p>	

Product Dimensions



Product Overview

Technical Data


Product Specifications

Dimensions Weight Power Supply battery life Operating Environment Status indicator Mounting Warranty	114mm H x 70mm W x 36mm D 130g (4) AAA1.5V battery 5yr (normal operation) -10°C to 40°C Indoor Use Only) The network joined/Button trigger Surface-mounted, screw hole in tl 5 years
---	---

Product Availability

SKU	DESCRIPTION	ARTICLE NO.
93141337	Daintree® Networked Wireless Wall Dimmer	WWD2-2IW

Product Certifications



**Caution:** The user is cautioned that changes or modifications not expressly approved by the party responsible for

compliance could void the user's authority to operate the equipment.

**Note:** This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help

### Supplier's Declaration of Conformity 47 CFR § 2.1077 Compliance Information

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model No: WWD2-2IW

Product Name:

Wireless Wall Dimmer

Suppliers Name: Current Lighting Solutions, LLC

Suppliers Address (USA): 1975 Noble Road, East Cleveland, OH 44112

Suppliers phone number and / or internet contact information: 1-866-855-8629


**GE current  
a Daintree company**

[www.gecurrent.com](http://www.gecurrent.com)

© 2020 Current Lighting Solutions, LLC. All rights reserved. GE and the GE monogram are trademarks of the General Electric Company and are used under license. Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.

**CTRL027 (Rev 07/05/20) Enovia – A-1025984**

### Documents / Resources



[GE current WWD2-2IW Daintree Networked Wireless Wall Dimmer](#) [pdf] Installation Guide WWD2IW, 2AS3F-WWD2IW, 2AS3FWWD2IW, WWD2-2IW, Daintree Networked Wireless Wall Dimmer

### References

- [C Commercial Lighting and Lighting Controls | Current - GLI Brands](#)