



GE Lighting CPLGSTDBLW1 Smart Plug with Smart Bridge Instructions

[Home](#) » [GE Lighting](#) » GE Lighting CPLGSTDBLW1 Smart Plug with Smart Bridge Instructions 

Contents

- [1 GE Lighting CPLGSTDBLW1 Smart Plug with Smart Bridge](#)
- [2 OVERVIEW](#)
- [3 Set Up Using the CYNC app](#)
- [4 Set Up Using the Google Home app](#)
- [5 FCC Compliance Statement Compliance Notice](#)
- [6 Documents / Resources](#)
- [7 Related Posts](#)




GE Lighting CPLGSTDBLW1 Smart Plug with Smart Bridge



Connect to your Alexa or Google Assistant device to control your devices With your Volce. Try these voice ommands: Amazon Alexa Alexa, turn off the living room. Alexa, good mornin9 Alexa, furn on fable amp. Google Assistant Hey Google, turn on the lights. Hey Google, turn off the bathroom plug. Hey Google, I'm leaving.

OVERVIEW



Set Up Using the CYNC app

1. Plug your Smart Plug into an outlet
2. Download the CYNC app
3. Add the Smart Plug to the CYNC app. Tip: Having trouble connecting? Move your Smart Plug closer to your router to commission.
4. To set up voice control with Amazon Alexa or Google Assistant follow the steps in the CYNC app
5. To enable voice and out home control for CYNC and C by GE Bluetooth Lights, add your Smart Lights and Smart Plug to the same room

Set Up Using the Google Home app

1. Plug your Smart Plug into an outlet
2. Open the Google Home app
3. Click the notification to set CYNC/C byGE Smart Plug
4. Assign the Smart Plug to a room

To control all of your CYNC and C by GE devices together, add them to the CYNC app, available for Android and iOS devices.

Note:

Please make sure your system is up-to-date and you update the firmware when prompted for the best experience.

FCC Compliance Statement Compliance Notice

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This device complies with part 15 of FCC rules. Operation is subject to the following two conditions:

1. This device may not cause harmful interference.
2. This device must accept any interference received, including interference that may cause undesired operation.

Changes or modifications that are not expressly approved by the manufacturer could void the user's authority to operate the equipment.

RF Exposure Information:

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. In order to avoid the possibility of exceeding the FCC radio frequency exposure limits, human proximity to the antenna shall

not be less than 8 inches during normal operation.

RF Exposure Statement:

This equipment complies with IC RSS-102 radiation exposure limits set forth for an uncontrolled environment. This transmitter must be installed to provide a separation distance of at least 8 inches from all persons and must not be collocated or operating in conjunction with any other antenna or transmitter.

CAUTION

High Voltage – Disconnect power supply before servicing Operation temperature: 0-40°C For Control of Electronic Ballast, CFL, LED Lamps Type 1 Enclosure IP20 Pollution Degree 2 Impulse Voltage: 1500V Type 1.B action Indoor use only. GE and C by GE are trademarks of General Electric Company. Used under trademark license.

Documents / Resources

| | |
|---|--|
|  | <p>GE Lighting CPLGSTDBLW1 Smart Plug with Smart Bridge [pdf] Instructions CPLGSTDBLW1, Smart Plug with Smart Bridge, CPLGSTDBLW1 Smart Plug with Smart Bridge</p> |
|---|--|