




GE Profile PHP9036ST 36 Inch Built-In Touch Control Induction Cooktop User Guide

[Home](#) » [GE Profile](#) » GE Profile PHP9036ST 36 Inch Built-In Touch Control Induction Cooktop User Guide 

GE Profile

GE Profile PHP9036ST 36 Inch Built-In Touch Control Induction Cooktop




DIMENSIONS AND INSTALLATION INFORMATION (IN INCHES)

IMPORTANT: Requires a 3" free area between the bottom of the cooktop to any combustible material, i.e., shelving. Free area not required when installing wall oven underneath cooktop. Refer to installation instructions. Requires a 15" minimum from cooktop to adjacent overhead cabinets. Units are furnished with a 48" flexible armored cable.


NOTE: 36" induction cooktops are approved for use over select GE 30" Single Wall Ovens and Warming Drawers. Refer to cooktop and wall oven/warming drawer installation instructions packed with product for current dimensional data. If installed with a GE Telescopic Downdraft System, consult both the cooktop and downdraft

installation instructions packed with product before installing. Cooktop gas/electric supply may need to be re-routed to install downdraft. The countertop cutout requires 23-1/2" minimum flat countertop surface and 25" minimum total countertop depth. In addition, other clearances to front edge of the countertop must be considered. Before installing, consult installation instructions packed with product for current dimensional data.

APPROXIMATE COOKING DIMENSIONS



INSTALLATION ABOVE A WALL OVEN




KW RATING	
240V	11.1
208V	10.1
AMPERAGE	
240V	50 Amps†
208V	50 Amps†

NOTE: Check local codes for required breaker size.

FEATURES AND BENEFITS

- Maximum Responsiveness – 19 Control Levels
- Power Boil
- Precision Temperature Control
- Guided Cooking
- Easy Clean Surface

- Safe Surface
- Most Efficient Heating
- Synchronized Elements
- Chef Connect
- Smart Cookware Rebate for 11" Smart Pan
- Timer
- Built-in WiFi
- Control Lock
- Fit Guarantee
- Model PHP9036STSS – Stainless steel



SMART COOKWARE REBATE

- Smart pans easily pair with this smart cooktop to ensure you
- get the perfect cooking results. Earn a rebate for a free 11"
- Hestan Cue Smart Pan

OPTIONAL STAINLESS STEEL CLAD ALUMINUM GRIDDLE

- Achieve even results with this lightweight griddle, tailored to fit GE SyncBurners. Order part number JXGRIDL1.

OPTIONAL SOUS VIDE PROBE

- A Sous Vide Probe lets you achieve great results on the stove.
- Order part number JXPROBE1.

GUARANTEED FIT

- Replacing a similar cooktop from GE Appliances or another brand?
- GE cooktops are guaranteed for an exact fit or GE Appliances will pay up to \$100 toward modifications.
- Visit geappliances.com for more info.

For answers to your Monogram, GE Café™, GE Profile™ or GE Appliances product questions, visit our website at geappliances.com or call GE Answer Center® Service, 800.626.2000.

Documents / Resources

	GE Profile PHP9036ST 36 Inch Built-In Touch Control Induction Cooktop [pdf] User Guide PHP9036ST 36 Inch Built-In Touch Control Induction Cooktop, PHP9036ST, 36 Inch Built-In Touch Control Induction Cooktop, Built-In Touch Control Induction Cooktop, Induction Cooktop
---	--

References

- [🌐 GE Appliances: Shop for Home, Kitchen, & Laundry Appliances](#)