





GE Profile XPIOX3SCSS, XPIOX3BCBT Opal 2.0 Nugget Ice Maker Owner's Manual

Home » GE Profile » GE Profile XPIOX3SCSS, XPIOX3BCBT Opal 2.0 Nugget Ice Maker Owner's Manual



Contents

- 1 GE Profile XPIOX3SCSS, XPIOX3BCBT Opal 2.0 Nugget Ice Maker
- **2 Product Usage Instructions**
- **3 IMPORTANT SAFETY INFORMATION**
- 4 Parts Included
- 5 Getting Started
- 6 Care and Cleaning
- **7 Normal Operating Sounds**
- 8 WiFi Connect SmartHQ
- 9 Regulatory Module Instruction
- 10 FCC Part 15 Information
- 11 Regulatory Module Instruction
- 12 Ice Maker Product Specifications
- 13 GE Appliances Limited Warranty
- 14 Documents / Resources
- 14.1 References
- 15 Related Posts



GE Profile XPIOX3SCSS, XPIOX3BCBT Opal 2.0 Nugget Ice Maker



Specifications

• Model: OPAL 2.0 ICE MAKER

• Model Numbers: XPIOX3SCSS, XPIOX3BCBT

• Trademark: GE (General Electric Company)

• Manufacturer: GE Appliances

Product Usage Instructions

Important Safety Information

Before using the appliance, read all instructions provided in the manual.

- Ensure proper grounding of the product.
- Connect the ice maker to its own circuit using a 115V electrical outlet.
- Follow the National Electric Code and local codes for installation.
- Use a cord with a minimum rating of 15 Amperes and 120 Volts.
- Install the ice maker indoors according to the installation instructions.

FAQ:

Q: Where can I find the model and serial numbers?

A: The model and serial numbers are located on a label on the back of the unit.

49-9000029 Rev. 10 09-24 XPIOX3SCSS XPIOX3BCBT

Write the model and serial numbers here:

Model #					
---------	--	--	--	--	--

Serial #	
Find these numbers on a label on the back of the unit	

THANK YOU FOR MAKING GE APPLIANCES A PART OF YOUR HOME.

Whether you grew up with GE Appliances, or this is your first, we're happy to have you in the family. We take pride in the craftsmanship, innovation and design that goes into every GE Appliances product, and we think you will too. Among other things, registration of your appliance ensures that we can deliver important product information and warranty details when you need them.

IMPORTANT SAFETY INFORMATION

READ ALL INSTRUCTIONS BEFORE USING THE APPLIANCE

WARNING To reduce the risk of fire, explosion, electric shock, or injury when using your Opal, follow these basic safety precautions.

- Do not, under any circumstances, alter or remove the third (ground) prong from the power cord. For personal safety, this product must be properly grounded.
- Do not exceed power outlet ratings. It is recommended that the ice maker is connected to its own circuit. Use
 only a 115 V, 60 Hz standard electrical supply that is properly grounded in accordance with the National Electric
 Code and local codes and ordinances.
- Due to potential safety hazards under certain conditions, we strongly advise against the use of an extension cord. However, if you must use an extension cord, it is absolutely necessary that it is a UL-listed, 3-wire ground type appliance extension cord having a grounding type plug and that the electrical rating of the cord be 15 Amperes (minimum) and 120 Volts.
- This product must be properly installed and located in accordance with the installation instructions before it is used. Product is for indoor household use only. Do not use outdoors.
- Do not store or use flammable vapors or liquids near this product.
- Do not allow children to climb, stand, or hang on the ice maker. They could seriously injure themselves.
- Do not use with water that is micro-biologically unsafe or of unknown quality.
- Place power cord in such a way it cannot be pulled on by children or cause a tripping hazard.
- Place power cord in such a way that it is not in contact with hot surfaces
- Do not operate if any component, including the cord or plug, is damaged.
- Unplug the product before cleaning by hand and when not in use.
- Do not immerse any part of the product in water.
- Do not plug or unplug product with wet hands.
- Do not attempt to disassemble, repair, modify, or replace any part of your product.
- Use this product only for its intended purpose as described in this user manual.
- Do not use any accessories not recommended by the manufacturer.
- When handling, installing, and operating the appliance, care should be taken to avoid damage to the refrigerant tubing.
- Servicing shall be performed by factory authorized service personnel and component parts shall be replaced with manufacturer-authorized replacement components
- If the SUPPLY CORD is damaged, it must be replaced by the manufacturer, its service agent or similarly qualified persons in order to avoid a hazard.
- Fill with potable water only.

CAUTION To reduce the risk of injury when using your Opal, follow these basic safety precautions.

- Do not remove any safety, warning, or product information
- Lifting Hazard: It is recommended to have two people move labels from your ice maker. and install the ice maker in order to prevent injury.

Refrigerant and Foam Disposal

Dispose of appliance in accordance with Federal and Local Regulations. Flammable refrigerant and insulation material used require


special disposal procedures. Contact your local authorities for the environmentally safe disposal of your appliance. AWARNING

FIRE OR EXPLOSION HAZARD Flammable Refrigerant

This appliance contains isobutane refrigerant, also known as R600a, a natural gas with high environmental compatibility. However, it is also combustible. Adhere to the warnings below to reduce the risk of injury or property damage.

- 1. When handling, installing, and operating the appliance, care should be taken to avoid damage to the refrigerant tubing.
- 2. Service shall only be performed by authorized service personnel. Use only manufacturer-authorized service parts.
- 3. Dispose of refrigerator in accordance with Federal and Local Regulations. The flammable refrigerant and insulation material used in this product require special disposal procedures. Contact your local authorities for the environmentally safe disposal of your refrigerator.
- 4. Keep ventilation openings in the appliance enclosures or in the built-in structure clear of obstruction.
- 5. To remove frost, scrape with a plastic or wood spatula or scraper. Do not use an ice pick or a metal or sharpedged instrument as it may puncture the freezer liner and then the flammable refrigerant tubing behind it.
- 6. Do not use electrical appliances inside the food storage compartments of the appliance, unless they are of the type recommended by the manufacturer.
- 7. Do not use any electrical device to defrost your appliance.
- 8. Do not use mechanical devices or other means to accelerate the defrosting process, other than those recommended by the manufacturer.
- 9. Do not damage the refrigerant circuit This warning is only applicable for appliances with refrigerating circuits which are accessible by the user.

Parts Included



Getting Started

Installation Requirements

- Lifting Hazard: It is recommended to have two people move and install the ice maker in order
- CAUTION to prevent injury.
- Product is designed to be installed indoors. Do not use your ice maker outdoors.
- Product must be installed upright on a flat, level surface that is able to support the total weight when full of water.
- Ensure a minimum of four inches (4") clearance around the side and back walls of the ice maker for proper air circulation.
- Install the product in a well-ventilated area with an ambient temperature between 550F and 900F.
- Do not place the product near heat sources such as ovens or cooktops.
- Do not place the product in direct sunlight.


Prepare Opal For Use

- 1. Carefully remove packing material. Do not use sharp tools that can damage the box contents.
- 2. Ensure all components are present. If any item is missing, please contact 1.866.907.6718.
- 3. Place the ice maker upright on a flat, level surface and plug it in.
- 4. Install drip tray by sliding it under the front edge of Opal.

The tray slots should align with the front feet of Opal.

5. Sanitize and rinse the ice maker with clean water for five minutes before first use.

NOTICE Some types of under-cabinet lamps can be hot enough to cause damage to your Opal top's appearance.



Care and Cleaning

- To keep nugget ice tasting fresh and ice maker performing properly, descaling/sanitizing is highly recommended.
- Descaling is recommended for removing hard mineral deposits and should be performed every 2-3 weeks
 depending on water hardness. Sanitizing is recommended one per week. If using tap water, cleaning schedule
 may need to be adjusted based on hardness of water.
- Harder water may require more frequent descaling or switching to distilled water is suggested. To clean the
 exterior of the ice maker, unplug the product, then use a soft cloth dampened with soapy water to gently clean
 the exterior surfaces. Dry with a soft cloth. Do not use soap to clean the reservoir. Use a soft cloth moistened
 with water.

WARNING

Chemical Exposure Hazard, when cleaning with bleach, use bleach in a well ventilated area and avoid mixing bleach with other household cleaners.

WARNING

Unplug the product before cleaning by hand, and when not in use.

System Descaling / Sanitizing Procedure

To clean Opal's internal components, complete the following steps:

- 1. Unplug Opal.
- 2. Remove water filter (if present), and replace with the reservoir's screened intake cap. See Figure 1.




Figure 1

3. Drain Opal (see page 8 for detailed instructions).

- 4. Descaling: Fill reservoir with white vinegar up to the Max Fill Line or use the Opal Cleaning Kit and follow instructions provided. Sanitizing: Create a solution by filling the water to the Max Fill Line and then adding one teaspoon of bleach.
- 5. Pour solution into water reservoir, up to the fill line shown. See figure 2.
- 6. Plug in Opal and hold the 'Clean' button for 3 seconds to initiate the cleaning process. See figure 3.
- 7. Water will begin circulating and the 'Cleaning' indicator will light up on the left-hand side of the unit to confirm the unit is now in cleaning process. See figure 4. After three minutes the water will stop and the 'Cleaning' indicator light will turn off. NOTE: Do not use soap to clean the water reservoir.
- 8. Descaling: run the clean cycle up to 3 times and then let the unit sit for 18 hours and soak. While the unit is soaking, dip a cloth in the solution and wipe the inner walls. Use a cotton swab to clean any cracks. When you are done, rinse the cloth with clean water and wipe Onal again to remove any cleanina solution. Reneat process for very heavy scaeeposl

Sanitizing: once the Cleaning indicator tums off, promptly drain the Opal.



Figure 2




Figure 3




Figure 4

Set a vinegar-soaked towel on the ice chute overnight to further dissolve any mineral buildup. See figure below.


- Clean the sensors with vinegar and wipe clean with water. See figures 5, 6, and 7 to reference location of the sensors. Appearance may vary based on model.
- 9. When the 'Cleaning' indicator light turns off, drain the Opal.
- 10. Unhook the top of the drain hoses at the back of the unit. See figure 8.

11.




Then lay them down to drain into a sink or bucket that is below the level of the ice maker. See figure 9 and 10.

- 12. Remove the plugs and allow the water to completely drain. See figure 10.
- 13. Once water stops flowing, re-insert the drain plugs.
- 14. To rinse: add five cups of fresh water to the water reservoir, and press the 'Clean' button to initiate a second cleaning cycle. To exit the cleaning cycle at any time, press and hold the 'Clean' button for 3 seconds.



Pull to the left to unhook



- 15. Repeat step 14 Wvo more times, adding fresh water to the reservoir each time (you may continue to repeat the rinse cycle, for as many times as you like).
- 16. Replace drain tubes on back. See figure 11.
- 17. When complete, fill unit with fresh water and press the 'Power' button to start making ice. See figure 12.




Figure 12

Care and Cleaning

Cleaning the Bin and Tray

To clean the ice bin, remove the ice bin from the ice maker and clean with a soft cloth dampened with soapy water. Rinse thoroughly. Dry with a soft cloth. Do not use solvents or chemicals.

The drip tray should be wiped dry. Water left in this area may leave deposits. To clean the drip tray, remove the tray from Opal and use a soft cloth dampened with mild soapy water to gently clean the surface. Dry with a soft cloth. Do not use solvents or chemicals.

Understanding the display

Making Ice Add Water
Defrosting Cleaning

Power

The Power button, when pressed, will begin the ice making process. When pressed, while ON, will turn the ice maker off.

Light

The light feature has three different modes: ON/DIM/OFF.

Toggle between the three modes by pressing the light button until you reach your desired lighting mode.

Clean

The cleaning cycle is initiated by pressing and holding the 'Clean' button for three seconds.

Descale Notification

After 100 hours of ice making, the 'Cleaning' indicator will flash to alert the user that a descale cycle is needed. Flashing will stop once the cycle has been completed.

Defrosting

If the ice maker has detected a frozen auger and low ice production then the Defrosting indicator will light up. The unit will run a rinse cycle to defrost the ice maker and then start making ice again.

Indicator Lights

The four indicator lights on the left-hand side of the unit display the current status of the Opal. If 'Add Water' is

highlighted, your unit needs more water before it can cycle to make ice or clean.

WiFi


Using the complimentary SmartHQ mobile app, customers can connect to their Opal and control it from their Android or iPhone. The indicator light on the left-hand side will confirm a successful connection. See page 14 for how to connect Opal 2.0 Ice Maker to WiFi Application.

Clean Light Power

Making Ice with Opal

Once Opal has been cleaned/sanitized, move the ice maker to its desired location and complete the following steps.

- 1. Remove ice bin.
- 2. Fill reservoir with potable (safe to drink) water up to the "Max Fill" line. Water hardness must be less than 12 grains per gallon. Do not fill reservoir with any liquid except water. Using any liquid except potable water is misuse and will void your warranty.
- 3. Plug the ice maker into a grounded outlet.
- 4. Touch the Power button to start the ice maker. The indicator on the left-hand side will light up 'Making Ice' to confirm that unit has begun to make ice.
- 5. Opal will begin to produce ice in 15-30 minutes. It will continue to make ice until the bin is full, or it runs out of water. To continue making ice, just add more water.



We recommend draining your Opal when:

- 1. You put it away or anytime it's being relocated
- 2. You turn it off for more than a few days. (i.e. vacation)
- 3. You are not using much ice. Continuous recirculation of melt-water may affect taste. For best results, drain your Opal.

Water Filter

The Opal Water Filter, is available at GE Appliances and is the only water filter compatible with Opal. Please follow the installation instructions included with your filter.


NOTE: Remove your water filter (if installed) and reinstall the screened intake cap prior to cleaning your Opal.

INSTALLATION INSTRUCTIONS

1. Remove the mesh screen that came installed in your Opal. This screen is located in the lower left corner of the

Opal water reservoir.

- 2. Make sure you save this mesh screen for use when no water filter is installed.
- 3. Insert your Opal water filter into the hole where the mesh screen was installed. Be sure the filter plug is facing away from you, and the finger grips are closest to you.
- 4. It is best to position the filter at a vertical 45 degrees angle for easiest installation. Once the filter plug is inserted completely, push the filter down until you hear a clicking sound.
- 5. You will know the filter is in place when you hear the click and the filter feels secure in the machine.




Side Tank Accessory

NOTE: There are two drain tubes located on the back of your Opal Nugget Ice Maker indicated as drain tube A and B in the illustration below.


1. Hand Wash Only: Rinse a an wash pal ide ank with warm water and a mild dish soap. Remove Opal Side Tank's cap and wash the cap and rubber valve with water and a mild dish soap. The Side Tank base can be washed by disconnecting the hose and adding a small amount of soapy water to it. Scrub as needed and rinse thoroughly. The rinse water should drain out the port in the back. Rinse the cap, rubber valve, tank and the base well to remove any residual soap (see illustration).

DO NOT WASH THE SIDE TANK IN THE DISHWASHER.


2. Unplug Opal Nugget Ice Maker. Unhook Opal's drain tubes and drain the water from the reservoir.




- 3. Connect drain tube, labeled B, to the back of Opal Side Tank's base.
- 4. Make sure drain tube (A) is connected to the black hanger and installed on the back of Opal.
- 5. Make sure drain tube (B) connecting to the Side Tank is resting flat on the countertop.




6. Place Opal Side Tank on the right or left-hand side of the the pa ugget ce aker. Sing the side tan attachment, slide the shorter side of the attachment under the unit, near the front of the unit. The attachment will slide into a slot on the bottom of the unit. Once this is placed, the side tank can slide onto the opposite attachment. See figures below and on next page.



NOTE: Care should be taken to connect the correct tube to the Opal Side Tank. Tube (B) should always be connected to the Side Tank whether it is installed on the left or right side of the Opal Nugget Ice Maker. It is important to make sure the tube is lying flat, otherwise water may not flow from the side tank into the ice maker.





- 7. Remove Opal Side Tank's reservoir from its base.
- 8. Unscrew Opal Side Tank's cap from the reservoir. Fill the clear reservoir with water.
- 9. Replace Opal Side Tank's cap. Ensure the cap is clean when installing.
- 10. Carefully flip over Opal Side Tank's reservoir and place in the base. Water should start flowing into the Opal Nugget Ice Maker and bubbles in the Opal Side Tank will appear periodically during the time water is flowing to the ice maker.

NOTE: If water does not appear to flow into the ice maker, please check for the following:

- There may be bubbles in tube (B) connecting the Side Tank to the Opal.
- Tube (B) is not lying flat.

If either of the above issues are present, adjust tube (B) to allow the water to flow.

- 11. Fill Opal Nugget Ice Maker's reservoir (if desired).
- 12. Plug in Opal Nugget Ice Maker, and begin making ice.

Side Tank Accessory

WARNING To reduce the risk of electrical shock or injury when using your Opal, follow these basic safety precautions:

- Unplug the product before cleaning by hand and when not in use.
- Do not use with water that is microbiologically unsafe or of unknown quality.
- Use caution when filling and installing Opal Side Tank, as filled unit may be heavy.
- Do not use this side tank for any liquid other than water.
- Children should not fill or install Opal Side Tank, as filled unit may be heavy.
- Side tank should be assembled to ice maker per installation instructions. Installing side tank in a different

manner may result in overturning risk.

- Make sure that Opal Nugget Ice Maker is unplugged when draining reservoir and installing Opal Side Tank.
- Ensure that Opal Side Tank is installed on a level surface that will be stable even when Opal Side Tank is full.
- Make sure the cap of the Side Tank remains clean during filling and operation. Hands should be washed and clean prior to opening and closing the cap.

Use and Care Cleaning the Side Tank

- Remove and drain the Side Tank.
- If there is residual water in Opal Side Tank base unit, flip Opal Side Tank's base to drain.
- Remove and wash Opal Side Tank's cap and valve with dish soap and warm water as needed. Ensure the cap
 is clean after removing and re-installing by hand.
- Only remove drain tubes while near a sink or bucket, as removing drain tubes from Opal or Opal Side Tank will
 drain any water in either unit. Proper Installation and Location The side tank should be installed flush to the
 front of the Opal Nugget Ice maker. Opal Side Tank needs to sit on the same level surface as your Opal Nugget
 Ice Maker. Do not elevate Opal Side Tank, or your Opal may overflow.

To Remove Mineral Deposits:

Mix two quarts of water with two quarts of white vinegar, OR use the Opal Cleaning Kit. Clean any visible mineral buildup or deposits with this solution. If deposits are present in the tank, fill the tank with this solution and let soak. Be sure to drain and rinse the tank thoroughly after cleaning. Stubborn deposits may require more than one treatment.

Side Tank Troubleshooting

If water does not flow from the Side Tank to the Opal Ice Maker: There may be bubbles in the tube connecting the side tank to the Opal if the tube is not lying flat. Try adjusting the tube to allow the water to flow. Once water starts flowing it typically will not need further adjusting.

Normal Operating Sounds

- Your new ice maker may make sounds that are not familiar. Most of these sounds are normal. Hard surfaces like the floor, walls, and countertops can amplify these sounds. The following describes the sounds that may be new to you and what may be creating them.
- WHIR When Opal is first turned on, you may notice the condenser fan spinning. BUZZ When the water pump first turns on, it may be dry and slightly noisy. Once it is filled with water, the noise reduces significantly.
- RATTLE Rattling noises may be produced from the flow of the refrigerant. These noises should reduce significantly once the refrigerant system has stabilized
- GURGLE When the refrigerant system shuts off, there may be a brief gurgle as the refrigerant stops flowing.
- CLICK As nugget ice is produced, it drops into the ice drawer. The first nuggets produced are the loudest, as they impact the bottom of the ice bin. As the bin fills, this noise reduces significantly.
- SQUEAK When Opal is in need of defrosting, it may start to squeak as ice starts to build up around the
 mechanisms. The defost cycle is automatic, and may take 30-45 minutes. During this time, the front button
 won't respond. More frequent squeaking usually requires white vinegar cleaning to remove internal mineral
 scale buildup
- HUM The compressor is a motor. It produces a low toned humming sound while it is running.

WiFi Connect — SmartHQ

Your OPAL 2.0 ice maker is WiFi Connect Enabled. A WiFi communication card is built into the product allowing it to communicate with your Smart Phone for remote monitoring, control, and notifications. Please visit geappliances.com/ge/connected-appliances to learn more about connected appliance features

and to learn what connected appliance Appts will work with your Smart Phone.

Regulatory Module Instruction

This Wi-Fi/Bluetooth module installed in this product has been granted modular approval for mobile applications.

The module has been certified by FCC/IC/Bluetooth

• SIG, and complies with FCC/IC regulations. The product description is as follows.

• Product Name: Opal 2.0 Ice Maker

• Contains FCC ID: ZKJ-WCATA008

Contains IC: 10229A-WCATA008

RF Exposure Information

This device complies with 47 CFR S 2.1091 and 2.1093.

- § 2.1091 Radiofrequency radiation exposure evaluation: mobile devices.
 - (b) For purposes of this section, the definitions in § 1.1307(b)(2) of this chapter shall apply. A mobile device is defined as a transmitting device designed to be used in other than fixed locations and to generally be used in such a way that a separation distance of at least 20 centimeters is normally maintained between the RF source's radiating structure(s) and the body of the user or nearby persons. In this context, the term "fixed location" means that the device is physically secured at one location and is not able to be easily moved to another location while transmitting. Transmitting devices designed to be used by consumers or workers that can be easily re-located, such as wireless devices associated with a personal desktop computer, are considered to be mobile devices if they meet the 20-centimeter separation requirement. (d)
 - (4) In some cases, e.g., modular or desktop transmitters, the potential conditions of use of a device may not allow easy classification of that device as either mobile or portable (also see § 2.1093). In such cases, applicants are respon- sible for determining minimum distances for compliance for the intended use and installation of the device based on evaluation of either specific absorption rate (SAR), field strength or power density, whichever is most appropriate.
- § 2.1093 Radiofrequency radiation exposure evaluation: portable devices. (b) For purposes of this section, the definitions in § 1.1307(b)(2) of this chapter shall apply.
 - A portable device is defined as a transmitting device designed to be used in other than fixed locations and to generally be used in such a way that the RF source's radiating structure(s) is/are within 20 centimeters of the body of the user.
- Further guidance for equipment used in general population/uncontrolled or occupational/controlled environments is provided in various KDB Publications 447498 and 616217.
- 447498 RF exposure procedures and equipment authorization policies for mobile and portable devices 616217
 SAR evaluation considerations for laptop, notebook, netbook, and tablet computers

FCC Part 15 Information

(COMPLIANCE INFORMATION) }|

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions

- 1. This device may not cause harmful interference, and
- 2. This device must accept any interference received, including interference that may cause undesired operation.
- That module is limited to OEM installation ONLY.
- That OEM integrators are responsible for ensuring that the end-user has no manual instructions to remove or install module.
- That module is limited to installation in mobile or fixed applications, according to Part 2.1091 (b).
- That separate approval is required for all other operating configurations, including portable configurations with respect to Part 2.1093 and different antenna configurations.
- That grantee shall provide guidance to the host manufacturer for compliance with Part 15 subpart B requirements.

Regulatory Module Instruction

FCC Part 15 Information (cont.) (INFORMATION TO USER)

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
 Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

CAUTION

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

FCC Part 15 Information

This device complies with Industry Canada's license-exempt RSSs. Operation is subject to the following two conditions:

- 1. This device may not cause interference; and
- 2. This device must accept any interference, including interference that may cause undesired operation of the device.

This equipment complies with radiation exposure limits set forth for an uncontrolled environment and meets FCC Radio Frequency (RF) exposure guidelines and RSS-102 Radio Frequency (RF) Exposure Compliance of

Radiocommunication Apparatus (All Frequency Bands). This equipment radiates very low RF energy which is deemed to comply without specific absorption rate (SAR) evaluation.

Ice Maker Product Specifications

•

Description of product	Portable nugget ice maker	
Model	XPIOX3SCSS, XPIOX3BCBT	
Voltage/Frequency	120V AC/60Hz	
Current	3.0 A	
Ice storage capacity	3.0 lbs	
Ice making rate	38 lb./day 1.6 lb./hr. @70°F ambient / 60°F Water; 30.9 lb./day 1.28 lb./hr. @90°F ambient / 70°F Water per DOE*	
Dimensions (width x depth x height)	13.43 x 17.5 x 16.5	
Installation clearance (sides and back)	4 in.	
Operating environment	55°F - 90°F	
Weight (when empty)	37.6 lbs	

NOTE: Technical data and performance information provided for reference only.

- Specifiætions are subject to change. Check the rating label on your ice maker for the most acurate information.
- *The actual quantity of ice produæd will vary with environmental mnditions.
- · Note: Products containing refrigerants
- This mntains a refrigerant, which under Federal Law must be removed prior to product disposal. If you are
 disposing this, or any refrigeration product, check with your loæl waste mmpany for guidanæ.

GE Appliances Limited Warranty

GEAppliances.com

Please have your serial number and your model number available when calling for service. Call 1.800.GE.CARES (1-800-432-2737) for service questions.

For the Period of:	GE Appliances Covers
One Year From the date of the original purchase	If the ice maker fails due to a defect in materials or workmanship, during the limited one-year warranty, GE Appliances will either repair your product or replace your product with a new or remanufactured product, or refund the purchase price of the product at GE Appliances sole discretion.

What GE Appliances Will Not Cover:

Failure of the product if it is abused, misused, or used for other than the intended purpose or used commercially.

- Replacement of house fuses or resetting of circuit breakers.
- · Damage æused after delivery.
- · Replacement of the light bulbs, if included.

EXCLUSION OF IMPLIED WARRANTIES

- Damage to the product caused by acident, fire, floods or acts of God.
- Incidental or consequential damage caused by possible defects with this appliance.

Your sole and exclusive remedies are exchange or refund as provided in this Limited Warranty. Any implied

warranties, including the implied warranties of merchantability or fitness for a particular purpose, are limited to one year or the shortest allowed by law.

- For US Customers: This limited warranty is extended to the original purchaser for products purchased for home use within the USA.
- Some states do not allow the exclusion or limitation of incidental or consequential damages. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state. To know what your legal rights are, consult your loæl or state @nsumer affairs Offæ
- · or your state's Attorney General.
- · Warrantor: GE Appliances, a Haier company

Louisville, KY 40225

For Customers in Canada: This limited warranty is extended to the original purchaser and any succeeding owner for products purchased in Canada for home use within Canada. In-home warrant service will be provided in areas where it is available and deemed reasonable by Mabe to provide. For extended warranty information, visit geappliances.ca/purchase-extended-warranty

Warrantor Canada: MC Commercial, Burlington, Ontario, L7R 5B6

Consumer Support

Service and Registration

Register your new appliance on-line at your convenience! Timely product registration will allow for enhanced communication and prompt service under the terms of your warranty, should the need arise.

Register your appliance at <u>GEAppliances.com/register</u> or visit <u>myopalservice.com</u> to submit a service request. In Canada, <u>service.geappliances.ca/servicio/en_CA/</u>

Contact Us

If you are not satisfied with the service you receive from GE Appliances, contact us on our Website with all the details including your phone number, or write to:

In the US: General Manager, Customer Relations I GE Appliances, Appliance Park I Louisville, KY 40225

GEAppliances.com/contact

In Canada: Director, Consumer Relations, MC Commercial Inc. I Suite 300, 5420 North Service Road I Burlington, ON L7L 6C7 **GEAppliances.ca/en/contact-us**

Documents / Resources



GE Profile XPIOX3SCSS, XPIOX3BCBT Opal 2.0 Nugget Ice Maker [pdf] Owner's Manual XPIOX3SCSS, XPIOX3BCBT, XPIOX3SCSS XPIOX3BCBT Opal 2.0 Nugget Ice Maker, XPIOX3 SCSS XPIOX3BCBT, Opal 2.0 Nugget Ice Maker, 2.0 Nugget Ice Maker, Nugget Ice Maker, Ice Maker, Maker

References

- O Contact Us or Get Help with Questions | GE Appliances
- O GE Smart Appliances | GE Appliances
- O GEAppliances.com/register
- GE Appliance Product Return or Exchange of a Small Appliance | GE Appliances

- User Manual

Manuals+, Privacy Policy

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.