Manuals+ — User Manuals Simplified.

GeekTale F08A Rechargeable Battery Smart Lock User Manual

Contents

GeekTale F08A Rechargeable Battery Smart Lock

PRODUCT INFORMATIONON

WELCOME

- Geek Tale bids you welcome to a world of smart home devices, smart locks, and smart surveillance. We at Geek Tale strive to explore and develop the smart home industry for the good of all.
- We use cutting-edge technologies to develop products fit and ready for the market.
- Please visit our website **www.geektechnology.com**
- Before installing, please scan the QR codes to watch our easy step-by-step installation video.
- If you have questions regarding the installation process, please contact us by email **service_lock@geektechnology.com** or by phone
- 1-**844-801-8880**.

**Scan the QR code for more Geek Tale Products**

PRODUCT DIMENSIONS

Exterior Knob

Ø68

Interior Knob

Ø65

22

47,5

Deadbolt Latch

24,5mm

70 60

60mm

25,2mm

41mm 56,5mm

70mm

24,5mm

70 60

25,2mm

41mm 56,5mm

PRODUCT DESCRIPTION

Indicator Light

1. **Add fingerprint**
   - **Blue light**: The fingerprint light turns to blue as to indicate the lock is ready to add fingerprint.
2. **Fingerprint, mobile phone APP unlock**
   - **Green light**: Success (the buzzer beeps once, and the fingerprint light flashes green to indicate).
   - **Red light**: Failed (the buzzer beeps twice the fingerprint light flashes red to indicate).
3. **Low power**
   - **Green+red light**: When the lock is unlocked with fingerprint or mobile APP the buzzer beeps once and fingerprint light flash green and red.

INCLUDED IN THE BOX

A	B	C	D	E
Exterior panel parts 1PC	Interior parts 1PC	Exterior panel rubber 1PC	Adjustable deadbolt (60-70 mm) 1PC	Strick plate 1PC

F	G	H	I
Strick box 1PCS	Screws A 2PCS	Screw B 4PCS	Warranty card 1PC

ASSEMBLY DIAGRAM

CHECK THE DOOR'S DIMENSIONS

- **Step 1**: Measure to confirm that the door is between 1 3\8″~ 2 1/8″ (35mm ~54mm) thick.
- **Step 2**: Measure to confirm that the hole in the door is 2 /8″ (54mm).
- **Step 3**: Measure to confirm that the backset is either 2⅔8″ -2'3\4″ (60-70mm).
- **Step 4**: Measure to confirm that the hole in the door edge is 1″ (25 mm).

Note: If you have a new door, please drill the holes according to Drill Template.

Step 1:

Route the cable through the door BELOW the bolt. Insert the tailpiece of exterior panel into the slot of the deadbolt and push the front panel onto the door.
NOTE: The tailpiece should be in a vertical position.

Cable

Step 2:

Install the interior mounting plate. Route the cable below the bolt and through the hole on the right side of the mounting plate. Secure the mouting plate with screws B.

HOW TO INSTALL RIGHT HINGE DOOR

Install the Exterior Knob, Insert the spindle and the standoffs into the corresponding holes of the deadbolt latch.

Note: DO NOT CLOSE THE DOOR until the door lock is fully installed.

**Important** The spindle must go **Horizontally** across the of the deadbolt.

Tip

Note: DO NOT CLOSE THE DOOR until the door lock is fully installed.

What is left hinge door like?

What is Right hinge door like?

Keep the deadbolt unlock as shown, Install the Exterior panel parts(1), Insert the standoffs(2) into the corresponding holes of the deadbolt latch, put the data line through the hole below the deadbolt.

HOW TO INSTALL A LEFT-HAND DOOR

Important The spindle must go Vertically across the of the deadbolt.

Tip

Keep the deadbolt unlock as shown, Install the Exterior panel parts(1), Insert the standoffs(2) into the corresponding holes of the deadbolt latch, put the data line through the hole below the deadbolt.

**HOW TO CONNET THE DATA LINE AND INSTALL THE INTERIOR PART**

After install the Exterior panel parts currently according left or right, connect the data line as shown, and use the screws B(2) to secure the interior parts.

HOW TO LOCK AND UNLOCK

Twist to lock Keyless(right hinge door)

Fingerprint and twist to Unlock(Right hinge door).

HOW TO LOCK AND UNLOCK

Twist to lock Keyless(Left hinge door).

Fingerprint and twist to Unlock(Left hinge door).

DOWNLOAD THE GEEKSMART APP

1. App Download Instructions
   - A. Scan the QR code on the right you can use Android and iOS to download the APP.
   - B. Android version software can be downloaded in the Google Play store. Search "GeekSmart".
   - C. iOS version of the software can be downloaded in the iPhone App Store. Search "GeekSmart".
2. Register and log in with your E-mail address.

ADDING DEVICE

① Tap add device button.

② Continue to follow the instruction on the App interface.

HOW TO ADD FINGERPRINT BY GEEKSMART APP

③ Select your lock.

④ Add complete.

HOW TO SET LEFT HINGE OR RIGHT HINGE

HOW TO ADD A FINGERPRINT BY GEEKSMART APP

① Click member management.

② Click me.

③ Continue to follow the instruction on the App interface.

HOW TO DELETE FINGERPRINT BY GEEKSMART APP

① Tap the fingerprint you want to delete.　② Tap delete.

TROUBLESHOOTING

- **Q: How to reset the FO8A?**
    - A: Please select "restore factory setting" or "Delete device" by GeekSmart APP.
        - Turn the interior parts thumb turn to the left and return to the middle position 5 times if your door is left hinge.
        - Turn the interior parts thumb turn to the right and return to the middle position 5 times if your door is right hinge.

① → ②   ① → ②

5 times   5 times

Left hinge door   Right hinge door

- **Q: Does F08A work with third-party accessories such as single latch?**
  - A: It is recommended to use the original accessories for best performance and stability.
- **Q: What notification will I receive when the battery is low?**
  - A: After the fingerprint and mobile APP are successfully unlocked (the buzzer beeps once, the fingerprint reader flashes green and then flashes red).
 - A: When you unlock the device through the mobile App, you will recive a push notification message with low battery warning.
  - A: The remaining power can provide about 50 times to unlock.
    - Please use the power bank to charge in time.
- **Q: How can I unlock F08A if the battery runs out?**
  - A: Turn the key 90° to unlock the door.
  - A: Connect a power bank to the Exterior panel parts with Type-C cable as to activate for emergency access.

Important Note:

Please keep at least one key in secure location elsewhere as an extra precaution.

- **Q: If I order 3 locks will anyone else have the same keys?**
  - A: Each set of locks is keyed differently.
- **Q: Accidentally deleted the lock from the app. what should I do?**
  1. A: You delete the lock in the app, but the lock is not emptied. Please RESET the lock.
  2. Add again on the GeekSmart APP.
- **Q: My bluetooth won't connect. what should I do?**
  1. A: Upgrade to the latest version of the firmware, aut to allow access to the Geek Smart App.
  2. Try to connect again.
  3. If the connection is still not smooth, please contact our t unlock in
- **Q: What is the difference between an administrator/user?**
  - A: The first user to add the knob by GeekSmart APP member is administrator, other members are users.
  - A: Administrator fingerprint can unlock even in the security mode, but user cannon the security mode.You can enable or disable in the APP.
- **Q: How to charge F08A?**
  - A: There is a TYPE-C power port below Exterior panel, connect a power bank with type-C cable for charging, Usually it takes 30 minutes to charge from 0% to 100%, we suggest you choose power bank

with line to hank around the F08A to charge.

SPECIFICATIONS

- **Name**
  - Parameter Description
- **USB**
  - Type-C/ 5V2A
- **Fingerprints max**
  - 20
- **Low power warning**
  - 3.5V±0.2
- **Voltage range**
  - 3.4V~4.2V
- **Stand-by current**
  - 100uA
- **Operating Current**
  - <500mA
- **Unlock time**
  - ≈1.5 sec
- **Range of working Temperature**
  - 23~131 F
- **Door thickness**
  - $1\frac{3}{8}" \sim 2\frac{1}{8}"$ (35-54mm)
- **Material**
  - Aluminium alloy+Stainless Steel
- **Power**
  - Lithium battery

FCC

FCC WARNING

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instruction, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/ TV technician for help.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

CONTACT INFORMATION

- GEEK TECHNOLOGY CO., LTD
- 120 US Route 46,
- Parsippany, NJ 07054,
- Toll Free
- 1-**844-801-8880**

FAQs

- **What is a left-hinge door like?**
    - A left-hinge door has hinges on the left side of the door frame.
- **What is a right-hinge door like?**
    - A right-hinge door has hinges on the right side of the door frame.

Documents / Resources

[**GeekTale F08A Rechargeable Battery Smart Lock**](#) [pdf] User Manual
F08A Rechargeable Battery Smart Lock, F08A, Rechargeable Battery Smart Lock, Battery Smart Lock, Smart Lock

References