

# **Gelius GP-SDC02 Time Bridge 2 Smart Desktop Clock User Manual**

Home » Gelius » Gelius GP-SDC02 Time Bridge 2 Smart Desktop Clock User Manual



## **Contents**


- **1 FEATURES**
- **2 APPEARANCE BUTTONS**
- **3 CLOCK BUTTON FUNCTION**
- **4 WIRELESS CHARGE**
- **INSTRUCTION**
- **5 CLOCK SETTING**
- **6 ALARM SETTING**
- 7 YEAR-MONTH-DAY SETTINGS
- **8 ADJUST SCREEN BRIGHTNESS**
- 9 APPLICABLE DEVICE
- **10 SPECIFICATIONS**
- 11 Documents / Resources
  - 11.1 References
- **12 Related Posts**

## **FEATURES**


- Simple and exquisite shape.
- Night light.
- · Clock alarm.
- · Wireless fast charge.
- Charging distance s 6mm.

# **APPEARANCE BUTTONS**

- 1. Clock display area
- 2. Glass
- 3. Clock function button
- 4. Wireless charging device induction area
- 5. Type-C input interface
- 6. Silicone anti-slip pad
- 7. Light adjustment touch switch




# **CLOCK BUTTON FUNCTION**



# **WIRELESS CHARGE INSTRUCTION**

- 1. Connect the USB port of the USB cable to the power adapter and the Type-C port to the wireless charger. The « indicator will light up in the display area of the watch, after it is fully charged, it will light up constantly.



## **CLOCK SETTING**

- Press MODE twice and the clock will flash to enter clock setting mode. Press UP/DOWN to adjust the hour, hold UP/DOWN to quickly adjust the hour.
- Press MODE again and the minutes will flash to enter the minutes setting mode. Press UP/DOWN to adjust minutes, hold UP/DOWN to quickly adjust minutes.
- Press and hold MODE to save the current setting settings.

## **ALARM SETTING**

# Open/Close 10 / 20

- Short press [1] to turn on/off the alarm 1.
- Short press [2] to turn on/off the alarm 2.

# The first way to set the alarm

- After turning on the alarm, press and hold icon \( \textstyle{\mathbb{Q}} \) \( \textstyle{\mathbb{Q}} \) to enter the alarm setting state 1/2, the clock will flash, enter the clock setting mode, short press UP/DOWN to set the hour.
- Press the MODE or 🍱 / 🕮 button again and the minutes will flash to enter the minutes setting mode, short press UP/DOWN to adjust the minutes.


## Alarm setting method 2

- Short press the MODE button 4 times to enter the alarm setting 1, the clock will flash and enter the clock setting mode. Briefly press UP/DOWN to adjust the hour.
- Short press the MODE or <a>\mathbb{I}</a> button again and the minutes will flash to enter the minute setting mode, short press UP/DOWN to adjust the minutes.
- Short press MODE again, alarm 2 icon will flash and enter alarm 2 setting.
- The method of setting alarm clock 2 is the same as alarm clock 1.

#### **Snooze**

- When the alarm rings, touch the touch switch on the side to snooze for 5 minutes; Long tap on the side to stop the current alarm.
- When the alarm rings and no operations are performed, it rings every 10 minutes, a total of 4 times. A long press on the side stops the current alarm.

• After turning off all functions (alarm, light, screen, wireless charging, etc.), short press any button on the front panel to activate the side touch function.



#### YEAR-MONTH-DAY SETTINGS


- Briefly press MODE to switch between 12/24 hour format -clock-alarm1-alarm2-year-month-day.
- When the year is flashing, enter the year setting, short press UP/DOWN to adjust the year.
- Briefly press MODE again and the moon will flash, entering the moon setting mode. Briefly press UP/DOWN to adjust the month.
- Short press MODE again and the date will flash, entering the date setting state. Briefly press UP/DOWN to adjust the date.
- Press MODE briefly again to save the current setting.

## **ADJUST SCREEN BRIGHTNESS**

• Short press to adjust the brightness of the screen, high brightness – medium brightness – low brightness – off cycle in turn.

# **TURN ON/OFF**

- Touch the first gear of the switch to turn on the light and the light brightness will be 50%.
- Tap the second level switch and the light brightness will be 100%.
- The third level of the switch is the frame.
- Touch the fourth switch to turn off the light.
- · Turn on the lights consistently.



## **APPLICABLE DEVICE**

This product supports fast wireless charging, which complies with the QI wireless charging standard; it realizes short-distance wireless power transmission through magnetic induction. This device supports all wireless charging devices that meet the QI standard. When using a 5V output adapter, Wireless charging supports 5W load. When using an adapter that meets QC2.0and above standards,the wireless charging supports 10W load; Support overcharge protection (9V) and overcurrent protection (2A).

## **ATTENTION POINTS**

- Do not use or store the product in direct sunlight or high temperature places for a long time.
- Do not charge in places too close to magnetic cards, magnetic recording media, and precision instruments.
- Do not disassemble or modify this product.
- Do not touch the AC adapter with wet hands.
- Keep this product away from water or other liquids.
- If you want to clean the product, please disconnect the power.
- Product working environment temperature range: -20~45°C.

#### **SPECIFICATIONS**

Product Material: imported ABS+hardware

Power Input: DC5V/3A 9V/2.1A

Charging Efficiency: 75% Power: 5W/7.5W/10W/15W Battery Capacity: 12OOmAh Product Weight: 473G

Product Size: 225x105x52mm

The power charging port is an international universal

Type-C port



#### **Documents / Resources**



Gelius GP-SDC02 Time Bridge 2 Smart Desktop Clock [pdf] User Manual GP-SDC02 Time Bridge 2 Smart Desktop Clock, Time Bridge 2 Smart Desktop Clock, Bridge 2 Smart Desktop Clock, Smart Desktop Clock, Clock

# References

User Manual

Manuals+, Privacy Policy

SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsem	nent.