


GENERAL

**X83U Smart
Battery
Camera**



GENERAL X83U Smart Battery Camera Instruction Manual


[Home](#) » [GENERAL](#) » GENERAL X83U Smart Battery Camera Instruction Manual 

Contents

- [1 GENERAL X83U Smart Battery Camera](#)
- [2 Product Usage Instructions](#)
- [3 Standard Configuration](#)
- [4 Connect the camera](#)
- [5 Quick Installation](#)
- [6 FCC Statement](#)
- [7 FAQs](#)
- [8 Documents / Resources](#)
 - [8.1 References](#)

GENERAL

GENERAL X83U Smart Battery Camera



Specifications

- Standard Configuration: Screw Pack X1, Camera X1, Power Cord X1, Quick Operation Guide, Upper wall X1, Manual X1
- Installation Methods: Desktop placement, wall punching, magnetic attraction
- Charging: 5V charger, Type-C Charging
- Wi-Fi Support: 2.4G wifi
- Port Indicator Status: Blue light flashing (Operation Distribution network), Blue light always on (Charging State), Red light always on

Product Usage Instructions

Widget Indication:

- Infrared Lamp Lens
- Indicator Light Microphone
- Infrared Sensor: Cannot be blocked by glass, walls, etc., otherwise, it will affect the detection effect of the sensor
- Speaker Bracket Interface
- Bracket Interface
- Power Button: Short press 2 times in a row to reset the machine
- Reset Button
- Micro SD Card Slot
- Charging Port: Pay attention to waterproofing. Make sure the waterproof rubber plug is fully closed before use.

Start Using:

1. Scan QR code to download the APP on Android/iOS devices.
2. Open the APP, click on the button to add a device or the + icon and follow the prompts to add the camera.

Connect the Camera:

1. Press and hold the power button for 3-5 seconds until the device sends a voice prompt.
2. Scan the QR code of the camera with your mobile phone.
3. Enter the Wi-Fi account and password on the APP (only supports 2.4G wifi).

Quick Installation:

The camera supports three installation methods: desktop placement, wall punching, and magnetic attraction.


Camera Charging:

When the battery is low, use a 5V charger for Type-C charging.

Port Indicator Status:

The flashing blue light indicates normal operation. Blue light always on means charging. Red light always on indicates a specific state.

Standard Configuration




Camera X1




Screw Pack X1



Power Cord X1




Upper wall X1



Manual X1




Rotate clockwise to tighten and tighten the bracket.



Rotating counterclockwise can loosen the bracket and adjust the installation direction of the equipment.

The picture is for reference only. Please refer to the actual product.

Widget Indication



Pay attention to waterproofing. Make sure the waterproof rubber plug is fully closed before use.

Start Using



Android/iOS self-adaptive Scanning QR code to download APP.




Open the APP, click “Click the button to add a device” or the “+” icon in the upper – right corner, and follow the APP prompts to perform the next – step operations.

Connect the camera

1. Press and hold the power button for 3-5 seconds until the device sends a voice, and broadcast “The device has been turned on, please use the APP to bind the device”. Click the “Add” button of the APP or the “+” number in the upper right corner to scan the QR code of the camera body with your mobile phone.




2. Enter the wifi account and password to be connected on the APP (currently only 2.4G wifi is supported). Then follow the APP prompts to perform the next step to complete the binding.



Quick Installation


The camera supports three installation methods: desktop placement, wall punching, and magnetic attraction.



Installation height: 2 meters is recommended, and the angle is about 15-20 ° downward.

Camera Charging

When the battery is low, the APP will remind you to charge, please use a 5V charger to charge.



PortIndicator Status

Operation	State
Distribution network	Blue light flashing
The device is working normally	Blue light is always on
Charging	red light is always on

FCC Statement

- This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.
- This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:
 - Reorient or relocate the receiving antenna.
 - Increase the separation between the equipment and receiver.
 - Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
 - Consult the dealer or an experienced radio/TV technician for help.
- To assure continued compliance, any changes or modifications not expressly approved by the party. Responsible for compliance could void the user's authority to operate this equipment. (Example- use only shielded interface cables when connecting to computer or peripheral devices).
- This equipment complies with Part 15 of the FCC Rules.

Operation is subject to the following two conditions:

1. This device may not cause harmful interference, and
2. This device must accept any interference received, including interference that may cause undesired operation.

FCC Radiation Exposure Statement:

The equipment complies with FCC Radiation exposure limits set forth for uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator and your body.


FAQs**Q: What should I do if I encounter interference with the camera signal?**

A: Ensure that there are no obstructions blocking the camera's view and that the Wi-Fi signal is strong for proper connectivity.

Q: How do I reset the camera?

A: Press the power button twice quickly to reset the camera.

Documents / Resources

 The image shows the cover of a 'Smart Battery Camera Quick Operation Guide'. It features a line drawing of the camera, which is a small, cylindrical device with a lens and a mounting bracket. The text 'Smart Battery Camera' and 'Quick Operation Guide' is visible at the top.	<p>GENERAL X83U Smart Battery Camera [pdf] Instruction Manual X83U, X83U Smart Battery Camera, Smart Battery Camera, Battery Camera, Camera</p>
---	---

References

- [User Manual](#)

[Manuals+](#), [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.