



[Home](#) » [Generic](#) » **Generic KT-618 Universal A-C Remote Control Instruction Manual** 

Contents [[hide](#)]

- [1 Generic KT-618 Universal A-C Remote Control](#)
- [2 Product Description](#)
- [3 Patent code set up](#)
- [4 Auto-search code setting](#)
- [5 Using of “intelligent Cooling” “intelligent heating”](#)
- [6 Technical Parameters](#)
- [7 FAQs](#)
- [8 Documents / Resources](#)
 - [8.1 References](#)

Generic

Generic KT-618 Universal A-C Remote Control



Product Description

KT-618 is a new product with the patent of code setting which is invented by our engineers. You can input the numeric keys (0-9) for the code required directly, visual and convenient, quick and efficient. It has accurate clock, timer on and off, room temperature display, conversions between Celsius and Fahrenheit degree, Sleep function, code memory and also has unique function of “intelligent cooling” “intelligent heating”. So it is your best choice. Please read this manual carefully before using. which will be a great help for you to use the remote control. The remote control can be used after setting. Pull side cover of remote control down and put 2 AM (VM-4, R03) batteries as per polar indicated on battery cabin.

Patent code set up

1. Find out the codes from code table. There are many groups of codes for each brand. Please try the first group first; if it can't control your equipment. try the second, and do it like this until the codes can operate your equipment. Ex: ALPIN, you can input 0252 first; if it does not work, please try the second code 0253 etc.
2. Press the “SEL” key, the code on LCD will flash. Enter the 4 digit codes in turn. Ex: “0252”, press the “O” key, “O” stop flashing, the last three numbers flashing, then press the “2” key, the last two numbers flashing, and press the “5” key, the last

number flashing, finally press the last number “2”, all of the 4 digit codes “0252” stop flashing, code enter is now completed. The remote control confirms the code automatically, and you can use the numeric key normally. You can use your air conditioner now.

3. Turn on the air conditioner and try other function keys. If they do not work well, please try the next group of code until all the functions can work. The remote control contains 6000 codes, so it is invalid when the code is larger than 5999.

Auto-search code setting

If you do not know the brand of your air conditioner, or if your brand is not listed in the code table, please operate as the following steps:

1. Put the remote control aim at your air conditioner, press the “SEL” key for 5 seconds and then release, remote control enters the auto-search status, emit the signal continuously, the code flashes and increases. While the air conditioner receives the signal, and send one buzzer, press any key to confirm.
2. Try other function keys, if they do not work, repeat above steps until it is correct.

Using of “intelligent Cooling” “intelligent heating”

In the summer, press the “*” only, the air conditioner will start cooling the room immediately. In the winter, press the “;*, ” key only, the air conditioner will start heating the room immediately. In both status, the air conditioner will provide you a comfortable temperature automatically, and the fan and swing are all automatic. At the same time, you can also adjust the temperature by “Temp+” “Temp-” keys as you like. These two intelligent keys are very good for the children and the elderly.

Timer on

1. Press the “@” key, the time on LCD flashes
2. Press “+/-” key, adjust the time when you want to make the air conditioner turn on automatically.
3. Time on LCD will stop flashing after 15 seconds Setting is complete
4. Timer on only can be set when power off.

Timer off

1. Press the " @ " key, the time on LCD flashes.
2. Press "+/-" key, adjust the time when you want to make the air conditioner turn off automatically.
3. Time on LCD will stop flashing after 15 seconds The setting is complete.
4. Timer off only can be set when power on.

NOTE:

1. If press the " @ " or " @ " key twice, timer is canceled.
2. After timer setting is finished, make sure the remote aims the unit and in range. If not, it can not work.

Conversions between Celsius and Fahrenheit degree

Press the "C/F" key to convert the display between Fahrenheit and Celsius display

Attention

1. If it is not used for a long time, remove the battery to avoid battery leakage. When the LCD looks dim, please change batteries. (New and old batteries cannot be used together) After the batteries are replaced, it is not necessary to set model code again.
2. Make sure there is no barrier between the remote and the air conditioner. The operation is effective only when the unit receives the signal from the remote.
3. The manufacturer keeps the right to change the parameter and function of product.

Technical Parameters

- **Controllable** distance: 8 meters+
- **Battery model:** Battery AM(UM-4,R03)•2
- **Weight:** Approx 80g (excl. the batteries)
- **Power supply voltage:** DC 3 V
- **Dimension:** L 155mm•W46mm• D23mm

Brand	Model Code(s)
-------	---------------

Brand	Model Code(s)
PANDA	0378.1914.3962.5257-5259
SWAN	0434.0477.0516.0524.2994
PHILCO	0210.0211.0487.0488.1234
TADIRAN	0246-0251.0591.0759.1787.5701
TATUNG	0591
PILOT	0419.0420.2980.3491
POLAR ICE	0571.0246.0273-0281.0468.0476.0493.0534
PROTON	0421-0423.0934.2981
TCL	0570, 0786
RAYBO	0362.0367.2410.3435.5278
TECO	0256.0473-0475.1497.3840
TIANDI	0415.1439.3999.5720-5759
RHOSS	0484
ROWA	0369.0438.0439.0494.0527.0531
TIANDI. MICOM	0415.0131.0017
Sabro	0435.0506-0508.0947.3578
TITANIUM	0339
SACON	0002.0288
TOSHIBA	0107-0117.0479.0489.0561.0562.1001
SAIJO DENKI	0212-0215.0724.2262

Brand	Model Code(s)
TOYO	0002.0012
SAMPO	0424-0426.1448.2985.5450
TRANE	0227-0232.0512.0595.0739.1101.1768
SAMSUNG	0188-0196.0516.0518.1212
UNI – AIR	0222-0224.0450.1986
SANYO	0046-0095.0529.0530.0558.0559.1070
VIDEOCON	0002.0484
VOLTAS	0002.0197.0260.0261.0265.0498
SAST	0002.0012
SASUKI	0254.0470.1494.2814
WanBao	0138-0154.0483.0652.0995
SENSOR	0046.0071
WEATHERMAKE R	0203-0209.0235.0456-0458.0468
SHANGLING	0384-0388.0444.0445.3407.0482-0486.0563-0565.0590.0592
SHANXING	0392.0449.0612.0904.1985
WEILI	0393-0396.1420.1932
SHARP	0096-0106.0525.0542.1122.0164-0170.0481.0489.0502.0505. 0506
SHENGFENG	0376.0480.0888.1911
Whirlpool	0993.1526.3748.5800-5996

Brand	Model Code(s)
SHINCO	0351-0354.0454-0456.3935
WINIA	0481.0550
XILENG	0411.0412.0924.1947
SHUAIKANG	0002.0288.0800.5450-5643
SHUANGLU	0376.0404-0407.0480.1400
XINLE	0297.0298.0400.0401.0913.2960
Skyworth	0359-0361
YANGZI (YAIR)	0403.1427.2451
SONGGE	0428.0429.2988.3501
SOVA	0409.0410.1433.2457
YINYAN	036%.825%.8■9.821.03260331.0478
STARIGHT AIRCO N	0283.0107.0235.0238-0243.0468.0501-0502
STARWAY	0345-0350.0450.0453.0545-0546
YORK	0576.0573.0590-0592.0751.1778
YUETU	0002.0534
SUMMER	0427.1963.5644-5700
SUNDURG	0257.0505.1529.2305
ZhenBao	0127-0137.0464.2000.3711

Brand	Model Code(s)
-------	---------------

Brand	Model Code(s)
ACSON	0234.0468
ACTRON AIR	0573
General	0127-0137.0464.0552.0554.2000.3712
AGER/AGREE	0489.0785.0107.0108
GLEE	0313.2446.2959.5260
AIRWELL	0529.0555-0558
GOLDSTAR	0201.0466-0469.1737.3539
AITE	0002.0012.0292.0326.0309-0316.0398.0399.0482.0490.0512
AKIRA	0310.0311
GREE	0513.0591.0252.0253.1276.1789.0050.0248.0002.0449
GUDIAO	0244.0291.1268.2851
AMCOR	0266-0272.0346.0453-0455.0538.0539
AMICO	0555.0558
HELLER HOFF WEL	0107.0282.0289.0292.0299
ARENA	0206.0212.0229.0261.0265
HISENSE	0016.0368.0441-0443.0207.1978.3440.0332-0335.0505-0506.05 17.1868.2895
ARLEC	0202
AUCMA	0288.0296.0302.0462.1826.3534

Brand	Model Code(s)
HITACHI	0118-0126.0605.0607.1658.2173
HOFFWELL	0297.0282.0287
HOMEMAKERS	0611.0091.0297-0300.0451.0810
AUX	G297.0300.0431.0474.0475.0699.1834.3011.0336-0344.2384.2903.4905
BANSHEN	0264.1288.2824.0408.0920.1501.3480
BLUESTAR	0261.0265.0317-0325.0452.0207.0234.0261.0523
BLUEWAY	0300
HUALING	2365.3524
BOERKA	0383.0434.0436.0437.3508
HUAMEL	0402.0460-0465.2962.3986
BRIVAS	0107
HUIFENG	0370.2418.3442
HYUNDAI	12.0202.0297.0345.0433.0466.048
CELESTIAL	0307
JBS	03-0209.0235.0456-0458.046
CHANGHONG	0301-0308.0046.2349.3890.4906
JOC	0202.0273
CHANGLING	0999.0032.0118-0191.0182.0281.0288
JET AIRUBS	0169.0202

Brand	Model Code(s)
JANGNAN	0432.1456.3607.4906-4915
CHIGO	0379-0382.0444-0447.0489.0615.0610.0261.1912.2940
ANDA	0414.1950.3998.4655-4669
INSONG	0219.0355.0389.0391.0446-0448.3463
CHOFU	—
CHUNLAN	0184.0187.1208.2233.4330.0345.0350.0450.0453.0545-0546.3522
JOHNSON	0492.0555.0558.2028.3829
KANGLI	0374.0375.1911.2442
CLIMA VENETA	0572
CONIA	0282-0287.0416-0418.0473.0485-0488
CONROWA	0297-0300.0349.0570.0571
KELVINATOR	0377.0839.1315.2937
CONSUL	0151.0197.0203.0107
KLIMATAIR	0463.1999.3535.4335-4650
COOL PARTS G C	0225.0226.0452.3297
KOLIN	0416-0418.0002.0456
COOLINE	0416.0418.2466.3488
KONKA	0187.0206
CORONA	0397.0457-0459.3017

Brand	Model Code(s)
LENNOX	0155-0163.0459.2204.3531
COUNTRY AIR	0017.0260.0265.0435.0301
LEVANTE	0106
DAEWOO	0203-0209.0406.1430.3792
LG	0171-0183.0468.0472.0566.0567.0197-0200.0514.0534.0572.0634.2248
LIANGYU	0233.0451.1987.3817
DAIKIN	0015-0020.0527.0530.0532.1039
LITTLE DUCK	0504.0692
DEC/OHL	0434.0477.0516.0524.2994
LITTLE SWAN	0232.0482.048
Delonghil	0311.0289.0400
DERBY/DIVINC H	—
LOREN SEBO	0297
LUXAIRE	0255.0471.0472.2007.3327
DL	0302
MCQUAY	948g.278.0465.048.0472.0567.0587
DOCTOR	0221.0449.0499.1473.3805
DONGBAO	0219.0366-0361.1897.2918.4652

Brand	Model Code(s)
MIAC	0391
DONGXINBAO	0413.1505.3485.4700.4768
MICOM	0415.1439.2465.3487.0565-0558
MIDEA	0260-0265.0526.1801.2820
ELECTRA	0555-0558.0234-0237
Electrolux	0216.0220.0268.0300.0634.0569.1244.0237
EMAJLAIR	0127-0135.0563.0666.06581
MITSUBISHI	33.0568.0582.500.79.0522.0623.09
FEDDERS	0498.0499.0500.0628.4804.4820.4900
FERROLI	0585
NEC NATIONAL	0138.0154.0200
FRESTECH	0277.0489.0495.0497.0519.0520.0634.0040.0261.0446.2325
NIKKO	0462.0619
NISO	0013.0016
FUJITA/FUJAIR E	0265.0297
NORITZ	0431.0943.2991.5005.5256
FUJITSU	0127-0137.0464.0652.0564.0118
FUNAI	0430.0481.3041.3502
OGENERAL	0127-0137.0464.0552-0554

Brand	Model Code(s)
OMEGA	0430.0481.0802.0942.0002
OMNI	0146.0262
GALANZ	0371.0372.0521.0534.1908.2931
PANASONIC	0138-0154.0483.0490.0492
GE	0047
National	2714.3722

UNIVERSAL NC REMOTE

- 6000 IN 1
- LCD display with backlight
- Intelligent cool & Intelligent heat
- Patent of code setting—input numbers directly

FAQs

Documents / Resources

	KT KT-618 Universal A-C Remote Control [pdf] Instruction Manual KT-618 Universal A-C Remote Control, KT-618, Universal A-C Remote Control, A-C Remote Control, Remote Control, Control
---	--

References

- [User Manual](#)

Generic

A C Remote Control, control, KT, KT-618, KT-618 Universal A-C Remote Control, Remote Control, Universal A-C Remote Control

Leave a comment

Your email address will not be published. Required fields are marked *

Comment *

Name

Email

Website

☐ Save my name, email, and website in this browser for the next time I comment.

Post Comment

Search:

e.g. whirlpool wrf535swhz

Search

[Manuals+](#) | [Upload](#) | [Deep Search](#) | [Privacy Policy](#) | [@manuals.plus](#) | [YouTube](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.