

GEORGE WILLY Chalkboard Menu Blackboard Menu Display User Manual

Home » GEORGE WILLY » GEORGE WILLY Chalkboard Menu Blackboard Menu Display User Manual



GEORGE & WILLY®

Contents

- 1 Chalkboard Menu Blackboard Menu **Display**
- 2 CARE GUIDE
- **3 HALF SET COMPONENTS**
- **4 DISCLAIMER**
- **5 CONTACT US**
- 6 Documents / Resources
 - **6.1 References**
- **7 Related Posts**

Chalkboard Menu Blackboard Menu Display

Bring the nostalgia of the good old days into your space with the Market Chalkboard.

While taking you back a step in time, the changeable tiles make updating your menu or messages easy. Each tile has been specially powder-coated in a chalkboard style texture and will always look their best with the stencils provided.

Thank you for your purchase, George & Willy

CARE GUIDE

Where you install your product depends on its material/s.

Wooden and Steel Products: We recommend using these products inside or under a shelter where they are protected from any exposure to rain or water.

Aluminum Products: These products are non-corrosive and suitable for use outside.

Chalk Products: You should use traditional dry chalk. We don't recommend using liquid chalk pens on our products.


Transportable Outdoor Signage: If there is exposure to wind, we recommend bringing signage inside to protect it from the extremes. We offer Sandbags to help support your product in moderate wind conditions.

HALF SET COMPONENTS


(Double Quantities For Full Sets)

0 0	10 x Rectangle Tiles
0	10 x SquareTiles
	32 x Hook/Screw
	5 x Chalk
	1 x Pencil Sharpener
ABCDEFGHIJKLMNOPQRS	2 x Large Stencils
ABCDEFGHIJKLMNOPQRS TUVWXYZ1234567890\$&.	1 x Small Stencil
	Allen Key

1




Select a wall space to install your Market Chalkboard. The center of the left hole and drill a pilot hole.



Using the allen key supplied, hand screw the custom over-tightening as this will damage the screw. The screw out for the boards to hang on.


3



Hook a rectangle tile onto the brass screw. Using a level, mark the center of the right hole, drill another pilot hole, and fasten a second brass hook using the allen key.




Repeat steps 1 and 2 using the square tile, placing it adjacent to the rectangle tile.



Using your preferred spacing, fasten the screws in place for the second rectangle and square tiles following steps 1-4. Do this for the remaining tiles.





Using the stencils and chalk supplied, write your display, menu, or message on the tiles.

DISCLAIMER

George & Willy products have a lifetime warranty. This covers faulty workmanship and/or materials when the product is used in normal, domestic, or commercial conditions and following the care and use instructions provided.

It does not cover normal wear and tear, accidents, or builder to complete the installation to reduce the risk of damage or injury. If the defect was caused by a manufacturing fault, the faulty product will be replaced free of charge. If the original product is no longer in production, it will be replaced with the most similar product. Please keep all parts out of reach of small children as they may pose a choking risk.

CONTACT US

0	@georgeandwilly
@	www.pinterest.com/georgeandwilly/
	sales@georgeandwilly.com
	www.georgeandwilly.com

Documents / Resources

GEORGE & WILLY

<u>GEORGE WILLY Chalkboard Menu Blackboard Menu Display</u> [pdf] User Manual Chalkboard Menu Display, Blackboard Menu Display, Menu Display, Display

References

• **♣** George & Willy | Signage, Letter Boards and Menus

Manuals+,