



GIANNI INDUSTRIES INC CP-42 Series Resettable Call Points User Manual

[Home](#) » [GIANNI INDUSTRIES INC](#) » GIANNI INDUSTRIES INC CP-42 Series Resettable Call Points User Manual



Contents

- [1 GIANNI INDUSTRIES INC CP-42 Series Resettable Call Points](#)
- [2 Resettable Call Points](#)
- [3 Standard Features & Specifications](#)
- [4 Accessories](#)
- [5 Backlight Illumination](#)
- [6 Warranty](#)
- [7 Documents / Resources](#)
 - [7.1 References](#)

GIANNI INDUSTRIES, INC

GIANNI INDUSTRIES INC CP-42 Series Resettable Call Points



Product Information

The CP-42 Series Resettable Call Points by GIANNI INDUSTRIES, INC. are designed for use in high traffic areas such as schools, shopping malls, or commercial buildings. These call points feature a resettable operating element that does not produce dangerous glass shards. They are available with double pole changeover contacts and come in backlit models for easy nighttime operation or with buzzer models that include a built-in buzzer for emergency alerts. The call points are supplied with a reset key and have a plastic case available in green, red, yellow, white, or blue colors.

Standard Features & Specifications

- Operating voltage: 12/24VDC
- Dimensions: 87x91x53 mm (with clear plastic cover)
- Contact resistance: 100m
- Rating: Up to 3A 125VAC / 1.5A 250VAC
- Limit switch contact output
- Backlight illumination: Green (normal state), Red (activated)
- Built-in buzzer: 80 dB (For CP-42BZ-LB), 85 dB (For CP-42BZ-LB-ALM)
- Plastic case colors: Green / Red / White / Yellow / Blue

Models

Model	Contact	Built-in Buzzer	Red/Green Backlight	Alarm Output	Case Colors
CP-42G-LB	Double pole	No	Yes	No	Green, Red, Yellow, White, Blue
CP-42GBZ-LB	Double pole	Yes	Yes	No	Green, Red, Yellow, White, Blue
CP-42GBZ-LZ-A LM	Double pole	Yes	Yes	Yes	Green, Red, Yellow, White, Blue

Accessories

- P-PL-CP-32-K: Reset key
- P-PL-CP-32-UC: Clear plastic cover

Backlight Illumination

The CP-42 series call points feature backlight illumination that changes from green to red after pressing the operating element.

Warranty

The product is warranted against defects in material and workmanship while used in normal service for a period of 1 year from the date of sale to the original client. GIANNI INDUSTRIES, INC. reserves the right to change specifications without notice. Contact GIANNI INDUSTRIES, INC. for more information:

- Tel: +886-2-2267-7986
- Fax: +886-2-2267-9876
- Website: www.gianni.com.tw
- Email: inquiry1@gianni.com.tw

Resettable Call Points


CP-42 Series



The GEM Resettable Call Point features a resettable operating element that produces no dangerous glass shards, making it suitable for use in high traffic areas, such as schools, shopping malls, or commercial buildings. It is supplied with double pole changeover contacts and available with backlit models for easy nighttime operation, or with buzzer models that include a built-in buzzer for emergency alert.

Standard Features & Specifications

- Operating voltage: 12/24VDC
- Dimensions: 87×91×53 mm (with clear plastic cover)
- Contact resistance: 100m
- Rating: Up to 3A 125VAC / 1.5A 250VAC
- Limit switch contact output
- Backlight illumination: Green (normal state), Red (activated)
- Built-in buzzer: 80 dB (For CP-42BZ-LB), 85 dB (For CP-42BZ-LB-ALM)
- Plastic case: Green / Red / White / Yellow / Blue
- Reset key included



CP-42 Series Resettable Call Points

Models	Contact	Built-in Buzzer	Red/Green Backlight	Alarm output	Case Colors
CP-42G-LB	Double pole	—	●	—	<u>G</u> reen, <u>R</u> ed, <u>Y</u> ellow, <u>W</u> hite, <u>B</u> lue
CP-42GBZ-LB	Double pole	●	●	—	<u>G</u> reen, <u>R</u> ed, <u>Y</u> ellow, <u>W</u> hite, <u>B</u> lue
CP-42GBZ-LZ-ALM	Double pole	●	●	●	<u>G</u> reen, <u>R</u> ed, <u>Y</u> ellow, <u>W</u> hite, <u>B</u> lue

Accessories

P-PL-CP-32-K
Reset key



P-PL-CP-32-UC
Clear plastic cover



Backlight Illumination

The CP-42 series features backlight illumination that changes from green to red after pressing the operating element.



Warranty


The product is warranted against defects in material and workmanship while used in normal service for a period of 1 year from the date of sale to the original client. The GEM policy is one of continual development and improvement; therefore GEM reserves the right to change specifications without notice.

Tel: +886-2-2267-7986 Fax: +886-2-2267-9876

www.gianni.com.tw

inquiry1@gianni.com.tw

Documents / Resources

	<p>GIANNI INDUSTRIES INC CP-42 Series Resetttable Call Points [pdf] User Manual CP-42 Series Resetttable Call Points, CP-42 Series, Resetttable Call Points, Call Points, Points</p>
---	--

References

-  [GIANNI INDUSTRIES, INC.](#)

Manuals+.