




Global Sources CS-032 Steam Deck Docking Station User Guide

[Home](#) » [global sources](#) » Global Sources CS-032 Steam Deck Docking Station User Guide 

Contents

- [1 Global Sources CS-032 Steam Deck Docking Station](#)
- [2 Product Usage Instructions](#)
- [3 User Guide](#)
- [4 PRODUCT OVERVIEW](#)
- [5 SPECIFICATIONS](#)
- [6 PACKAGE CONTENTS](#)
- [7 WARRANTY & SUPPORT](#)
- [8 FOR CABLE](#)
- [9 FOR CHARGER](#)
- [10 PRODUCT OVERVIEW](#)
- [11 Installation](#)
- [12 SAFETY INSTRUCTIONS](#)
- [13 Documents / Resources](#)
 - [13.1 References](#)
- [14 Related Posts](#)



Global Sources CS-032 Steam Deck Docking Station



Product Information

The 7 in 1 Steam Deck Docking Station, model CS-032, is a versatile device that allows you to expand the connectivity options of your Steam Deck. It features multiple input and output ports, including USB-C, HDMI, USB 3.0, USB 2.0, and RJ45 Ethernet.

Specifications

- **Model:** CS-032
- **Product Name:** 7 IN 1 Steam Deck Docking Station
- **Input:** USB-C Male x 1, USB-C PD x 1
- **Output:** HDMI x 1, USB 3.0 x 2, USB 2.0 x 1, RJ45 x 1
- **PD:** Support PD 100W
- **HDMI:** Support up to 4K@60Hz
- **USB 3.0:** Support 5Gbps. 5V/1A power supply
- **USB 2.0:** Support 480Mbps
- **RJ45:** Adaptive 10M/100M/1000M Ethernet
- **M.2 Support:** M&B KEY(NVME/PCIE) Compatible with 2230, 2242, 2260, 2280

Package Contents

- 1x CS-032 Docking Station
- 1x User Guide

Warranty & Support

We strive to offer 100% satisfaction for all our customers and provide a 365-day free exchange and refund service.

Product Usage Instructions

For Cable

Before use, please check the compatibility of the connection ports. Do not connect forcefully if it does not fit.

1. Ensure the correct direction of the input and output ports. For cables with unidirectional transmission, reverse connection is not allowed.
2. Use original or certified chargers and accessories only.

For Charger

1. Please use the charger under the specified input conditions.
2. If the charger is not used for a long time, please unplug it.
3. Ensure that the equipment meets the charging output specifications. Do not modify and use.

Installation

1. Slide the top cover of the docking station.
2. Aim at the M.2 pin connector and push in all the way.
3. Use the fastener to secure the drive in place.
4. Cover the outer case.
5. **M.2 Support:** M&B KEY(NVME/PCIE), M&B KEY(NGFF/PCIE), M KEY(NVME/PCIE) Compatible with 2230, 2242, 2260, 2280. B KEY (NVME/PCIE) is not supported.

Safety Instructions

Follow these safety instructions to ensure safe usage of the product:

- Read all instructions before using the product.
- Do not expose the device to water or other liquids.
- Keep the device away from heat sources.
- Do not dismantle or modify the device.
- Unplug the device during lightning storms or when not in use for an extended period of time.

Frequently Asked Questions (FAQ)

1. Q: Can I use this docking station with devices other than the Steam Deck?

A: Yes, you can use this docking station with any device that has compatible ports.

2. Q: What is the maximum resolution supported by the HDMI output?

A: The HDMI output supports up to 4K resolution at 60Hz.


3. Q: Can I connect multiple USB devices to the docking station?

A: Yes, you can connect multiple USB devices to the USB 3.0 and USB 2.0 ports.

4. Q: Is the docking station compatible with all M.2 drives?


A: The docking station is compatible with M&B KEY(NVME/PCIE) drives, and supports sizes 2230, 2242, 2260, and 2280. It does not support B KEY (NVME/PCIE) drives.

User Guide



7 in 1 Steam Deck Docking Station Model: CS-032

PRODUCT OVERVIEW



SPECIFICATIONS

- **Model:** CS-032
- **Product Name:** 7 IN 1 Steam Deck Docking Station
- **Input:** USB-C Male x 1, USB-C PDx1

- **Output:** HDMI x1, USB 3.0x 2, USB 2.0 x1, RJ45 x1
- **PD:** Support PD 100W
- **HDMI:** Support up to 4K@60Hz
- **USB 3.0:** Support 5Gbps. 5V/1A power supply
- **USB 2.0:** Support 480Mbps.
- **RJ45:** Adaptive 10M/100M/1000M Ethernet
- **M.2 Support:** M&B KEY(NVME/PCIE) Compatible with 2230 2242 2260 2280

PACKAGE CONTENTS

- 1x CS-032
- 1x User Guide

WARRANTY & SUPPORT

We strive to offer the 100% satisfaction for all our customers and offer a 365 days free exchange and refund service.


FOR CABLE

1. Before use, please check the Compatible of the connection ports, and DO NOT connect it with brute force when not fit.
2. Make sure the direction of the input and output ports are correct. For cables with unidirectional transmission, reverse connection is not allowed.
3. Use original or certified charger and accessories only.

FOR CHARGER

1. Please use it under the input conditions specified by the charger.
2. If the charger is not used for a long time, please unplug the charger.
3. Please apply to equipment that meets the charging output specifications. DO NOT modify and use.

PRODUCT OVERVIEW



Installation


1. Slide the top cover.
2. Aim at the M.2 pin connector and push in all the way.
3. Use the fastener to secure the drive in place.
4. over the outer case.
5. **M.2 Support:** M&B KEY(NVME/PCIE), M&B KEY(NGFF/PCIE), M KEY(NVME/PCIE)Compatible with 2230 2242 2260 2280 DO NOT SUPPORT B KEY (NVME/PCIE)

SAFETY INSTRUCTIONS

1. If the product occurs abnormality of use, please contact After-sales service.DO NOT disassemble it without authorization.
2. Remember to back up any important data before its first use.
3. Remember to back up any important data before formatting or portioning.
4. Any data loss or any data recovery services are not recoverable under our warranties.
5. To avoid data loss, activate "Safely Remove" from computer setting before removing external hard drives . Do not remove any drives in cloning process in case of data loss or damage to the product.
6. Do not drop , crush , shock or throw the product.
7. In order to avoid short – circuit fault in interior, please do not operate in a humid environment .Please make sure the connection port of the device is dry, clean and complete before use.
8. Please avoid hot swapping operations in case of damage.
9. Keep away from the children, and minors must use the products under the guidance of adults.



Documents / Resources

	<p>Global Sources CS-032 Steam Deck Docking Station [pdf] User Guide</p> <p>CS-032, CS-032 Steam Deck Docking Station, Steam Deck Docking Station, Deck Docking Station, Docking Station, Station</p>
---	---

References

- [User Manual](#)