

globe 50329 Smart Plug User Guide


Home » globe » globe 50329 Smart Plug User Guide



Smart Plug Prise Intelligente



NO HUB REQUIRED





QUICKSTART GUIDE

Welcome aboard!

Contents [hide

- 1 Get started
- 2 Verify your network
- 3 a. Add a device
- 4 b. Add a device: AP mode
- **5 Setup voice assistance**
- 6 Documents / Resources
- 7 Related Posts

Get started



- Download the **GLOBE SUITE™** app from the App Store or Google Play to your mobile device.
- Launch the GLOBE SUITE™ app.
- To register, enter your mobile phone number or email address. Create a password, then log in to the app.
 OR
- Login if you already have an account.

Verify your network



Verify your network and ensure your mobile device is connected to a 2.4 GHz Wi-Fi channel.
 Consult your router documentation for detailed instructions on how to change wireless settings.

 Once your devices have been successfully paired, you can switch back to the mixed-mode or use a cellular data network to control your smart products.

a. Add a device



- Insert your smart power adapter.
- Select the "+" symbol on the top right-hand corner.
- Select your product type and follow the instructions within the app.
- If the connection fails, try using AP mode.

b. Add a device: AP mode

- On the "add a device page" select AP mode on the top right-hand corner and follow the instructions within the app.
- You're good to go!

Setup voice assistance





 Instructions in the GLOBE SUITE™ app: Select "Profile", select "Integration", choose your voice assistant, and follow instructions.

Did you know?

Most modern routers are dual-band meaning they support both 2.4 GHz and 5 GHz channels. The most common wireless options are:

- **Mixed:** The router will broadcast both 2.4 GHz and 5 GHz simultaneously under the same SSID. The device will choose which to connect to based on multiple variables (congestion, distance to the router, etc.).
- 4 GHz: Broadcast only on this channel.
- 5 GHz: Broadcast only on this channel.
- Dual 2.4 and 5 GHz using separate

SSIDs: The router will broadcast both channels and the user manually decides which to connect to.

Have a question? WE CAN HELP!



smartsupport@globe-electric.com







https://globe-electric.com/smart/ scan me

Globe Electric Company 50329_Quick Start Guide 05-110-20

Documents / Resources



globe 50329 Smart Plug [pdf] User Guide GE50329A, 2AQUQGE50329A, 50329 Smart Plug, 50329, Smart Plug

Manuals+, home privacy