




Godox LiteFlow 100 Kit with Flight Case Instruction Manual

[Home](#) » [Godox](#) » Godox LiteFlow 100 Kit with Flight Case Instruction Manual 

Godox LiteFlow 100 Kit with Flight Case



Contents

- 1 Foreword
- 2 Cautions:
- 3 Name of Parts (LiteFlow 15}
- 4 Cine Reflector Cleaning Instructions{Cleaner available separately)
- 5 Installation of WMS/ WMR
- 6 What's Inside LiteFlow 15
- 7 Optional Accessories
- 8 Specification
- 9 CUSTOMER SUPPORT
- 10 Documents / Resources
 - 10.1 References
- 11 Related Posts

Foreword

Thank you for purchasing'

Introducing the innovative and unique lighting diffusion system by Godox – the Cine Lighting Reflector. With its precision-designed reflector, this cutting -edge system accurately guides the light source to the desired lighting positions, allowing for precise control over the scattering of light while minimizing reliance on flags or frames on the set. What's truly astonishing is the meticulously crafted aluminum coating surface, which boasts only 3% light loss and 100% color accuracy.

DIFF 1 (Blue color): Hard ray of light(diffusion rate is 13.2%)

DIFF 2(Yellow color): Medium soft ray of light(diffusion rate is 52%)


DIFF 3(Green color): Soft ray of light(diffusion rate is 95%)

DIFF 4(Red color): Soft strip ray of light (diffusion rate is 94%)

The above data is provided by Godox laboratory.

Lighting Effects Display (Using LiteFlow 50 as an example)


- DIFF 1 (Blue color)



- DIFF 2(Yellow color)



- DIFF 3(Green color)



- DIFF 4(Red color)




Cautions:

1. The reflector is prone to scratching. Please use specialized gloves when handling.
2. To ensure the reflector remains free from stains, it is recommended to clean it immediately after use. Failure to do so may result in difficulty cleaning the reflector if oil stains are left unattended for an extended period.
3. The reflector is prone to scratching, so handle with care during transportation or installation.

Name of Parts (LiteFlow 15)

1. Reflector
2. Slide Rail
3. Slot
4. Corner Guards
5. Safety Wire Hole



Cine Reflector Cleaning Instructions{Cleaner available separately}


1. Please wear gloves to clean during use
2. Spray an appropriate amount of cleaning solution evenly onto the surface of the reflector.
3. Let the cleaning solution sit for 15-30 seconds to thoroughly break down any oil stains.
4. Use a cleaning cloth to dry the reflective surface.

Note: To ensure cleaning effectiveness, please do not reuse the cleaning cloth.


Installation of WMS/ WMR

Depending on your requirements, you can install either the Wheel Mount Stud WMS or the Wheel Mount Receiver WMR.



- The WMS features a 5/8" male socket port. By installing WMS you can insert a connecting rod with a 5/8" female socket.



- The WMR features both vertical and horizontal female socket ports. By installing WMR you can insert a connecting rod with a male socket .



Installing WMS/WMR: To install WMS/WMR, loosen the wheel on the WMS slider by turning it counter-clockwise. Then insert it into the groove at the bottom of the reflector and slide it to the desired position. Once in position, turn the wheel clockwise to tighten and secure it in place.



Note: WMS and WMR are for display purposes only and needs to be purchased separately.

What's Inside LiteFlow 15

- LiteFlow 15D1 x I



- LiteFlow 15D2 x l



- LiteFlow 15D3 x l



- Lite Flow 15D4 x l




- Soft Case SCI 4 x 1




Optional Accessories


- Wheel Mount Receiver(WM R)




- Wheel Mount Stud (WMS)




- Single Knob GagGSK



- Dual Knob GagGDK




- Multi-Adapter MA2R2S




- Flexible Arm AF30SS




- Flexible Arm AF40SS



- Flexible Arm AF30RS




- Flexible Arm AF40RS




- Flexible Arm AF20RC



- Ball-Joint Arm A830SS




- Ball-10ml Arm AB30SS02




- Ball-JOml Arm AB30SS03




- Rod Set RS25




- Ball-Joint Arm AB1ORS



- Rod Set RS50




- Rod Set RS75



- Rod Set RS100



- Reflector Array Grip Kil GK25



- Soft Case SC14



Specification

Model	Size	Netweightao
LiteFlow 1501/LiteFlow 1502/LiteFlow 1503/LiteFlow 1504	5,9" X 5,9"	167g

CUSTOMER SUPPORT

Wechat official Account



0755-25723423

godox@godox.com

GODOX Photo Equipment Co.,Ltd.

Add.: Building 2, Yaochuan Industrial Zone, Tangney Community, Fuhai Street, Bao'an District,

Shenzhen 518103, China

Tel: +86-755- 29609320(8062)

Fax: +86-755-25723423

E-mails: godox@godox.com


godox.com

Made in China I 705-LF1500-00





Documents / Resources



[Godox LiteFlow 100 Kit with Flight Case](#) [pdf] Instruction Manual
LiteFlow 100 Kit with Flight Case, LiteFlow 100, Kit with Flight Case, Flight Case

References

- [User Manual](#)

Manuals+, Privacy Policy

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.