




Godox LMS-12A AX Omnidirectional Lavalier Microphone with 3.5mm TRS Connector Instruction Manual

[Home](#) » [Godox](#) » Godox LMS-12A AX Omnidirectional Lavalier Microphone with 3.5mm TRS Connector
Instruction Manual 



**LMS-12A AX Omnidirectional Lavalier Microphone
with 3.5mm TRS Connector**



Instruction Manual

Contents

- [1 Forward](#)
- [2 Product Features](#)
- [3 Warning](#)
- [4 Product Description](#)
- [5 Operation](#)
- [6 Technique Date](#)
- [7 Frequency Response\[dB/1V/Pa\]](#)
- [8 Directivity Figure](#)
- [9 Maintenance](#)
- [10 Documents / Resources](#)
- [11 Related Posts](#)

Forward

Thank you for purchasing Godox Omnidirectional Lavalier Microphone with 3.5mm TRS Connector LMS-12A AX. This product is perfect for video recording and interpretation, professional photography. KOL Livestream, program interpretation, sport Livestream, street interview, music Livestream and recording, etc. Please read this manual carefully before using it to make sure the correct operation and exert the optimum function.

Product Features

1. Compact and lightweight with great portability.
2. Inserted to or camera or smartphone's 3.5mm port to work directly without extra power supply.

3. Microphone body is made of aluminum, which is durable and delicate.
4. With specially made acoustic windscreen to reduce noise and make the sound more soft and graceful.
5. The consistency of sound quality is strictly controlled, which enables to use of several micro-phones simultaneously with harmony.
6. With an even and smooth frequency response curve, providing clean and natural recording.
7. Wide frequency response range from 50 to 20 KHz to better reproduce the sound.

Warning



Do not disassemble. Should repairs become necessary, this product must be sent to an authorized maintenance center.



Always keep this product dry. Do not use in rain or in damp conditions.



Keep out of reach of children.



Do not use the flash unit in the presence of flammable gas. In certain circumstances, please pay attention to the relevant warnings.



Do not leave or store the product if the ambient temperature reads over 40°C.




Please carefully read and observe the warnings and instructions provided by the manufacturer.

Product Description

1. Product Structure

- 1) Windscreen Foam
- 2) Microphone
- 3) Collar Clip
- 4) 3.5mm TRS Connector

2. What's Inside



Omnidirectional Lavalier
Microphone × 1



Windscreen Foam
× 1



Collar Clip
× 1



Velcro Strap
× 1



Instruction Manual
× 1



Maintenance Card
× 1


Operation

- 1. It's plug & play, compatible with multiple devices.
- 2. Please use the collar clip to fix the microphone on your cloth, which is 20cm far away from your face.
- 3. It is recommended to use the windscreen foam during the whole usage to avoid wind noise.


Technique Date

Model	LMS-12A AX
Connector	3.5mm TRS Connector
Signal-Noise Ratio	75dB
Directivity	Omnidirectional
Working Voltage	1.0-10V
Sensitivity	-32.0dB re 1V/Pa ±2 dB©1kHz
Frequency Range	50Hz-20KHz
Length of Cable	120cm
Color	Black
Body	Aluminum Alloy

Frequency Response[dB/1V/Pa]



Directivity Figure



Maintenance

Avoid sudden drops. The device may fall to work after strong shocks, impacts, or excess stress.

Keep dry. The product isn't water-proof. Malfunction, rust, and corrosion may occur and go beyond repair if soaked in water or exposed to high humidity.

Keep away from a strong magnetic field. The strong static or magnetic field produced by devices such as radio transmitters leads to malfunction.

This product belongs to consumables and does not support a one-year warranty.

If the product had failures or was wetted, do not use it until it is repaired by professionals.

Changes made to the specifications or designs may not be reflected in this manual.



Follow Wechat Public Account

<http://weixin.qq.com/r/vEPI0F7ERgM5rRqz9xau>

GODOX Photo Equipment Co., Ltd.

Add: Building 2, Yaochuan Industrial Zone, Tangwei Community,

Fuhai Street, Baoan District, Shenzhen 518103, China

Tel: +86-755-29609320(8062) Fax: +86-755-25723423


E-mail: godox@godox.com

godox.com

Made In China FC CE RoHS



Documents / Resources

	Godox LMS-12A AX Omnidirectional Lavalier Microphone with 3.5mm TRS Connector [pdf] Instruction Manual LMS-12A AX, Omnidirectional Lavalier Microphone with 3.5mm TRS Connector
---	--

[Manuals+](#)