

GORILLA EASY CONNECT Solid Brass Quick Connect SetWith SecureLock User Guide

Home » GORILLA EASY CONNECT » GORILLA EASY CONNECT Solid Brass Quick Connect Set With SecureLock User Guide 🖺

GORILLA

Gorilla Easy Connect Locking

Quick Connect Use Guide

Contents

- 1 Solid Brass Quick Connect Set With SecureLock
- 2 Documents / Resources
 - 2.1 References
- 3 Related Posts

Solid Brass Quick Connect Set With SecureLock



1) Unpack items and make sure all parts are present. The items are shipped connected. Pull back ridged collar and pull threaded male to remove.



2) Screw threaded male end to hose or bib. Then pull back collar of f emale half to connect or disconnect.



3) Pull or push female part with collar pulled back to connect or disc onnect.



4) Pull away from faucet.



Rotate collar to lock or unlock connector.

For questions or issues please email: info@gorillaeasyconnect.co
<u>m</u>

Documents / Resources



GORILLA EASY CONNECT Solid Brass Quick Connect Set With SecureLock [pdf] User Gui

Solid Brass Quick Connect Set With SecureLock, Brass Quick Connect Set With SecureLock, Quick Connect Set With SecureLock, Connect Set With SecureLock, SecureLock, SecureLock

References

• User Manual

Manuals+, Privacy Policy

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.