Manuals+ — User Manuals Simplified.

# GE0006 Grilleye Max Instant and Ultra Precise User Guide

Contents

GE0006 Grilleye Max Instant and Ultra Precise

We love to make this world tastier together
Share your creations with the hashtag #relyongrilleye on Facebook & Instagram so we can discover them

From now on, allow the GrillEye® max wizard to walk you through the whole cooking process.
Just swipe left to continue.
You can always swipe right to get back to information previously stated.

Enjoy unattended perfection every time

SAFETY GUIDELINES

AVOID PROLONGED EXPOSURE TO HEAT
Heating the product, above 50°C / 122°F may damage its

KEEP AWAY FROM THE FIRE
If a surface is too hot to touch, it's too hot for magnetically mounting the GrillEye® max.

DO NOT ATTEMPT TO OPEN OR MODIFY
Any unauthorised attempt to open the device will constitute its violated warranty to become void.

NOT WATER-RESISTANT / WATERPROOF
The device is designed for outdoor use. Do not expose directly to condensed moisture/rain unless you are using the GrillEye® case.

CAUTION GRIP MAY BECOME HOT WHILE IN USE
When heated do not touch without protective gloves.

NOT DISHWASHER SAFE
Avoid submersion into water. Do not put inside the dishwasher.

KEEP AWAY FROM THE CHILDREN
Probe tip can cause injuries to children. Keep away from their reach.

REMOVE WRAP BEFORE USING
Probe wrap is for storage purposes only. Unfold wire and remove

COMPATIBILITY

iOS: 10.0 or later | Apple Watch: 1st generation or later Android: 4.4 (KitKat) or later
Bluetooth: 4.0 or later
WiFi: 802.11 b/g/n / 2.4 GHz

GrillEye® max only

Quick User Guide

Welcome to the world of unattended perfection
You are holding in your hands the 1st worldwide instant and ultra-precise, smart thermometer for your grill or smoker

Before we start, make sure that:

You have the GrillEye® Hyperion app

Available to download at Apple App Store & Google Play

You're GrillEye® max is charged

Use your GrillEye® USB Type-C cable to charge your GrillEye® max.
You can use your GrillEye® max while its charging.

You have enabled on your smart device

GrillEye® max requires a 2.4 GHz Wi-Fi® connection with internet access

GrillEye® max is Wi-Fi®/Cloud connected for rangeless remote monitoring and uses Bluetooth® only for initial pairing with your mobile

Let's get started!

1. **Power-up your GrillEye® max**

   Press once the red power button.

   You will hear the opening sound and see the GrillEye® logo as the screen lights up. Afterwards, the device enters the Pairing Mode and shows your device's serial number.

2. **Open the GrillEye® Hyperion application**
   - Choose your language and click next
   - Accept the Privacy policy by clicking next
   - Enable location services by clicking allow

3. **Time to pair!**

   Move close to your GrillEye® max
   - GrillEye Hyperion is now scanning for GrillEyes nearby. Please select the serial number that appears in your device's screen at the moment.
   - Are you succesfully paired? Press done to continue with your Wi-Fi® connection. Select the one you wish to connect with and enter your password to connect.

     Please note that GrillEye® Hyperion supports multiple Wi-Fi networks and automatically selects the strongest in case of weak signal

4. **Connect to cloud!**

You are now successfully connected to the server.

5. **Meet your personal chef**

   Name your GrillEye® and automatically create your personalized profile Set your device's preferences and save in order to proceed to the fun time

FCC Warning

This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Radiation Exposure Statement
To comply with FCC RF exposure compliance requirements, this grant is applicable to only mobile configurations. The antennas used for this transmitter must be installed to provide a separation distance of at least 20cm from all persons and must not be co-located or operating in conjunction with any other antenna or transmitter.

ISED Statement
This device complies with Industry Canada license-exempt RSS standard(s). Operation is subject to the following two conditions:

1. This device may not cause interference, and
2. This device must accept any interference, including interference that may cause undesired operation of the device. The digital apparatus complies with Canadian CAN ICES-3 (B)/NMB-3(B).

Radiation Exposure Statement
This equipment complies with Canada radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator & your body

Documents / Resources

GrillEye GE0006 Grilleye Max Instant and Ultra Precise [pdf] User Guide
GE0006, 2AKBS-GE0006, 2AKBSGE0006, GE0006 Grilleye Max Instant and Ultra Precise, GE
0006, Grilleye Max Instant and Ultra Precise

Manuals+,