

Guangzhou Ningsi Technology NS-P2B Wireless Remote Shutter Owner's Manual

Home » Guangzhou Ningsi Technology » Guangzhou Ningsi Technology NS-P2B Wireless Remote Shutter Owner's Manual

Contents


- 1 Guangzhou Ningsi Technology NS-P2B Wireless Remote Shutter
- **2 PRODUCT OVERVIEW**
- 3 HOW TO USE
- 4 Compatible devices
- **5 SPECIFICATIONS**
- **6 BATTERY**
- **7 FCC Caution**
- 8 Documents / Resources
- 9 Related Posts



Guangzhou Ningsi Technology NS-P2B Wireless Remote Shutter



PRODUCT OVERVIEW



HOW TO USE

1. Paring

- Turn on the shutter by switching the on/off button, AB Shutter3 will enter into pairing mode and indicator LED starts flash quickly at the same time
- Activate the Wireless function on your phone and sourcing the devices around
- Select the device of "AB Shutter3" from the list and paring will be finished automatically in few seconds

2. Shooting

Select a correct APP and press the proper button on the shutter for 1OS and Android phones to taking the photos.

Compatible devices

SPECIFICATIONS

MODELIShutter	
Communication	Wireless V4.2
Transmit frequency	2.4GHz -2.4835GHz
Communication distance	10m(30ft)
Battery life	CR2032 X1 cell/about 6 months
	under working in 10 times a day
Dimension	48mm X 30mm X 10mm
Weight	About 8g

BATTERY



FCC Caution

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note:

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.

Documents / Resources



Guangzhou Ningsi Technology NS-P2B Wireless Remote Shutter [pdf] Owner's Manual NS-P2B, NSP2B, 2A7IPNS-P2B, 2A7IPNS-P2B, NS-P2B Wireless Remote Shutter, NS-P2B, Wireless Remote Shutter

