



GVISION D10ZJ-O2-K5P0 Desktop Projected Capacitive Instruction Manual

[Home](#) » [GVISION](#) » GVISION D10ZJ-O2-K5P0 Desktop Projected Capacitive Instruction Manual 

Contents

- [1 GVISION D10ZJ-O2-K5P0 Desktop Projected Capacitive](#)
- [2 FEATURES](#)
- [3 INPUT INTERFACE](#)
- [4 SPECIFICATIONS](#)
- [5 DIMENSION](#)
- [6 Documents / Resources](#)
 - [6.1 References](#)
- [7 Related Posts](#)



GVISION D10ZJ-O2-K5P0 Desktop Projected Capacitive



GVision manufactures a variety of desktop and point of sale (POS) monitors. This 10.1" touch screen monitors are available with 10-point multi touch technology of projected capacitive (PCAP) screen.



1280x800
Resolution



10-Points
PCAP Touch



350 nits
Brightness



HDMI Digital
Input



VGA Analog
Input



USB B-Type
Touch



IP65
Protected



Backlight
Unit



Compliant
Certification



3-Year
Warranty

FEATURES



- 10.1-Inch Screen Size
- 1280 x 800 Screen Resolution
- Video Signal Inputs: HDMI / VGA (15 Pin D-Sub) IP5X on the Front (Optional)
- Zero Pressure Touch Activation
- LED Backlight Unit
- Metal Enclosure Material
- Water and Dust Resistant
- 3-Year Warranty

INPUT INTERFACE



Multi Inputs

GVision's D10ZJ 10.1-inch monitor supports both digital and analog inputs to use as normal office desktop monitor with VGA, HDMI input or USB-Type B to use touch function as well.


SPECIFICATIONS

DISPLAY	D10ZJ-O2-K5P0
Screen Size	10.1 In
Resolution	1280 x 800
Backlight	LED
Aspect Ratio	16 : 10
Viewing Angle	170° / 170°
Response Time	25ms
Brightness	350cd/m²
Contrast Ratio	800 : 1
Color Depth	262K (6 bits)
Display Area (mm)	216.96 (W) x 135.6 (H)
INTERFACE	
HDMI	1
VGA (15 Pin D-Sub)	1
TOUCH TECHNOLOGY	
Glass	2mm Tempered Glass
Type	10 Points Projective Capacitance Touch
Support OS	Windows / Linux
AUDIO	
Speakers	Option
CABINET	
Material	Plastic Frame / Metal Housing
Black	Black
POWER	
Consumption	< 10W
Electrical Ratings	12V DC ± 5% (AC 100V ~ 240V, 50/60Hz)
TEMPERATURE	
Operating	32° F ~ 104° F (0° C ~ 40° C)
DIMENSIONS (WxHxD)	
Inch (in) w/o Stand	9.83 x 6.62 x 1.14
Millimeter (mm) w/o Stand	249.77 x 168.37 x 29.00
WEIGHT	

Net Weight (w/ Stand)	5.8 lbs (3.2kg)
COMPLIANT	
Certification	CE / FCC
VESATM	
Mount Size (mm)	75 x 75

Specifications subject to change without any notice

DIMENSION



Address. 30398 Esperanza, Rancho Santa Margarita, CA 92688 / Phone. 888.651.9688 / 949.586.3338 Email. sales@gvision-usa.com / URL. www.gvision-usa.com / © Copyright GVision USA, Inc. All rights reserved

Documents / Resources

	GVISION D10ZJ-O2-K5P0 Desktop Projected Capacitive [pdf] Instruction Manual D10ZJ-O2-K5P0 Desktop Projected Capacitive, D10ZJ-O2-K5P0, Desktop Projected Capacitive, Projected Capacitive, Capacitive
---	---

References

- [USA Location information - USA.com](#)
- [GVision Touchscreen and Security CCTV Monitors](#)