




H T C GROUP SRL LED Traffic Light with One Light Instructions

[Home](#) » [H T C GROUP SRL](#) » H T C GROUP SRL LED Traffic Light with One Light Instructions 



Led traffic light with one light
Instructions



Contents

- [1 TECHNICAL DATA SHEET](#)
- [2 DIMENSIONS](#)
- [3 SCHEDULE OF ASSEMBLY](#)
- [4 ELECTRICAL DIAGRAM](#)
- [5 ASSEMBLY POSITIONS](#)
- [6 Documents / Resources](#)


TECHNICAL DATA SHEET

Power supply: min 8 V dc / 9 V ac – max 45 V dc / 35 V ac


Weight: 1,23 Kg.

Lens color: Red, green, Yellow.
Lamp consume: 3 W.
Middle life lamp: 100.000 hours.
Degree of protection: IP 65


DIMENSIONS




SCHEDULE OF ASSEMBLY



ELECTRICAL DIAGRAM



ASSEMBLY POSITIONS




ATTENTION!

- Before connecting the electrical cables make sure that the power supply is off.
- The traffic lights have to be installed by qualified technical staff only.
- Used vacuum cleaners still contain many recyclable materials. Therefore please take used vacuum cleaners to your retailer or recycling center so that they can be recycled.



H.T.C. GROUP SRL
Via Milano, 8 – 20816 Cipriano Larchetto (MB)
Tel +39 02 96460902 Fax +39 02 96468606

Documents / Resources

	<p>H T C GROUP SRL LED Traffic Light with One Light [pdf] Instructions LED Traffic Light with One Light, Traffic Light with One Light, Light with One Light, One Light, Li ght</p>
---	--