



---

[Home](#) » [h2flow](#) » **h2flow LSWA LevelSmart Wireless Autofill System Instructions** 



## Contents [ [hide](#) ]

- 1 [h2flow LSWA LevelSmart Wireless Autofill System](#)
- 2 [Level-up your pool game, with the LevelSmart™ wireless autofill system.](#)
- 3 [Enjoy a perfect pool, everytime!](#)
- 4 [Level Smarter, not harder!](#)
- 5 [Why choose LevelSmart?](#)
- 6 [KEY BENEFITS](#)
- 7 [Get more with LevelSmart Online](#)
- 8 [SPECIFICATIONS](#)
  - 8.1 [Technical data](#)
  - 8.2 [Available models & accessories](#)
- 9 [Specifications](#)
- 10 [Product Usage Instructions](#)
  - 10.1 [Installation](#)
- 11 [Operation](#)
- 12 [Maintenance](#)
- 13 [FAQ](#)
  - 13.1 [Why choose LevelSmart?](#)
  - 13.2 [What are the key benefits of LevelSmart?](#)
  - 13.3 [How can I benefit from LevelSmart Online?](#)
- 14 [Documents / Resources](#)
  - 14.1 [References](#)
- 15 [Related Posts](#)

## **h2flow LSWA LevelSmart Wireless Autofill System**



## INSTRUCTION MANUAL

An innovative wireless autofill system for pools, spas, ponds, water features, and tanks

**Level-up your pool game, with the LevelSmart™ wireless autofill system.**



LevelSmart™ is an innovative device designed to help homeowners, property managers, builders and maintenance companies with the challenges of maintaining water levels in pools, spas, ponds, water features, and tanks.

**Enjoy a perfect pool, everytime!**



**Level Smarter, not harder!**

LevelSmart™ eliminates the chore of filling your pool manually and the risk of over-filling it. With 24-hour-per-day wireless monitoring, LevelSmart™ automatically maintains the water level of your pool, spa, pond, water feature, or tank.

LevelSmart™ can be easily installed to any new or existing application. American-made quality, combined with an innovative and patented proprietary sensing method, ensures that LevelSmart is the most reliable and user-friendly autofill system on the market.

**Why choose LevelSmart?**

**Less hassle. Greater reliability.**

Eliminates refilling with a hose or an unreliable float level controller.

**Wireless**

Features up to 1,000 feet of wireless communication.

**Simple installation**

Installs quickly and easily to any new or existing pool with no damage or construction required.

**Online monitoring**

Optional online monitoring and alerts available with LevelSmart Online.

### **Built-in protection**

Built-in protection against over-filling.

### **No maintenance**

No maintenance required after installation.

### **Equipment protection**

Eliminates risk of entrained air in the system, which can cause damage to the pump and other equipment.

## **KEY BENEFITS**

### **Drop the hose**


LevelSmart eliminates the chore of manually maintaining the water level with a hose and instead allows the user to kick back and enjoy their swimming pool.

### **Increase safety**

By removing the need to have a hose draped across the pool deck, LevelSmart also removes the associated trip hazard and increases overall safety.

### **Retrofit anywhere**

Because LevelSmart is a wireless device, it can easily be retrofitted to any swimming pool with no mess or need for deck destruction.



### **Extend equipment life**


Using LevelSmart extends equipment life by preventing the pool pump from running dry and burning out.

## Increase efficiency

By only adding water when necessary, LevelSmart helps to reduce water and energy consumption.

## Ready to use

LevelSmart constantly maintains the desired water level of your swimming pool or spa, meaning it's ready to use at all times.



## Get more with LevelSmart Online

LevelSmart™ Online offers even greater functionality and flexibility for the user.

Upgrade(1) to LevelSmart™ Online to gain access to these features and benefits:





(1) Purchase of LevelSmart Online system required



## SPECIFICATIONS

### Technical data

<b>Environmental</b>	Factory-sealed batteries and electronics
<b>Valve</b>	24VAC valve
<b>Maximum operating temperature</b>	130°F / 54°C
<b>Minimum operating temperature</b>	40°F / 4°C
<b>Monitoring Cycles</b>	7-minutes per 30-minutes. Up to 336 minutes of fill time per day
<b>Communication</b>	1,000 feet max. of 433MHz interference free, radio communication
<b>Dimensions</b>	Valve Controller (HxW): 3" x 3" (7.6 x 7.6 cm); total width 4.07" (10.34 cm), screw holes 3.55" (9 cm) center-to-center
	Level Sensor (HxW): 2.85" x 2.9" (7.24 x 7.37 cm)
	Valve (HxWxL): 5" x 4.5" x 2.5" (13 x 11 x 6 cm)
	Valve Controller cables: 24VAC Power cable 55" (140 cm); 24VAC Control cable 55" (140 cm)

## Available models & accessories

Part Number	Description
LSWA	Complete LevelSmart Wireless Autofill System
LSOL	Complete LevelSmart Online Wireless Autofill System
LSAE	LevelSmart Antenna Extension Cable (25ft.)
LSRS	LevelSmart Replacement Sensor

## Specifications

- Product Name: LevelSmart™ Wireless Autofill
- Applications: Pools, spas, ponds, water features, tanks
- Wireless Communication Range: Up to 1,000 feet
- Installation: Quick and easy, no damage or construction required
- Protection: Built-in protection against overfilling
- Maintenance: No maintenance required after installation

## Product Usage Instructions

### Installation

To install the LevelSmart™ Wireless Autofill system, follow these steps:

1. Choose a suitable location near your pool, spa, pond, water feature, or tank.



2. Ensure the wireless communication range covers the desired area for water level monitoring.
3. Securely mount the LevelSmart™ device according to the installation guide.
4. Connect the device to your water source as per the provided instructions.
5. Power on the device and follow any setup procedures mentioned in the user manual.

## **Operation**

Once installed, the LevelSmart™ Wireless Autofill system will automatically maintain the water level of your pool, spa, pond, water feature, or tank. No manual intervention is required.

## **Maintenance**

The LevelSmart™ system does not require any regular maintenance after installation. However, periodic checks to ensure proper functioning are recommended.

---

## **FAQ**

### **Why choose LevelSmart?**

LevelSmart offers less hassle and greater reliability compared to traditional methods of maintaining water levels. It eliminates refilling with a hose or unreliable float level controllers.


### **What are the key benefits of LevelSmart?**

- Eliminates manual water level maintenance with a hose.
- Increases safety by removing trip hazards associated with hoses.
- Can be retrofitted easily without the need for extensive construction.
- Extends equipment life by preventing pump damage due to dry running.
- Increases efficiency by reducing water and energy consumption.
- Ensures your pool or spa is always ready to use with maintained water levels.

### **How can I benefit from LevelSmart Online?**

LevelSmart Online provides additional features such as temperature information, water level data, autofill information, water consumption monitoring, remote monitoring via dashboard and app, and push notifications. To access these features, you need to purchase the LevelSmart Online system.

## Documents / Resources

	<a href="#">h2flow LSWA LevelSmart Wireless Autofill System [pdf]</a> Instructions LSOL, LSWA, LSWA LevelSmart Wireless Autofill System, LSWA, LevelSmart Wireless Autofill System, Wireless Autofill System, Autofill System
---	--

## References

- [User Manual](#)

## Related Posts



### [Trust Wireless Mouse Instructions](#)

Trust Wireless Mouse Instructions Product overview  
Frequently asked questions Domande frequenti  
Preguntas frecuentes Veelgestelde vragen Foire aux...



### [hp DHSAP012D Wireless Dongle Mouse Instructions](#)

hp DHSAP012D Wireless Dongle Mouse Overview  
Connecting Feature



### [EMTEK AXW1 Wireless Charger Instructions](#)

EMTEK AXW1 Wireless Charger Instructions

### [NETGEAR 22100553 Wireless Module Instructions](#)

22100553 Wireless Module Instructions Manual We, NETGEAR Inc. declare that the



approved for use by...

h2flow

Autofill System, h2flow, LevelSmart Wireless Autofill System, LSOL, LSWA, LSWA LevelSmart Wireless Autofill System, Wireless Autofill System

—Previous Post

**[h2flow LSOL,LSWA Level Smart Wireless Auto Fill System User Guide](#)**

Next Post—

**[h2flow LSOL Wireless Autofill System Instruction Manual](#)**

---

## Leave a comment

Your email address will not be published. Required fields are marked \*

Comment \*

Name

Email

Website

☐ Save my name, email, and website in this browser for the next time I comment.

**Post Comment**

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.