




HAFELE GW02 Wireless Smart Gateway User Manual

[Home](#) » [HAFELE](#) » HAFELE GW02 Wireless Smart Gateway User Manual 

HAFELE GW02 Wireless Smart Gateway



Contents

- [1 Product Specificationf](#)
- [2 Packing list](#)
- [3 Product description](#)
- [4 Preparation for use](#)
- [5 Preparation for use](#)
- [6 Set up and Pairing](#)
- [7 Documents / Resources](#)
 - [7.1 References](#)
- [8 Related Posts](#)

Product Specificationf


Product name	Wireless Smart Gateway
Power Specification	DC5V 1A Micro USB
Temperature detection range	-10°C – 45°C
Humidity detection range	5% – 90% RH (No condensation)
Wireless connection	Zigbee 3.0 Bluetooth 5.0 Wifi 2.4G (IEEE802.11b/g/n)

Packing list

- Wireless Smart Gateway x1
- Power cable x1
- Instruction manual x1

Product description

The Smart Gateway is the control center of the smart devices.
Users can design and implement smart application scenarios by adding smart devices.




Indicator light:

- **Solid blue & blinking red:** Pairing the gateway to the network.
- **Solid red & blinking blue:** Pairing Zigbee and Bluetooth end devices to the gateway.
- **Solid red:** Normal working

Preparation for use

- Connect power to Smart Gateway.
- Mobile Phone is connected to 2.4 GHz Wifi



Ensure that the smart phone is within the same Wifi network of the Smart Gateway to ensure an effective connection between the smart phone and the Smart Gateway.

Preparation for use

-Download and open the APP

In the App Store, search for "Hafele Smart Living" or scan the QR Code on the manual to download and install the same App

If you are downloading this App for the first time, please tap the "Sign up" button to register your account. If


you are already have an account, click the “Login ” button



Hafele Smart Living


Set up and Pairing




Turn on the Bluetooth of the mobile phone. Power-on to Smart Gateway. The indicator light will flash, if the indicator is no flashing, Press Reset button and hold for 5 seconds until the indicator light starts to flash. The smart Gateway is now on standby mode and is trying to connect to the Wifi network. Launch the APP, at the Home Screen press” Add Device” button or the “ +” to start adding a device. At the Hafele devices menu, press the “Add”, the phone will search for nearby devices, the Smart Multi-Gateway can be found, Press “ Smart Multi-Gateway” to add it.



Input Wifi Password of the router, and select “Next” Button


Once the initialize the device has been completed, press ” Done” button to finish. Not you are able to find de;’Ovice on the home page.



	
	
Please read the inst ruction manual canual before using the product	



Documents / Resources

	HAFELE GW02 Wireless Smart Gateway [pdf] User Manual GW02 Wireless Smart Gateway, GW02, Wireless Smart Gateway, Smart Gateway, Gateway
--	---

References

- [User Manual](#)

[Manuals+](#), [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.