



Haier AD105S2SM5FA Ducted Low Profile User Guide

[Home](#) » [Haier](#) » Haier AD105S2SM5FA Ducted Low Profile User Guide 

Haier

QUICK REFERENCE GUIDE > AD105S2SM5FA
Ducted, Low Profile, 10.5kW
Ducted White



Contents

- [1 DIMENSIONS](#)
- [2 SPECIFICATIONS](#)
- [3 Documents / Resources](#)
 - [3.1 References](#)
- [4 Related Posts](#)

DIMENSIONS

Height	248 mm
Width	1500 mm
Depth	700 mm

SPECIFICATIONS

Accessories	
Central controller	Optional
IR Controller	Optional
Capacity	
Cooling capacity (kW)	10kW
Heating capacity (kW)	10.5kW
Consumption	
COP	3.15
EER	3.44
Features	
24 Hour timer	•
Auto restart	•
Blue fin coils	•
Condensate pump	•
DC inverter	180° sine wave
DRED (Demand Response) ready	•
MEPS approved	•
Motor type	DC motor
Self diagnostics	•
Sleep mode	•
Standard controller	YR-E17
Wi-Fi controller compatible	•
Installation	
Corresponding outdoor unit	1UH105N1ERG
Performance	
Airflow	555l/s
DC inverter	180° sine wave

R410a refrigerant	•
Self cleaning evaporator	•
Sound power	60dBA
Sound pressure	44dBA
Working temperature cooling	-15 to 50 C
Working temperature heating	-20 to 24 C
Power Requirements	
Power supply	220-240vac
Supply frequency	50Hz
Product dimensions	
Depth	700 mm
Height	248 mm
Net weight	62kg mm
Outdoor unit depth	370 mm
Outdoor unit height	965 mm
Outdoor unit width	950 mm
Width	1500 mm
Warranty	
Parts and labour	5 years
SKU	51491

Other product downloads available at haier.com



User Guide



Service & Warranty



Product Brochure



Installation Guide



Installation Guide (Outdoor Unit)



Installation Guide (WiFi)

A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 0800 372273 W www.haier.com

Documents / Resources

	Haier AD105S2SM5FA Ducted Low Profile [pdf] User Guide AD105S2SM5FA Ducted Low Profile, AD105S2SM5FA, Ducted Low Profile, Low Profile, Profile
---	--

References

- [H Choose your country or region - Haier](#)