



Home » hallicrafters » hallicrafters HA-5 Variable Frequency Oscillator Instruction Manual



# hallicrafters HA-5 Variable Frequency Oscillator **Instruction Manual**

June 1, 2025



# Contents [ hide ] 1 OPERATING AND SERVICE INSTRUCTIONS 2 VARIABLE FREQUENCY OSCILLATOR MODEL HA-5 2.1 SECTION I 2.1.1 GENERAL DESCRIPTION 2.1.1.1 1-1. INTRODUCTION. 2.2 SECTION II 2.2.1 SPECIFICATIONS 2.3 SECTION III 2.3.1 INSTALLATION 2.3.1.1 3-1. UNPACKING. 2.3.1.2 3-2. LOCATION. 2.3.1.3 3-3. POWER SOURCE. 2.3.1.4 3-4. TYPICAL SYSTEM CONNECTION. 2.4 SECTION IV 2.4.1 FUNCTION OF OPERATING CONTROLS 2.4.1.1 4-1. GENERAL.

```
2.4.1.2 4-2. BAND SELECTOR CONTROL.
   2.4.1.3 4-3. TUNING CONTROL.
   2.4.1.4 4-4. CAL-OFF CONTROL.
   2.4.1.5 4-5. SERVICE AND OPERATING QUESTIONS
 2.5 SECTION V
  2.5.1 OPERATION
   2.5.1.1 5-1. GENERAL.
   2.5.1.2 5-2. DIAL SCALE.
 2.6 SECTION VI
  2.6.1 SERVICE DATA
   2.6.1.1 6-1. CRYSTAL, TUBE, AND DIAL LAMP REPLACEMENT.
   2.6.1.2 6-2. CHASSIS REMOVAL.
   2.6.1.3 6-3. DIAL CORD RESTRINGING.
 2.7 SECTION VII
  2.7.1 THEORY OF OPERATION
 2.8 SECTION VIII
  2.8.1 ALIGNMENT
   2.8.1.1 8-1. GENERAL.
   2.8.1.2 8-2. PREFERRED OSCILLATOR ALIGNMENT (Receiver Tuned 5.0 MC to 5.5
   MC).
   2.8.1.3 8-3. ALTERNATE OSCILLATOR ALIGNMENT (Receiver Tuned 3.5 MC to 4.0
   MC).
   2.8.1.4 8-4. MIXER ALIGNMENT.
  2.8.2 SERVICE REPAIR PARTS LIST
3 Documents / Resources
 3.1 References
```

## **OPERATING AND SERVICE INSTRUCTIONS**

VARIABLE FREQUENCY OSCILLATOR MODEL HA-5

#### WARRANTY

"The Hallicrafter's Company warrants each new radio product manufactured by it to be free. from defective material and workmanship and agrees to remedy any such defect or to furnish a new part in ex- change for any part of any unit of its manufacture which under normal installation, use and service discloses such defect, provided the unit is delivered by the owner to our authorized radio dealer, wholesaler, from whom purchased, or, authorized service center, intact, for examination, with all transportation charges prepaid within ninety days from the date of sale to original purchaser and provided that such examination discloses in our judgment that it is thus defective.

This warranty does not extend to any of our radio products which have been subjected to misuse, neglect, accident, incorrect wiring not our own, improper installation, or to use in violation of instructions furnished by us, nor extended to units which have been repaired or altered outside of our factory or authorized service center, nor to cases where the serial number thereof has been removed, defaced or changed, nor to accessories used therewith not of our own manufacture.

Any part of a unit approved for remedy or exchange hereunder' will be remedied or exchanged by the authorized radio dealer or wholesaler without charge to the owner.

This warranty is in lieu of all other warranties expressed or implied and no representative or person is authorized to assume for us any other liability in connection with the sale of our radio products"

the hallicraffers co.

092-014557



Figure 1. View of Variable Frequency Oscillator.

#### **SECTION I**

#### **GENERAL DESCRIPTION**

#### 1-1. INTRODUCTION.

The new Hallicrafters Model HA-5 is a compact, self-contained, Variable Frequency Oscillator (VFO) designed as a crystal substitute for use with any conventional, 80 through 2 meter\*, amateur transmitter.

Heterodyne operation plus voltage regulation of the tunable and crystal oscillators insures maximum frequency stability. A30to1 tuning ratio, in conjunction with an easy-to-read back-lighted dial calibrated directly in operating frequency for each band, provides precise frequency adjustment.

For ease and flexibility of operation, a single control turns the power ON and selects the desired output frequency range.

A convenient front panel CAL switch permits instantaneous spotting of the transmitter frequency with the station receiver.

\*The unit, as supplied, does not include heterodyne crystals for the 6-meter or 2-meter bands, Should operation be desired on either of these bands, the heterodyne crystals may be purchased and installed, Refer to the parts list for the correct crystal type, frequency, and part number.

## **SECTION II**

## **SPECIFICATIONS**

TUBES	6U8A Tunable Oscillator, Crystal Oscillator 6BA7 Mixer 6AQ5A Output Amplifier OA2 Voltage Regulator
RECTIFIERS	Silicon (2)
OUTPUT IMPEDA	5600 ohms shunted by 100 μμF cable capacitance
OUTPUT VOLTAG	30V nominal
STABILITY	Better than 500 cycles of set frequency over a one hour period ( after 15-minute warmup)
POWER CONSU MPTION	30 watts at 117 volts (nominal), 60 CPS, alternating current
DIMENSIONS (H x W x D)	5-5/8 inches x 7 inches x 9-1/32 inches
NET WEIGHT	7 pounds
SHIPPING WEIGH	8-1/2 pounds

## **SECTION III**

## **INSTALLATION**

#### 3-1. UNPACKING.

After unpacking the VFO, examine it closely for damage which may have occurred in transit. Should damage be apparent, immediately file a claim with the carrier stating the

extent of the damage. Carefully check all shipping labels and tags for instructions before removing them.

#### 3-2. LOCATION.

The VFO is supplied with a 30-inch output cable. The unit should be located so that this cable will be of adequate length to interconnect the VFO and the transmitter. When locating the VFO, avoid excessively warm locations, For proper ventilation, allow at least one inch of clearance between the back of the VFO and the wall.

#### NOTE

The output cable distributed capacity is part of the resonating capacitance of the output stage. The length of this cable should not be varied if proper performance of the VFO is to be obtained.

#### 3-3. POWER SOURCE.

The Model HA-5 VFO is designed to operate from a 105-volt to 125-volt, 60-cycle, AC power source. Power consumption is 30 watts.


## **NOTE**

If in doubt about your power source, contact your local power company prior to inserting the power cord into an AC power outlet. Connecting the VFO to the wrong power source may cause extensive damage to the unit and entail costly repairs.

#### 3-4. TYPICAL SYSTEM CONNECTION.

A two-screw type terminal strip is provided at the rear of the chassis to connect the VFO into a station control system. See figures 2 and 3.


Two jacks are provided at the rear of the chassis to connect the VFO output to the transmitter. One jack is used for the 80-meter through 10-meter output, while the other jack is used for the 6-meter and 2-meter output.



092-013887

Figure 2. Typical Station Setup.

- 1. COAXIAL CABLE
- 2. COAXIAL ANTENNA CHANGEOVER RELAY
- 3. EXTERNAL ANTENNA



092-013617

Figure 3. Rear View of VFO.

## **SECTION IV**

### **FUNCTION OF OPERATING CONTROLS**

#### 4-1. GENERAL.

Each control of the VFO performs a definite function which contributes to the versatility

of the equipment. Full appreciation of the VFO is to be expected only after becoming familiar with each of these controls. A brief description of each control is contained in the following paragraphs (see figure 4).

#### 4-2. BAND SELECTOR CONTROL.


The BAND SELECTOR control is an eight-position rotary switch which turns the power ON and selects the desired operating band.

#### 4-3. TUNING CONTROL.

The main TUNING control is a variable capacitor that determines the 5.0-MC to 5.5-MC oscillator frequency. This control engages and moves the dial when setting the desired frequency.

#### 4-4. CAL-OFF CONTROL.

The CAL-OFF control is a SPDT slide switch. In the CAL position, the VFO keying circuit is removed from the rear terminals and the VFO is keyed on, producing the desired output frequency. This enables the transmit frequency to be preset without keying the transmitter on.



092-013616

Figure 4. Front Panel View of VFO.

With the switch in the OFF position, the VFO keying circuit is returned to the keying terminals on the rear apron where it may be keyed by the station control system.

#### 4-5. SERVICE AND OPERATING QUESTIONS

For further information regarding operation or servicing of the unit, contact The Hallicrafters dealer from whom it was purchased. The Hallicrafters Company maintains an extensive system of Authorized Service Centers where any required service will be performed promptly and efficiently at a nominal charge.



All Hallicrafters Authorized Service Centers display the sign shown at right. Consult your dealer or telephone directory for the location nearest you.

Do not make any service shipments to the factory unless instructed to do so by letter. The Hallicrafters Company will not accept the responsibility for any unauthorized shipments.

The Hallicrafters Company reserves the privilege of making revisions in current production of equipment and assumes no obligation to incorporate these revisions in earlier models.

## **SECTION V**

#### **OPERATION**

#### 5-1. GENERAL.

Set the BAND SELECTOR switch to the desired band (this also turns the VFO power ON). Allow a few minutes for the unit to reach operating temperature.

With the transmitter in standby, tune the VFO to the desired frequency as indicated on the calibrated dial. If desired, you may zero-beat your receiving frequency by setting the CAL-OFF switch to the CAL position. Adjust the VFO tuning control for the lowest possible tone (i.e., zero-beat) as heard in the station speaker. When this condition exists, the transmitter frequency exactly coincides with the receiver frequency. Set the CAL switch to OFF.

Turn the transmitter switch to OPERATE and proceed with the manufacturers recommended tuning procedure.

#### 5-2. DIAL SCALE.

Figure 5 shows the Model HA-5 dial calibrations. The calibrations indicate the carrier frequency of the transmitter output stage, not the VFO output. The following table lists the amateur bands, the VFO output frequency, and the multiplication necessary to obtain the desired transmitter output frequency.


The major dial calibrations for each band are 100 KC apart. On the 10-meter band, intermediate calibration marks are furnished at 20-KC intervals. Since the 100-KC points on the 80, 40, 20, and 10 meter bands are in alignment, the inter-mediate calibrations for 10 meters can be used for these bands. On 80 and 40 meters the 10 meter minor calibration marks represent 5 KC and on 20 meters, 10 KC. On the 15, 6, and 2 meter bands, the intermediate calibration marks are directly given on each band.

Amateur Ba	Dial Calibratio	Actual VFO Output Freq	Multiplication Required in Trans mitter
80 meters	3.5 – 4.0 MC	3.5- 4.0 MC	None
40 meters	7.0 – 7.3 MC	7.0 – 7.3 MC	None
20 meters	14.0 – 14.3 M C	7.0 – 7.150 MC	X2
15 meters	21.0 – 21.4 M C	7.0 – 7.333 MC	X3
10 meters	28.0 – 29.7 M C	7.0 – 7.425 MC	X4
*6 meters	50.0 ~ 53.0** MC	8.333 – 8.833MC	X6
*2 meters	144 – 148 MC	8.0 – 8,222 MC	X18

<sup>\*</sup>Accessory Heterodyne crystals required for 6 or 2 meter operation, They may be purchased from your local dealer or directly from The Hallicrafters Co, See Parts List for

type, frequency, and part number.

\*\*The 6M range is limited to 53 MC in order to provide the best possible bandspread on all ranges.



092-014066

Figure 5. Dial Scale Calibrations.

### 1. ALIGNMENT POINT

#### **SECTION VI**

#### **SERVICE DATA**

## 6-1. CRYSTAL, TUBE, AND DIAL LAMP REPLACEMENT.


To gain access to the tubes and dial lamps, remove the chassis from the cabinet (see paragraph 6-2). The location of the crystals, tubes, and the dial lamp is shown in figure 7.

#### 6-2. CHASSIS REMOVAL.

The chassis may be removed from the cabinet by removing the four thread-forming screws from the bottom of the cabinet. When removing the chassis from the cabinet, care should be taken not to damage any of the components.

#### 6-3. DIAL CORD RESTRINGING.

Remove the chassis from the cabinet to restring the dial cord (see paragraph 6-2). Rotate the tuning drum fully clockwise (tuning capacitor plates fully meshed). Care should be taken not to damage the capacitor plates. Refer to figure 6 for the stringing procedure. To restring the dial: tie a non-slip loop on one end of the cord, attach this loop to the tuning drum at point A. Follow the arrows and the number sequence; make certain that the cord makes one complete loop around the drum before going to the control shaft. Keep just enough tension on the dial cord during stringing to prevent it from slipping off the tuning drum, Tie the free end of the dial cord to the dial spring with a non-slip knot so that when the spring is attached to the tuning drum at point B it remains expanded about 1/4 inch.



092-013618

Figure 6. Dial Stringing Detail.

#### a. 2-1/2 TURN REAR TO FRONT

## **SECTION VII**

#### THEORY OF OPERATION

Tube V1A (1/2 8U8A) is a variable oscillator tuning 5.0 MC to 5.5 MC. The series tuned combination of C3 (tuning capacitor) and L1 set the frequency. C1A and C1B are temperature compensating capacitors that provide long term frequency stability.


Tube V1B (1/2 6U8A) is an untuned crystal oscillator designed for standard CR-18/U crystals. The BAND SELECTOR selects the proper crystal for each band.

The outputs of the oscillators are heterodyned in the mixer, V2 (6BA7), producing sum and difference frequencies. A double-tuned transformer in the mixer plate (L2 on 80 meters, L3 on 40 meters through 10 meters, and L4 on 8 meters and 2 meters) selects the proper heterodyned frequency (crystal minus tunable) and provides essentially constant output over the frequency range.

Tube V3 (BAQ5A) amplifies the desired signal to a level of sufficient amplitude to drive a transmitter oscillator or buffer amplifier.

Keying is accomplished by opening the cathode circuits at the mixer and output amplifier stages. In the key-up condition, resistor R22 (47K ohm) limits the voltage across the key terminals to less than 40 volts.

The power supply is transformer operated and consists of two silicon rectifiers connected in full wave. Resistor R20 is a surge limiting resistor and, in addition, acts as a fuse, protecting the rectifiers and transformer in the event of a B+ short. Tube V4, an OA2 gaseous regulator tube, provides B+ regulation for both oscillators.



\* NOT SUPPLIED

092-014563

Figure 7. Top View of VFO Chassis.

- 1. CAL OFF
- 2. BAND SELECTOR
- 3. TUNING

## **SECTION VIII**

#### **ALIGNMENT**


#### 8-1. GENERAL.

The Model HA-5 VFO has been carefully aligned at the factory by specially trained personnel using precision equipment. Alignment of the VFO should not be required unless the VFO has been tampered with or component parts have been replaced in either the oscillator circuits or the mixer tuning stage.

Methods of aligning the mixer and variable frequency oscillator stages are described in the following paragraphs of this alignment procedure, Tools and equipment required to perform the following VFO alignment are:

- 1. A communications receiver with a 100-KC crystal calibrator capable of receiving WWV and tuning either 5.0 MC to 5.5 MC or 3.5 MC to 4.0 MC, within ±1 KC or better.
- 2. A small screwdriver for adjusting oscillator coil L1 and trimmer capacitor C2.
- 3. A non-metallic alignment tool for adjusting the slugs in the mixer output coils.
- 4. An RF voltmeter to measure the RF output voltage.
- 5. A 5600 ohm, 1 watt resistor and a 100 μμf capacitor for the RF LOAD.

#### PHONO PLUG TO FIT OUTPUT SOCKET



#### RE LOAD USED DURING ALIGNMENT

092-014012

# 8-2. PREFERRED OSCILLATOR ALIGNMENT (Receiver Tuned 5.0 MC to 5.5 MC).

- 1. Remove the VFO from the cabinet.
- 2. Insert the output test load into the 80 10 meter output jack.
- 3. Set the receiver for CW reception at 5.0 MC (zero beat WWV).
- 4. Calibrate the receiver 100-KC standard to WWV.
- 5. Set the VFO CAL-OFF switch to the CAL position.
- 6. Loosen the dial-locking set screws and set TUNING capacitor C3 so that its plates are fully meshed. Align the dial calibration mark with the indicator line on the dial window. (The dial calibration mark is directly to the left of the 53.0-MC mark on the dial. See figure 5.) Tighten the dial-locking screws.
- 7. Turn the unit ON (BAND SELECTOR switch setting is unimportant).
- 8. Set the tuning dial to the 53.0-MC calibration mark and the adjust oscillator coil, L1, to zero beat with exactly 5.0 MC on your receiver.
- 9. Tune the receiver to 5.5 MC.
- 10. Set the dial to the 50-MC calibration mark and adjust the trimmer capacitor, C2, to

zero beat.

11. Repeat steps 8, 9, and 10 until both calibration points (53 MC and 50 MC on the VFO dial) are aligned so that 53 MC zero beats with 5 MC on the receiver and 50 MC zero beats with 5,5 MC on the receiver. The dial scale is correctly calibrated when this condition exists.

## 8-3. ALTERNATE OSCILLATOR ALIGNMENT (Receiver Tuned 3.5 MC to 4.0 MC).

- 1. Repeat steps 1 through 6 of paragraph 8-2.
- 2. Set the BAND SELECTOR switch to the 80-meter position.
- 3. Set the receiver to 4,0 MC.
- 4. Set the VFO to 4.0 MC and adjust oscillator coil L1 to zero beat with the receiver.
- 5. Set the receiver to 3.5 MC.
- 6. Set the VFO to 3.5 MC and adjust trimmer capacitor C2 to zero beat.
- 7. Repeat steps 2, 3, 4, and 5 until both 80-meter end frequencies (4.0 MC and 3.5 MC on the VFO dial) are aligned to zero beat on the receiver at 4.0 MC and 3.5 MC. The dial scale is correctly calibrated when this condition exists.

#### 8-4. MIXER ALIGNMENT.

- 1. Repeat steps 1 and 2 of paragraph 8-2.
- 2. Set the VFO CAL-OFF switch to the CAL position.
- 3. Set the BAND SELECTOR switch to the 80-meter position.
- 4. Connect the RF voltmeter across the test load.
- 5. Set the VFO dial to 3.8 MC and peak L2A and L2B for maximum output voltage developed across the test load.
- 6. Set the BAND SELECTOR switch to the 10-meter position.
- Set the VFO dial to 29.2 MC and peak L3A and L3B for maximum output voltage developed across the test load.
- 8. Insert the output test load into the 6 and 2 meter output jack and connect the RF voltmeter across the test load.
- 9. Set the BAND SELECTOR switch to the 8-meter position.
- 10. Set the VFO dial to 50.25 MC and peak L4A and L4B for maximum output voltage developed across the test load.

Schematic Symbol	Description	Hallicrafters Pa rt Number
	CAPACITORS	
C1A	11 μμf, ±0.5 μμf, 500V, N1500, Cera mic	479-012110
C1B	4 μμf, ±0.25 μμf, 500V, N80, Ceramic	491-101040-43
C2	Variable, 1.5 μμf to 10 μμf, Trimmer	044-000542
C3	Variable, TUNING	048-000509
C4	370 μμf, 1%, 300V, Duramica	493-110371~42 4
C5, 6	500 μμf, 1%, 300V, Duramica	493-110501~42 4
C7	20 μμf, 2%, 300V, Duramica	481-151200
C8, 9,11, 12,13,15, 16,17,1 9, 22, 25, 26, 27	0.005 μf, 500V, GMV, Ceramic Dise	047-100168
C10, 23	20 μμf, 10%, 500V, Ceramic Disc	047-001617
C14, 18, 20	0.001 μf, 10%, 500V, Ceramic Dise	047-100586
C21	140 μμf, 1%, 300V, Duramica	493-110141-24 2
C24A&B	Dual, 100 μf, 350V; 20 μf, 300V; Elect rolytic	045-000812
C28,29	0.01 μf, 1400V, GMV, Ceramic Disc	047-200752
C30	160 μμf, 2%, 300V, Duramica	481-161161


\_

C31	9 μμf, 2%, 300V, Duramica	481-131090		
	*RESISTORS			
R1	68K ohm	451-252683		
R2,21	120 ohm	451-252121		
R3,5,7, 23	4700 ohm	451-252472		
R4,16,22	47K ohm	451-252473		
R6,9,12,14,17	560 ohm	451-252561		
R8	15K ohm, 2 watt	451-652153		
R10,15	100K ohm	451-252104		
R11	47 ohm	451-252470		
R13	47K ohm, 1 watt	451-352473		
R18	5000 ohm, 5 watt, Wire Wound	445-012502		
R19	1000 ohm, 1 watt	451-352102		
R20	33 ohm, 5 watt, Wire Wound (Fuse Type)	024-001398		
* All RESISTORS are carbon type, 1/2 watt, 10% unless otherwise specified.				
COILS AND TRANSFORMERS				
L1	Coil, Oscillator	051-003333		
L2A&B	Coil, Mixer (80 meter)	051-003325		
L3A&B	Coil, Mixer (40 meter)	051-003326		
L4A&B	Coil, Mixer (6 meter and 2 meter)	051-003327		

L5	Coil, RF Plate (Inc 10K ohm, 1 watt r esistor)	051-003332
L6	Choke, RF Plate (12 UH, ±10%, 200 MA)	053-000612
T1	Transformer, Power	052-000895
DIODES,	ELECTRON TUBES AND CRYSTALS	
CR1,2	Rectifier, Silicon (Type CER 71)	027-000302
V1	Electron Tube, Type 6U8A, Tunable a nd Crystal Oscillators 090-901285	
V2	Electron Tube, Type 6BA7, Mixer	090-900815
V3	Electron Tube, Type 6AQ5A, Output Amplifier	090-901331
V4	Electron Tube, Type OA2, Voltage Regulator	030-900001
Y1	Crystal, 9.0 MC (80M)	019-002831-1
Y2	Crystal, 12.5 MC (40-10M)	019-002831-2
Y3	Crystal, 13.833 MC (6M)	019-002831-3
Y4	Crystal 13.3 Mc (2M)	019-002831-4
MISCELLANEOUS		
	Base, Tube Shield (V1&V2)	069-001417
	Base, Tube Shield (V3)	069-001550
	Cabinet Assembly	150-003307
	Connector, Male	010-100231

	Core, Coil Tuning	003-007508
	Crystal Mounting Board Assembly	150-003281
	Dial and Pulley Assembly	150-002621
	Dial Cord	038-000049
XDS1	Dial Light Socket	086-000572
	Foot, Rubber	016-001946
	Front Panel Assembly	150-003306
	Gear Assembly (Spur)	150-002569
	Gear Plate Assembly	150-003311
	Gear Drive	026-001031
	Grommet, Rubber (3/8-inch)	016-100366
	Grommet, Rubber (1/4-inch)	016-100976
	Tron Core	003-004564
J1,2	Jack, Output (Phono Type)	036-100041
	Knob, BAND SELECTOR	015-001486
	Knob, TUNING	015-001484
DS1	Lamp, Dial Light (No. 47)	039-100004
PL1	Line Cord	087-100078
	Line Cord Lock	076-100974
	Output Cable Assembly	087-007205
	Plug, Output Connector	010-002352

	Retainer Track, Trim Strip	067-010291
	Shaft, Tuning	074-002695
	Shield, Tube (V1)	069-201190
	Shield, Tube (V2)	069~201189
	Shield, Tube (V3)	069-100355
XV1,2	Socket, Tube (9~pin miniature)	006-000947
XV3,4	Socket, Tube (7-pin miniature)	006-000946
	Spring, Pulley	075-100163
SW1	Switch, Rotary (BAND SELECTOR)	060-002351
SW2	Switch, Slide, SPDT (CAL-OFF)	060-200737
	Trim Strip	007-000820
	Window, Dial	022-000657



## NOTE:

UNLESS OTHERWISE SPECIFIED

1 ALL RESISTORS ARE IN OHMS, 1/2 W, 10 %. ALL CAPACITORS ARE IN UF.

2 VOLTAGE MEASUREMENTS MADE WITH A VACUUM TUBE VOLTMETER (VTVM) CONNECTED BETWEEN INDICATED POINT AND CHASSIS GROUND. DURING MEASUREMENTS, THE BAND SELECTOR SWITCH SHOULD BE IN THE 80M POSITION; TUNING AT 3700; CAL – OFF SWITCH, OFF; KEY DOWN

BAND SELECTOR		
POSITION	FUNCTION	
1 (CCW)	OFF	
2	80 M	
3	40 M	
4	20 M	
5	15 M	
6	10 M	
7	6 M	
8	2 M	
SHOWN IN POSITION I  (OFF)		

089-002510

Figure 8. Schematic Diagram of Model HA-5 Variable Frequency Oscillator.

094-902858

162

## **Documents / Resources**



hallicrafters HA-5 Variable Frequency Oscillator [pdf] Instruction Manual HA-5, HA-5 Variable Frequency Oscillator, Variable Frequency Oscillator, Frequency Oscillator

## References

- User Manual
- hallicrafters
- ▶ Frequency Oscillator, HA-5, HA-5 Variable Frequency Oscillator, hallicrafters, Oscillator, Variable Frequency Oscillator

## Leave a comment

Your email address will not be published. Required fields are marked \*

Comment \*

Name

Email

Website

☐ Save my name, email, and website in this browser for the next time I comment.

**Post Comment** 

## Search:

e.g. whirlpool wrf535swhz

Search

Manuals+ | Upload | Deep Search | Privacy Policy | @manuals.plus | YouTube

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.