



# hama 00200109 USB-C Hub Multiport Instruction Manual


[Home](#) » [Hama](#) » **hama 00200109 USB-C Hub Multiport Instruction Manual** 

## Contents

- 1 hama 00200109 USB-C Hub Multiport Instruction  
Manual
- 2 Operating Instructions
- 3 1. Package Contents
- 4 Warning
- 5 Note
- 6 3. Startup and Operation
- 7 4. Warranty Disclaimer
- 8 5. Technical Data
- 9 Note
- 10 Read More About This Manual & Download PDF:
- 11 Documents / Resources
- 12 Related Posts




## Operating Instructions






**B**USB-C  
PD/3.2 Gen1

HDMI™

**C**USB-C  
PD/3.2 Gen1

HDMI™



**D****E**

## 1. Package Contents

- USB-C Multiport
- These operating instructions

## 2. Safety Notes

- Do not attempt to service or repair the product yourself. Leave any and all service work to qualified experts.
- Do not open the device or continue to operate it if it becomes damaged.
- Do not operate the product outside the power limits given in the specifications.
- Do not modify the product in any way. Doing so voids the warranty.

- Keep this product, as all electrical products, out of the reach of children! Use the product for its intended purpose only.
- Protect the product from dirt, moisture and overheating, and only use it in a dry environment.
- The product is intended for indoor use only.
- Do not use the product in the immediate vicinity of heaters or other heat sources or in direct sunlight.
- Do not use the product in moist environments and avoid splashes.
- Do not use the product in areas where the use of electronic devices is not permitted.
- Do not drop the product and do not expose it to any major shocks.
- Dispose of packaging material immediately according to locally applicable regulations.



### **Warning**

- Find out the maximum output current capacity of the USB port on your device. To do this, consult the operating instructions or ask the manufacturer.
- Common values are 500 mA for USB-A 2.0, 900 mA for USB-A 3.0, and up to 3000 mA for USB-C.
- Ensure that the cumulative current draw of all USB devices connected to the hub/multiport adaptor does not exceed this value.



### **Note**

- To be able to use the charging function, the device must support Power Delivery (PD) or Thunderbolt-3/4.
- To be able to use the HDMI™ function, the device must support DisplayPort Alternate Mode or Thunderbolt-3/4.
- For optimised video function, we recommend passive monitor adapters / cables (without chipset / signal converter).

## **3. Startup and Operation**

- Switch on your computer and boot the system.
- Connect the product to a free USB port on your computer.
- You do not have to install drivers; the computer will automatically recognise the product.
- If necessary, follow the instructions for your operating system.
- In order to use your devices, plug them into the product one after the other.

## **4. Warranty Disclaimer**

Hama GmbH & Co KG assumes no liability and provides no warranty for damage resulting from improper installation/mounting, improper use of the product or from failure to observe the operating instructions and/ or safety notes.

## **5. Technical Data**



Operating voltage / current consumption	5– 20V max. 5A
Compatibility	USB-C port
System requirements	Windows 11 /10/ 8/ 7 Mac OS 10.8 ≥
USB specification	USB 3.2 Gen1

## Note

- If there is interference or the product no longer responds, unplug the product, wait a few seconds and then plug it in again.

***Read More About This Manual & Download PDF:***

## Documents / Resources



[hama 00200109 USB-C Hub Multiport](#) [pdf] Instruction Manual  
00200109, USB-C Hub Multiport, 00200109 USB-C Hub Multiport, Hub Multiport, Multiport