

# hama KVM-Switch Changeover Switch HDMI USB Instruction **Manual**

Home » Hama » hama KVM-Switch Changeover Switch HDMI USB Instruction Manual






#### **Contents**


- **1 Operating Instructions**
- 2 Package Contents
- 3 Startup and Operation
- **4 Technical Data**
- 5 Documents /

Resources

- **5.1 References**
- **6 Related Posts**

**Operating Instructions** 





# **Package Contents**

- KVM switch
- 2 HDMI™ cables
- 2 USB cables









· These operating instructions

# **Safety Notes**

- Do not attempt to service or repair the product yourself. Leave any and all service work to qualified experts.
- Do not open the device or continue to operate it if it becomes damaged.
- Do not operate the product outside the power limits given in the specifications.
- Do not modify the product in any way. Doing so voids the warranty.
- Keep this product, as all electrical products, out of the reach of children! Use the product for its intended purpose only.
- Protect the product from dirt, moisture and overheating, and only use it in a dry environment.
- The product is intended for indoor use only.
- Do not use the product in the immediate vicinity of heaters or other heat sources or in direct sunlight.
- Do not use the product in moist environments and avoid splashes.
- Do not use the product in areas where the use of electronic devices is not permitted.
- Do not drop the product and do not expose it to any major shocks.
- Dispose of packaging material immediately according to locally applicable regulations.



- Find out the maximum output current capacity of the USB port onyour device. To do this, consult the operating instructions or ask the manufacturer.
- Common values are 500 mA for USB-A 2.0, 900 mA for USB-A 3.0, and up to 3000 mA for USB-C.
- Ensure that the total power consumption of all USB devices connected to the KVM switch does not exceed the
  determined value.



 For optimised video function, we recommend passive monitor adapters/cables (without chipset/signal converter).

# **Startup and Operation**

- Connect the enclosed HDMI<sup>™</sup>/USB cable both to the KVM switch and PC/notebook 1 and PC/notebook 2. Now connect the HDMI<sup>™</sup> cable on the monitor/TV to the KVM switch connection marked "Monitor/TV".
- The symbols printed underneath the USB sockets represent connection suggestions. The USB devices can however also be connected to the KVM switch in a different sequence / combination.
- Switch on your computer and boot the system.
- Connect the product to a free HDMI™/USB port on your computer.
- You do not have to install drivers; the computer will automatically recognise the product.
- If necessary, follow the instructions for your operating system.
- In order to use your devices, plug them into the product one after the other.

- The connected devices can be toggled between PC/notebook 1 and PC/ notebook 2 by pressing the "Select" button on the KVM switch.
- The LED on the KVM switch lights up 1 or 2, depending on whether the connected devices are assigned to PC/notebook 1 or PC/notebook

# **Warranty Disclaimer**

Hama GmbH & Co KG assumes no liability and provides no warranty for damage resulting from improper installation/mounting, improper use of the product or from ailure to observe the operating instructions and/or safety notes.

#### **Technical Data**

Operating voltage / current consumption	5 V max. 500 mA
Compatibility	USB-A port HDMI™ port
System requirements	Windows 11 / 10 / 8 / 7 Mac OS 10.8 ≥
USB specification	USB 2.0

**Note:** If there is interference or the product no longer responds, unplug the product, wait a few seconds and then plug it in again.





All listed brand saretrademarks of the corresponding companies. Errors and omissions excepted, and subjecttotechnicalchanges.Our general terms of delivery an dpayment are applied.



#### **Documents / Resources**



hama KVM-Switch Changeover Switch HDMI USB [pdf] Instruction Manual KVM-Switch Changeover Switch HDMI USB, KVM-Switch, Changeover Switch HDMI USB, Changeover Switch, HDMI USB Changeover, Changeover

#### References

h hama.com