



hama USB Multiport User Manual

[Home](#) » [Hama](#) » hama USB Multiport User Manual 

hama

Contents

- [1 hama USB Multiport User Manual](#)
- [2 1. Package Contents](#)
- [3 2. Safety Notes](#)
- [4 3. Startup and Operation](#)
- [5 4. Warranty Disclaimer](#)
- [6 5. Technical Data](#)
- [7 Documents / Resources](#)
 - [7.1 References](#)
- [8 Related Posts](#)


hama USB Multiport User Manual






hama

Hama GmbH & Co KG
86652 Monheim/Germany
www.hama.com

Service & Support
Web: www.hama.com
Call: +49 9091 502-0







1. Package Contents

- USB-C Multiport
- These operating instructions

2. Safety Notes

- Do not attempt to service or repair the product yourself. Leave any and all service work to qualified experts.
- Do not open the device or continue to operate it if it becomes damaged.
- Do not operate the product outside the power limits given in the specifications.
- Do not modify the product in any way. Doing so voids the warranty.
- Keep this product, as all electrical products, out of the reach of children! Use the product for its intended purpose only.
- Protect the product from dirt, moisture and overheating, and only use it in a dry environment.
- The product is intended for indoor use only.
- Do not use the product in the immediate vicinity of heaters or other heat sources or in direct sunlight.
- Do not use the product in moist environments and avoid splashes.
- Do not use the product in areas where the use of electronic devices is not permitted.
- Do not drop the product and do not expose it to any major shocks.
- Dispose of packaging material immediately according to locally applicable regulations.

Warning

- Find out the maximum output current capacity of the USB port on your device. To do this, consult the operating instructions or ask the manufacturer.
- Common values are 500 mA for USB-A 2.0, 900 mA for USB-A 3.0, and up to 3000 mA for USB-C.
- Ensure that the cumulative current draw of all USB devices connected to the hub/multiport adaptor does not exceed this value.

Note

- To be able to use the charging function, the device must support Power Delivery (PD) or Thunderbolt-3/4.
- To be able to use the VGA & HDMI™ function, the device must support DisplayPort Alternate Mode or Thunderbolt-3/4.
- VGA & HDMI™: for simultaneous use of two monitors displaying the same contents (Full HD / 1080p).

3. Startup and Operation

- Switch on your computer and boot the system.
- Connect the product to a free USB port on your computer.
- You do not have to install drivers; the computer will automatically recognise the product.
- If necessary, follow the instructions for your operating system.
- In order to use your devices, plug them into the product one after the other.

4. Warranty Disclaimer

Hama GmbH & Co KG assumes no liability and provides no warranty for damage resulting from improper installation/mounting, improper use of the product or from failure to observe the operating instructions and/ or safety notes.

5. Technical Data



Operating voltage / current consumption	5 – 20 V \approx max. 5 A
Compatibility	USB-C port
System requirements	Windows 11 / 10 / 8 / 7 Mac OS 10.8 \geq
USB specification	USB 3.2 Gen1






Note

- If there is interference or the product no longer responds, unplug the product, wait a few seconds and then plug it in again

Read More About This Manual & Download PDF:

Documents / Resources

	hama USB Multiport [pdf] User Manual 00200111, 200111, USB Mutliport
	hama USB Multiport [pdf] Instruction Manual hama, USB, Multiport, USB-C Hub, Multiport, 4 Ports, 2 x USB-A, USB-C, HDM
	hama USB Multiport [pdf] Instruction Manual hama, USB, Multiport, USB-C Hub, Multiport, 5 Ports, 3 x USB-A, USB-C, HDMI

References

- [hama.com](#)