



HAMRON 006838 FLASH LIGHT BAR LED Instructions

[Home](#) » [HAMRON](#) » HAMRON 006838 FLASH LIGHT BAR LED Instructions 

Contents

- [1 HAMRON 006838 FLASHLIGHT BAR LED](#)
- [2 SAFETY INSTRUCTIONS](#)
 - [2.1 CHARGING](#)
- [3 TECHNICAL DATA](#)
- [4 DESCRIPTION](#)
- [5 ASSEMBLY](#)
- [6 USE](#)
- [7 Table of flashing patterns](#)
- [8 Documents / Resources](#)
- [9 Related Posts](#)

HAMRON

HAMRON 006838 FLASHLIGHT BAR LED



SAFETY INSTRUCTIONS

CHARGING

Make sure to do the charging in a suitable place and that the right charger is used. Never connect an unknown charger, or a charger, charging cable or battery that can be suspected to be defective. Otherwise, there is a risk of overheating and in the worst case fire. Do not leave the battery unattended when charging.

WARNING

- Do not look into the light without wearing eye protection, risk of dazzling and/or eye damage.
- Magnetic mounting of warning devices is not recommended for moving vehicles. Screw mounting is recommended for moving vehicles. Use is at the discretion of the user.

TECHNICAL DATA

TECHNICAL DATA	
Voltage	12–24 VDC
Number of LEDs	90
Flashing patterns	26
Protection rating	IP65
Temperature	-30 to 60°C
Length	600 mm
Colour	yellow,blue,white,green,red
Cable routing	With vehicle connection 12 V
Approval ECE R10, ECE R65 (Amber&Blue&Red)	

DESCRIPTION

1. Power switch
2. Flashing pattern button FIG. 1

ASSEMBLY

WITH 4 WIRES

- RED: +VDC
- BLACK: – Ground
- YELLOW: Flash pattern selection.
- WHITE: Synchronization. Connect White wires of all heads together for synchronization.

USE

CHOICE OF FLASHING PATTERN

- Less than 1 second for the next pattern
- 1 to 3 seconds for the previous pattern
- 3 to 5 seconds back to pattern #1
- More than 5 seconds for turn off, when power is reapplied it will resume the previous pattern.

Table of flashing patterns

#1	Single flash (R65)	
#2	Double flash (R65)	
#3	Triple flash (R65)	
#5	Quad flash (R65) Eight flash	
#6	Single flash half to half (R65)	
#7	Double flash half to half (R65)	
#8	Triple flash half to half (R65)	
#9	Quadflash half to half (R65)	
10	Eight flash half to half	
#11	Cross flash	
#12	All-halfflash	
#13	All-Single-Quick flash	
#14	CCW Single flash	
#15	CW Single flash	
#16	CCW constant flash	

#17	CW constant flash
#18	CCW Rotation flash
#19	CW Rotation flash
#20	Middle to side constant
#21	One-one single flash
#22	Double flash
#23	Eight flash
#24	Half Steady Half Single
#25	Half Steady Half Single
#26	Steady on

Documents / Resources

 The image shows the front cover of a manual for the HAMRON 006838 Flash Light Bar LED. It features the HAMRON logo at the top left, a small photograph of the light bar in the center, and a list of technical specifications and safety warnings in two columns on the right.	<p>HAMRON 006838 FLASH LIGHT BAR LED [pdf] Instructions 006838 FLASH LIGHT BAR LED, 006838, FLASH LIGHT BAR LED, BAR LED</p>
---	--