



Hangzhou Kangbazi Intelligent Technology KCTW1Z Zigbee Temperature Humidity Sensor User Manual

[Home](#) » [Hangzhou Kangbazi Intelligent Technology](#) » Hangzhou Kangbazi Intelligent Technology KCTW1Z Zigbee Temperature Humidity Sensor User Manual 

Contents

- [1 Hangzhou Kangbazi Intelligent Technology KCTW1Z Zigbee Temperature Humidity SensorProduct Introduction](#)
- [2 Preparation for use](#)
- [3 Download and open the APP](#)
- [4 install the APP](#)
- [5 Network Setup](#)
- [6 Product Specifications](#)
 - [6.1 Hung mode](#)
- [7 Maintenance and Care](#)
- [8 Maintenance](#)
- [9 Packing list](#)
- [10 FCC Statement](#)
- [11 Documents / Resources](#)
- [12 Related Posts](#)


Hangzhou


Hangzhou Kangbazi Intelligent Technology KCTW1Z Zigbee Temperature Humidity Sensor



Product Introduction

- Zigbee Temperature Humidity Sensor can sense the temperature of the surrounding environment and humidity changes in real-time, and actively report to the user side, at the same time.
combined with other products to achieve a multifunctional smart home scenario.





Preparation for use



Smart phone

- Cell phone connected to Zigbee gateway
- Ensure that the product is within the effective coverage area of the smartphone (or Zigbee gateway) network to ensure an effective connection between the product and the smartphone (or Zigbee gateway) network.

Download and open the APP

- Search “Smart Life” in the app store or scan the QR code on the package/manual to download and

install the APP

- If you are downloading for the first time, please click the “Register” button to register your account; if you already have an account, click the “Login” button.



【Smart Life】 APP

Network Setup

- Please pull out the insulator for the first time, at this time the
- Zigbee Hygrometer is in the power-on state.
- Open APP and a pop-up found the
- device to be added, click go to add.
- Follow the instructions to add the device successfully, then you can

- find the device in the “My Home” list.




Product Specifications

Product Name	Zigbee Temperature Humidity Sensor
Battery specification	CR2032 button cell
Wireless protocol	Zigbee
Temperature measurement range	-10℃~50℃
Humidity measurement range	0%—99%RH
Working voltage	DC2.4V-3.3V
Product size	φ 60×16.7mm / 16.7×60×60mm
Screen size	φ 46.5mm / 46.5×46.5mm
Product net weight	About 42.0g / 49.5g

Table pose mode


- Temperature Humidity Sensor on the table to use.



Hung mode

- Temperature Humidity Sensor is hung on a nail

Paste mode



- Peel off the wall sticker release paper and stick one side of the wall sticker to the adhesive area on the back of the product; after removing the other side of the release paper, stick the product on the indoor wall.

Maintenance and Care

Battery Replacement

- Open the back cover from the bottom of the body, put a model CR2032 positive button battery up into the battery compartment, and then squeeze it hard against the clasp and snap the back cover closed.

Maintenance

- Avoid washing the product with water, and avoid scrubbing with acid and alkaline detergent.

Packing list

- Temperature Humidity Sensor×1
- Product manual×1
- Wall sticker×1
- Warning

FCC Statement

Federal Communication Commission Interference Statement This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for

help FCC Caution

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

1. This device may not cause harmful interference, and
2. this device must accept any interference received, including interference that may cause undesired operation.

Non-modification Statement

- Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.
- Radiation Exposure Statement
- This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with a minimum distance of 20cm
- between the radiator and your body.

Please read the instruction manual carefully before using the product.

Documents / Resources



[Hangzhou Kangbazi Intelligent Technology KCTW1Z Zigbee Temperature Humidity Sensor](#)

[or](#) [pdf] User Manual

KCTW1Z, 2A5TM-KCTW1Z, 2A5TMKCTW1Z, KCTW1Z Zigbee Temperature Humidity Sensor, Zigbee Temperature Humidity Sensor

[Manuals+.](#)