



HAOZEE NAS-AB02W 3-in-1 Siren Alarm with Humidity And Temperature Sensor Instructions

[Home](#) » [HAOZEE](#) » HAOZEE NAS-AB02W 3-in-1 Siren Alarm with Humidity And Temperature Sensor Instructions 

Contents

- [1 HAOZEE NAS-AB02W 3-in-1 Siren Alarm with Humidity And Temperature Sensor](#)
- [2 Product Configuration](#)
- [3 Specifications](#)
- [4 LED State](#)
- [5 Get Started with Tuya Smart App](#)
- [6 What's the App User Interface Like](#)
- [7 Experience Advanced Features](#)
- [8 Documents / Resources](#)
- [9 Related Posts](#)


HAOZEE

HAOZEE NAS-AB02W 3-in-1 Siren Alarm with Humidity And Temperature Sensor



Product Configuration

Notice: Please use USB power supply, the backup battery indicator flash slowly. The device turns to AP mode. can only work for two days. Plug in the USB power supply and load the battery at the same time, then the Sensor will work in priority.



Specifications

Siren with humidity and temperature sensor Trigger alarm make sound and light

- **Power Supply:** USB 5V/1A
- **Backup Battery:** CR123A-3V X 2
- **Volume:** 105db (Max)
- **Wireless Type:** 2.4GHz
- **Wireless Standard:** IEEE 802.11b/g/n
- **Wireless Range:** 45M
- **Operating Temperature:** 0°C 40°C (32°F 104°F)
- **Operating Humidity:** 20% 85%

- **Storage Temperature:** 0°C ~ 60°C (32°F ~ 140°F)
- **Storage Humidity:** 0% ~ 90%
- **Size:** 68 mm x68 mm x33mm
- **Support:** Amazon Echo, IFTTT, TMALL GENIE, Rokid



LED State

Device Status	LED State
Smart Wi-Fi	Indicator flashes quickly
AP mode	Indicator flashes slowly
Triggered	Indicator flashes
Standby	Indicator OFF
Reset	Indicator lights up for 4s and after 2 seconds lights off, device goes into configuration mode

How to reset?

1. Press the reset button for 6 seconds till the indicator flash rapidly. The device turns to smart wifi mode.
2. Press the reset button again for 6 seconds till the

Notice: Please use USB power supply, the backup battery indicator flash slowly. The device turns to AP mode.

Get Started with Tuya Smart App

Download APP



- Download the “Smart life” app from APP Store or Google Play to your mobile.


Register and Login

- Launch the “Smart life” app.
- To register, enter your mobile phone number or email address,create a password,then log in to the app.
- Log in if you have an account already

Add Device

- Power on the smart sensor which default’s mode is Smart WiFi mode.
- Select the “+” symbol on the top right-hand corner.
- Select your product type and follow the instructions of the app.
- If the connecting fails,try using AP Mode
- On the “Add device” page select “AP Mode” on the top right-hand corner and follow the instructions of the app.
- Finally,have fun!

What’s the App User Interface Like



Experience Advanced Features

You can experience the various advanced features of the product with the app, just try and do it yourself.

Main fuction

- Timed alarm: it will have an error of about 30 seconds
- Settings: modify the temperature and humidity alarm range; modify the alarm duration and alarm sound
- Alarm History: check the alarm history of added devices in message center

Linkage alarm setting

- To connect two Sensors via scene setting.

Device sharing

- Allow others to control the device


Push notification

- Open/close push notification

Remove device

- Restore default settings; Delete and add the device again to clear the record by APP.

Documents / Resources

	<p>HAOZEE NAS-AB02W 3-in-1 Siren Alarm with Humidity And Temperature Sensor [pdf] Instructions</p> <p>NAS-AB02W, 3-in-1 Siren Alarm with Humidity And Temperature Sensor, NAS-AB02W 3-in-1 Siren Alarm with Humidity And Temperature Sensor</p>
---	---