



Home » HAVENTECH » HAVENTECH SC-100 Amplified Window Intercom Systems Instructions



Contents [hide]

- 1 HAVENTECH SC-100 Amplified Window Intercom Systems
- 2 Product Specifications
- 3 Troubleshooting and Assistance
- 4 SC-100L Battery Activation Procedure
- 5 Frequently Asked Questions
- 6 Documents / Resources
 - 6.1 References



HAVENTECH SC-100 Amplified Window Intercom Systems



Product Specifications

• Model: SC-100L

• Type: Window Intercom System

• Battery: Rechargeable

Manufacturer: Haventech Intercoms

• Address: 4130 Flat Rock Rd #170, Riverside, CA 92505

• Contact: 951-354-1800

Using the Window Intercom

1. Ensure the ON-OFF toggle switch is in the ON position.

2. Place the Window Intercom in the desired location.


3. Connect the barrel jack to the charger for power.

Troubleshooting and Assistance

If you need assistance with the SC-100L Window Intercom, please call <u>888-853-4643</u> or <u>951-854-1800</u> for support.

SC-100L Battery Activation Procedure

- 1. Remove and set aside the 4 small screws on the Operator plate.
- 2. Gently pull the Operator plate 4"- 5" away to reveal the intercom assembly.
- 3. Detach the wiring harness from the battery board.
- 4. Remove the intercom assembly from the aluminum cylinder.
- 5. Find the toggle switch on the battery board with the flat battery attached.
- 6. Flip the toggle on the battery board from "OFF" to "ON" to activate the battery.
- 7. Please do not change any other settings.
- 8. Reassemble carefully—avoid pinching wires. The intercom is now ready to install or use.
- 9. To charge, plug the power converter into a wall socket, then insert the barrel plug into the barrel jack on the Operator plate. Charge for 12 hours before first battery use.
- On Operator plate: GREEN LED = running charger plugged in. RED LED = battery power.
- 11. For assistance, please call <u>888-853-4643</u> or <u>951-854-1800</u>.



Frequently Asked Questions

How long does the battery last on a full charge?

The battery life can vary based on usage, but typically lasts several hours on a full charge.

Can I use the Window Intercom while it's charging?

: Yes, you can use the Window Intercom while it's connected to the charger for continuous operation

What should I do if the LED indicators are not functioning correctly?

: If you encounter issues with the LED indicators, please contact customer support for guidance on troubleshooting and potential solutions.

Documents / Resources



HAVENTECH SC-100 Amplified Window Intercom Systems [pdf]

Instructions

SC-100 Amplified Window Intercom Systems, SC-100, Amplified Window Intercom Systems, Window Intercom Systems, Intercom Systems

References

- <u>User Manual</u>
- HAVENTECH
- Amplified Window Intercom Systems, HAVENTECH, Intercom Systems, SC 100, SC-100 Amplified Window Intercom Systems, Window Intercom Systems

Leave a comment

Your email address will not be published. Required fields are marked*		
	Comment *	

Email	
Website	
☐ Save my name, email, and website in this browser for the next time I co	omment.

Post Comment

Search:

e.g. whirlpool wrf535swhz

Search

Manuals+ | Upload | Deep Search | Privacy Policy | @manuals.plus | YouTube

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.