



HAVIT COMMERCIAL HCP Series Single Circuit Track Installation Guide

Home » HAVIT COMMERCIAL » HAVIT COMMERCIAL HCP Series Single Circuit Track Installation Guide 15



Contents

- 1 HAVIT COMMERCIAL HCP Series Single Circuit
- **2 Product Information**
- **3 Product Usage Instructions**
- **4 Specifications**
- **5 Important Safety Issues**
- **6 Sample Installation Diagram**
- 7 Dimensions
- **8 Installation Instruction**
- **9 Connection Wiring Diagram**
- 10 Warranty Terms & Conditions
- 11 Contact Details
- 12 Documents / Resources
 - 12.1 References
- 13 Related Posts



HAVIT COMMERCIAL HCP Series Single Circuit Track



Product Information

Product Specifications

• Model No: HCP-102110, HCP-102120, HCP-102130, HCP-103110, HCP-103120, HCP-103130

• Material: Aluminium + Plastic

Color: Black, WhiteLength: 1m, 2m, 3m

• IP Rating: IP20

• Track Type: Single Circuit – Surface Mounted

• Input Voltage: 240v

• Protection Class: 1 (Requires Earth)

• Max Load: 8A

• Warranty: 5 Years Replacement*

Product Usage Instructions

Surface Mounted Installation

- 1. Make sure that the electrical circuit is free of voltage (master switch off)
- 2. Remove the cover from the live end and set aside
- 3. Insert Cables into the live end and screw the track into place using the appropriate screws for application.
- 4. Connect the earth cable first then the Live and Neutral cables
- 5. Reattach cover to Live end
- 6. All connections must be carried out carefully, inspect all contacts before switching back on the electric circuit.

Track Head Installation

Must be installed by a licensed electrician.

Contact Details

• Warranty Terms & Conditions*: www.havitcommercial.com.au

• Tel: 02 9381 8383

• Email: sales@havitcommercial.com.au.

• Address: 8/133 Beauchamp Road, Matraville NSW 2036, Australia

• Web: www.havitcommercial.com.au

FAQ (Frequently Asked Questions)

• Q: What is the warranty period for this product?

A: The product comes with a 5-year replacement warranty.*

• Q: What is the maximum load this track can handle?

A: The track has a maximum load capacity of 8A.

Specifications


Model No.	HCP-102110	HCP-102120	HCP-102130	HCP-103110	HCP-103120	HCP-103130
Material	Aluminium + Plastic			Aluminium + Plastic		
Color	Black			White		
Length	1m	2m	3m	1m	2m	3m
IP Rating	IP20			IP20		
Track Type	Single Circuit – Surface Mounted			Single Circuit – Surface Mounted		
Input Voltage	240v			240v		
Protection Class	1 (Requires Earth)			1 (Requires Earth)		
Max Load	8A			8A		
Warranty	5 Years Replacement*			5 Years Replacement*		

Important Safety Issues


- This product must be installed by a qualified electrician according to AS/NZS 3000.
- Ensure all electrical mains are disconnected before any installation.
- Modification of this product will void any warranty.
- Havit Commercial does not take responsibility for wrong installation, incorrect use, or use of installation material that does not belong to the system.
- Aluminium and 304SS fittings must not be installed within 5km of any saltwater environments.
- All o-rings and seals must be in place correctly to maintain warranty
- This form may be updated at any time due to product improvements, please check the online installation form for the most current version.

Sample Installation Diagram

Ceiling



Dimensions



Installation Instruction

Steps for Surface Mounted Installation:

- 1. Make sure that the electrical circuit is free of voltage (master switch off)
- 2. Remove the cover from the live end and set aside
- 3. Insert Cables into the live end and screw the track into place using the appropriate screws for application.
- 4. Connect the earth cable first then Live and Neutral cables
- 5. Reattach cover to Live end
- 6. All connections must be carried out carefully, inspect all contacts before switching back on the electric circuit.

Steps for Track Head Installation:

- 1. Make sure that the electrical circuit is free of voltage (master switch off)
- 2. Slide locking pin on base to open position
- 3. Insert track light into track making sure connection points are on the correct side of the track
- 4. Slide the locking pin into the closed position
- 5. Direct light fitting to desired position by twisting left and right or up and down making sure not to twist too far to avoid damaging fitting.

- 6. Repeat these steps if more than 1 fitting is being installed
- 7. All connections must be carried out carefully, inspect all contacts before switching back on the electric circuit.

Connection Wiring Diagram



Warranty Terms & Conditions



Contact Details

• 8/133 Beauchamp Road Matraville NSW 2036 Australia

• Tel: 02 9381 8383

• Email: sales@havitcommercial.com.au

• Web: www.havitcommercial.com.au.



www.havitcommercial.com.au

Documents / Resources



HAVIT COMMERCIAL HCP Series Single Circuit Track [pdf] Installation Guide HCP-102110, HCP-102120, HCP-102130, HCP-103110, HCP-103120, HCP-103130, HCP Series Single Circuit Track, HCP Series, HCP Series Circuit Track, Single Circuit Track, Circuit Track, Track

References

- <u>Marit Commercial | Havit Lighting Commercial Range</u>
- User Manual

Manuals+, Privacy Policy

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.