




HDWR HD3900 2D Code Reader User Manual

[Home](#) » [HDWR](#) » HDWR HD3900 2D Code Reader User Manual 

Contents

- [1 HDWR HD3900 2D Code Reader](#)
- [2 Product Information](#)
- [3 Product Usage Instructions](#)
- [4 Specifications:](#)
- [5 Set contents:](#)
- [6 Features:](#)
- [7 Basic configuration codes](#)
- [8 Audio settings](#)
- [9 Backlight settings](#)
- [10 Wireless settings](#)
- [11 Standby settings](#)
- [12 Documents / Resources](#)
 - [12.1 References](#)
- [13 Related Posts](#)



HDWR HD3900 2D Code Reader



Product Information

Specifications:

- Model: 2D Code Reader HD3900
- Color: Black
- Dimensions: 6.5 x 3.2 x 1.2 inches
- Weight: 8 ounces
- Power Source: Rechargeable battery

Features:

- 2D code reading capability
- Audio settings for sound customization
- Backlight settings for visibility enhancement
- Wireless connectivity for data transfer
- Standby settings for power management

Product Usage Instructions

Basic Configuration Codes:

To configure the basic settings of the 2D Code Reader HD3900, follow these steps: – Access the settings menu on the device. – Navigate to the desired configuration option. – Use the designated buttons to adjust the settings as needed.

Factory Reset:

If you need to reset the device to its factory settings, locate the factory reset option in the settings menu and confirm the reset action.

Battery Status:

To check the battery status of the device, access the battery status section in the settings menu. The device will display the remaining battery percentage.

Frequently Asked Questions (FAQ)**• Q: How do I pair the device with a receiver in wireless mode?**

A: To pair the device with a receiver, follow these steps: – Enable wireless mode on both the device and the receiver. – Access the pairing option on the device and select the receiver from the available devices list. – Follow the on-screen instructions to complete the pairing process.

User Manual**2D Code Reader HD3900****Specifications:**

- **Sensor:** 640*480 CMOS
- **Scanning method:** manual (on the button) / automatically (after bringing the code closer)
- **Scan acknowledgment:** sound and light signal
- **Scan Angle:** Swivel $\pm 360^\circ$, Horizontal $\pm 60^\circ$, Slant $\pm 70^\circ$
- **Internal memory capacity:** store up to 120K scanned codes
- **Operating time on a single charge:** 15 hours
- **Full charge time:** 4 hours
- **Interface:** USB
- **Compatible with operating system:** Linux, Android, Windows XP, 7, 8, 10, MacOS
- **Device dimensions:** 16.5 x 8.6 x 6.6 cm
- **Package dimensions:** 18.5 x 11 x 8.3 cm
- **Device weight:** 173 g
- **Package weight:** 312 g
- **Operating temperature:** 10 to 45°C
- **Storage temperature:** -20 to 40°C
- **Operating Humidity:** 5 to 95%
- **Storage Humidity:** 5 to 95%
- **Readable 1D codes:** Airline 2 of 5, Codabar, Codablock A, Code 128, Code 11, Code 32, Code 39, Code 93, EAN/UPC, EAN-8, EAN-13, Full ASCII Code 39, GS1 DataBar Expanded, GS1 DataBar Limited, GS1 DataBar Omnidirectional, HongKong 2 of 5 China post), Interleaved 2 of 5 RSS-14, RSS-LIMITED, RSS-EXPANDED, Straight 2 of 5 Industrial, Telepen, Trioptic Code, UPC-A, UPC-E, MSI, Pharmacode, Matrix 2 of 5, Codablock F
- **Readable 2D codes:** Data Matrix Code, HANXIN, Maxicode, MicroPDF417, QR Code, Aztec Code, Composite, DOT_CODE

Set contents:

- Code reader,
- USB cable,
- USB micro receiver,
- Manual.

Features:

- **Scanning:** manual (push-on) / automatic (when the code is brought closer)
- **Available interfaces:** USB
- **Types of barcodes scanned:** 1D and 2D barcodes, including QR and Aztec from paper labels and phone screens
- **Internal memory capacity:** store up to 120K scanned codes

Basic configuration codes



Factory reset



Battery Status



Manual mode



Auto mode

Audio settings



Turn on the sound



Low volume



Medium volume



High volume

Backlight settings



Enable the crosshair



Disable the crosshair



Turn on the backlight



Turn off the backlight

Wireless settings



Pairing with the receiver



Real-world mode



Stock mode



Transfer



Memory Cleanup

Standby settings



After 30 seconds



After 1 minute



After 5 minutes




After 30 minutes



Permanently off



Sleep

<div>User Manual</div> <div>2D Code Reader</div> <div>HD3900</div> <div></div>	<div>HDWR HD3900 2D Code Reader [pdf] User Manual</div> <div>HD3900, HD3900 2D Code Reader, 2D Code Reader, Reader</div>
---	--

References

- [User Manual](#)

[Manuals+](#), [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.