

hide a lite IP44 600 Liteline Basic



hide a lite IP44 600 Liteline Basic Instruction Manual

[Home](#) » [HIDE-A-LITE](#) » hide a lite IP44 600 Liteline Basic Instruction Manual 

Contents



- 1 [hide a lite IP44 600 Liteline Basic](#)
- 2 [SAFETY INSTRUCTIONS](#)
- 3 [Accessories](#)
- 4 [Installation](#)
- 5 [Function motion sensor](#)
- 6 [Documents / Resources](#)
 - 6.1 [References](#)

hidealite


hide a lite IP44 600 Liteline Basic



E-nr	Snro	El.nr	GTIN	Name	LED color	Color	Unit effect
7218567	4318373	3227639	7392971148946	Liteline Basic IP44 600 830	3000K	White	18W
7218569	4318375	3227641	7392971148960	Liteline Basic IP44 600 S 830*	3000K	White	18W
7218568	4318374	3227640	7392971148953	Liteline Basic IP44 600 840	4000K	White	18W
7218570	4318376	3227642	7392971148977	Liteline Basic IP44 600 S 840*	4000K	White	18W



Replaceable control gear by a professional



Non-replaceable light source






For explanation of symbols see www.hidealite.com





SAFETY INSTRUCTIONS






Read these instructions carefully before commencing installation and retain for future reference. The luminaire should be installed by a licensed electrician and in accordance with local regulations. Make sure that the power is off before installation or maintenance.

Accessories

Wall attachment 45° Liteline  <i>E-nr:</i> 72 136 41 <i>Snro:</i> 42 116 08 <i>El.nr:</i> 32 360 80 GTIN:7392971131641	Wire Liteline  <i>E-nr:</i> 72 135 89 <i>Snro:</i> 42 030 75 <i>El.nr:</i> 32 360 47 GTIN:7392971131559
Wall attachment 90° Liteline  <i>E-nr:</i> 72 135 99 <i>Snro:</i> 42 030 76 <i>El.nr:</i> 32 360 76 GTIN:7392971131603	Shelter bracket Liteline  <i>E-nr:</i> 72 159 47 <i>Snro:</i> 41 437 61 <i>El.nr:</i> 32 070 36 GTIN:7392971142135
Adjustable brackets 2pcs  <i>E-nr:</i> 72 163 59 <i>Snro:</i> 43 183 12 <i>El.nr:</i> 32 070 94 GTIN:7392971143828	






Installation





Function motion sensor


1. **Range** – The range is the area the sensor covers. The units lights when motion is sensed in the area. Set the DIP switch as follows to adjust the sensor's range.
2. **Hold Time** – A delay time concerns the time the unit remains lit after the person leaves the sensor's range. Set the DIP switch as follows to adjust the sensor's hold time
3. **Daylight sensor** – Set the daylight sensor as per the DIP switch for different activation values. The unit functions as per the settings below: Disable: Sensor always active, even in daylight. 50 Lux: Sensor active from slight light reduction. 10 Lux: Sensor active from almost dark. 2 Lux: Sensor active from totally dark.



With insufficient ambient light, the sensor switches on the lamp when motion is detected




UC06	
Operating voltage	220~240VAC, 50/60Hz
Rated load	400W(inductive), 800W (resistive)
HF system	5.8GHz±75MHz
Transmitting power	<0.2mW
Power consumption	<0.2W(standby)
Detection zone	Max.(D x H): 10m x 3m
Detection sensitivity	25% / 50% / 75% / 100%
Hold time	5s/30s/1min/3min/5min/10min/ 20min/30min
Daylight sensor	2lux / 10lux / 25lux/ 50lux / Disable
Mounting height	5m Max.
Detection angle	30°(wall installation) 150°(ceiling installation)
Operating temperature	-20°C ~ 60°C
IP rating	IP20




Installation – Wall attachment


Installation - Wall attachment




Installation - Wire




Installation - Shelter bracket



Recycle



Elektro Elco AB, Tallvägen 5, SE-56435 Bankeryd, Sweden | info@elco.se | www.hidealite.se | www.hidealite.uk | www.hidealite.fi | www.hidealite.no | www.hidealite.dk



[hide a lite IP44 600 Liteline Basic](#) [pdf] Instruction Manual
IP44 600 Liteline Basic, IP44 600, Liteline Basic, Basic

References

- [h LED lighting of the highest quality - Hidealite](#)
- [h Vi udvikler og sælger LED belysning - Hidealite](#)
- [h LED-belysning, downlights, spotlights och utendørs belysning av topp kvalitet - Hidealite](#)
- [h Hide-a-lite - LED-belysning & LED-armaturer för ditt projekt! - Hide-a-lite](#)
- [h LED lighting of the highest quality - Hidealite](#)
- [User Manual](#)

Manuals+, Privacy Policy

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.