





HIKVISION AX1500 Pro WiFi Router User Guide

[Home](#) » [Hikvision](#) » HIKVISION AX1500 Pro WiFi Router User Guide 

HIKVISION[®]
AX1500 Pro WiFi Router




Quick Start Guide

Contents


- 1 Check Pack List
- 2 Place the Router
- 3 Safety Instructions
- 4 Learn about Router
- 5 Connect
- 6 Activate
- 7 Start initial Configuration
- 8 Completed
- 9 Manage Your Router Anytime
- 10 More Information
- 11 Disclaimer
- 12 Documents / Resources
 - 12.1 References
- 13 Related Posts

Check Pack List



Place the Router

- The closer, the faster
- Higer and no coverage
- Place it on the centre to cover more space



Safety Instructions

In the use of the product, you must be in strict compliance with the electrical safety regulations of the nation and region.

Please use the power adapter provided by the regular manufacturer, please refer to the product parameter table for specific requirements of the power adapter.


If the product is not working properly, please contact the store where the product was purchased or the nearest service center and do not disassemble or modify the product in any way. The company is not responsible for problems caused by unapproved modifications or repairs. When wiring, disassembling and other operations, please be sure to disconnect the power supply of the equipment, and do not operate it live.

Devices accessing the Internet may face network security problems, please strengthen the protection of personal information and data security. When you find that your device may have network security risks, please contact us in time..

Please understand that you are responsible for properly configuring all passwords and other related product security settings, and keeping your user name and password properly.

Learn about Router

Introduction of status pilot light and interfaces



Status Pilot Light

- Solid Blue: Network is connected
- Flash Blue: WPS is pairing or restored to default
- Solid Red: Not activated or connection exception
- Flash Red: WPS is pairing




Internet Interface

Connect to modem and other routers

Access Device Interface

connect to PC and other internet access devices



Reset

Long press 8s to restore to default

WPS

Long press 1-3s for WPS access


Long press 5s to connect other router

Power

Connect to power adapter




Connect

Refer the figures below to connect to the power supply and internet.



Activate

Follow the steps to finish

Check the Label check the label of router bottom	Connect to the Wi-Fi Search and connect to the Wi-Fi	Enter Activation Page Enter the activation page
		

Start initial Configuration

Follow the steps below to complete the configuration

你好，
欢迎使用海康路由器

Start

1. Start the configuration

Network Configuration

DHCP

PPPoE

Static IP

Next

Back

2. Select internet mode

Route Configuration

Wi-Fi Settings

Wi-Fi Name: HIKVISION_XXXX

Wi-Fi Password:

Next

Back

3. Set Wi-Fi password

Route Configuration

Router Password

Management Password

☐ Set Wi-Fi password as management password

Router Password:


Next

Back

4. Set router management password

Completed

Wi-Fi restarts after configuration completed



Manage Your Router Anytime

Download the App

Scan the QR code below or search HIK-connect in App Store to download the app



<https://www.me-app.net/nRwB>

Add Your Router

Open the App, connect your mobile phone to the Wi-Fi. Click add device. Then you can remote manage your network.

More Information

Scan the QR code below or the QR code on the bottom of router for more information



<http://pinfodata.hikvision.com/analysisQR/showQR/ce05a4f9>

©2022 Hangzhou Hikvision Digital Technology Co., Ltd. All rights reserved.

About this Manual

The Manual includes instructions for using and managing the Product. Pictures, charts, images and all other information hereinafter are for description and explanation only. The information contained in the Manual is subject to change, without notice, due to firmware updates or other reasons. Please find the latest version of this Manual at the Hikvision website (<https://www.hikvision.com/>).

Please use this Manual with the guidance and assistance of professionals trained in supporting the Product.

Trademarks

HIKVISION and other Hikvision's trademarks and logos are the properties of Hikvision in various jurisdictions.

Other trademarks and logos mentioned are the properties of their respective owners.

Disclaimer

TO THE MAXIMUM EXTENT PERMITTED BY APPLICABLE LAW, THIS MANUAL AND THE PRODUCT DESCRIBED, WITH ITS HARDWARE, SOFTWARE AND FIRMWARE, ARE PROVIDED "AS IS" AND "WITH ALL FAULTS AND ERRORS". HIKVISION MAKES NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY, SATISFACTORY QUALITY, OR FITNESS FOR A PARTICULAR PURPOSE. THE USE OF THE PRODUCT BY YOU IS AT YOUR OWN RISK. IN NO EVENT WILL HIKVISION BE LIABLE TO YOU FOR ANY SPECIAL, CONSEQUENTIAL, INCIDENTAL, OR INDIRECT DAMAGES, INCLUDING, AMONG OTHERS, DAMAGES FOR LOSS OF BUSINESS PROFITS, BUSINESS INTERRUPTION, OR LOSS OF DATA, CORRUPTION OF SYSTEMS, OR LOSS OF DOCUMENTATION, WHETHER BASED ON BREACH OF CONTRACT, TORT (INCLUDING NEGLIGENCE), PRODUCT LIABILITY, OR OTHERWISE, IN CONNECTION WITH THE USE OF THE PRODUCT, EVEN IF HIKVISION HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES OR LOSS.

YOU ACKNOWLEDGE THAT THE NATURE OF THE INTERNET PROVIDES FOR INHERENT SECURITY RISKS, AND HIKVISION SHALL NOT TAKE ANY RESPONSIBILITIES FOR ABNORMAL OPERATION, PRIVACY LEAKAGE OR OTHER DAMAGES RESULTING FROM CYBER-ATTACK, HACKER ATTACK, VIRUS INFECTION, OR OTHER INTERNET SECURITY RISKS; HOWEVER, HIKVISION WILL PROVIDE TIMELY TECHNICAL SUPPORT IF REQUIRED. YOU AGREE TO USE THIS PRODUCT IN COMPLIANCE WITH ALL APPLICABLE LAWS, AND YOU ARE SOLELY RESPONSIBLE FOR ENSURING THAT YOUR USE CONFORMS TO THE APPLICABLE LAW. ESPECIALLY, YOU ARE RESPONSIBLE, FOR USING THIS PRODUCT IN A MANNER THAT DOES NOT INFRINGE ON THE RIGHTS OF THIRD PARTIES, INCLUDING WITHOUT LIMITATION, RIGHTS OF PUBLICITY, INTELLECTUAL PROPERTY RIGHTS, OR DATA PROTECTION AND OTHER PRIVACY RIGHTS.

YOU SHALL NOT USE THIS PRODUCT FOR ANY PROHIBITED END-USES, INCLUDING THE DEVELOPMENT OR PRODUCTION OF WEAPONS OF MASS DESTRUCTION, THE DEVELOPMENT OR PRODUCTION OF CHEMICAL OR BIOLOGICAL WEAPONS, ANY ACTIVITIES IN THE CONTEXT RELATED TO ANY NUCLEAR EXPLOSIVE OR UNSAFE NUCLEAR FUEL-CYCLE, OR IN SUPPORT OF HUMAN RIGHTS ABUSES. IN THE EVENT OF ANY CONFLICTS BETWEEN THIS MANUAL AND THE APPLICABLE LAW, THE LATTER PREVAILS.

FCC Regulatory Compliance

changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

IC Regulatory Compliance


This device contains licence-exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development Canada’s licence-exempt RSS(s). Operation is subject to the following two conditions:

1. This device may not cause interference.
2. This device must accept any interference, including interference that may cause undesired operation of the device.

RF Exposure Compliance

This equipment complies with FCC/ IC RSS-102 radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator and your body. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.
The band 5150-5250 MHz for this device are restricted to indoor use only.

Documents / Resources

	HIKVISION AX1500 Pro WiFi Router [pdf] User Guide 3WR15X, 2ADTD-3WR15X, 2ADTD3WR15X, AX1500 Pro, WiFi Router, AX1500 Pro WiFi Router, Router
---	---

References

- [hiklogin.cn](#)
- [Hikvision US | The world’s largest video surveillance manufacturer |](#)