

HIKVISION®
DS-5224F2
-1V1S
24 Inch
FHD VA
Monitor



HIKVISION DS-D5224F2-1V1S 24 Inch FHD VA Monitor Owner's Manual

[Home](#) » [Hikvision](#) » HIKVISION DS-D5224F2-1V1S 24 Inch FHD VA Monitor Owner's Manual 

Contents

- 1 HIKVISION DS-D5224F2-1V1S 24 Inch FHD VA Monitor
- 2 FEATURES
 - 3 Specification
 - 4 Physical Interface
 - 5 Dimension
 - 6 Accessory
- 7 CONTACT INFORMATION
- 8 Documents / Resources
 - 8.1 References
- 9 Related Posts

HIKVISION®

HIKVISION DS-D5224F2-1V1S 24 Inch FHD VA Monitor



FEATURES

- Ultra-thin device body with an ultra-thin border for 3 sides.
- 8-bit LVDS HD (1920 × 1080) display.
- 178° ultra-wide view screen.
- 3D noise reduction.
- Low blue light design for eye care.
- Dual interface of HDMI and VGA.
- Support VESA wall mount.
- Built-in speaker for audio input.

Specification

Display	
Screen Size	23.8 inch
Active Display Area	527.04 (H) mm × 296.46 (V) mm
Resolution	1920 × 1080
Backlight	E-LED
Pixel Pitch	0.2745 (H) mm × 0.2745 (V) mm
Brightness	250 cd/m ²
Viewing Angle	178° (H)/178° (V)
Color Depth	8 bit

Contrast Ratio	4000:1
Response Time	6.5 ms (typ)
Refresh Rate	Max. 75 Hz, Typ. 60 Hz
Haze	Haze 25%, 3H
Reliability	7 × 24 H
Color Gamut	72% NTSC
Interface	
Video & Audio Input	HDMI 1.4 × 1, VGA × 1, BNC (CVBS) × 1 AUDIO IN × 1
Video & Audio Output	Speaker (2 W 4 Ω) × 2
Data Transmission Interface	USB 2.0 (support program upgrade and USB online playback) × 1
Power	
Power Supply	AC 100 to 240 V , 50/60 Hz, 0.5 A Max
Power Consumption	≤ 25 W
Standby Consumption	≤ 0.5 W
Working Environment	
Working Temperature	0 °C to 40 °C (32 °F to 104 °F)
Working Humidity	10% RH to 80% RH (Non-Condensing)
Storage Temperature	-20 °C to 60 °C (-4 °F to 140 °F)
Storage Humidity	5% RH to 90% RH (Non-Condensing)
General	
Casing Material	Plastic
VESA	75 mm × 75 mm (4-M4 × 6 mm)
Bezel Width	1.75 mm (top/left/right), 23.55 mm (bottom)
Product Dimensions (W × H × D)	without stand: 539.1 (W) mm × 327.04 (H) mm × 41.78 (D) mm (21.22" × 12.88" × 1.64") with stand: 539.1 (W) mm × 433.2 (H) mm × 209.99 (D) mm (21.22" × 17.06" × 8.27")

Package Dimensions (W × H × D)	652 (W) mm × 445 (H) mm × 116 (D) mm (25.67" × 17.52" × 4.57")
Net Weight	3.32 ± 0.5 kg (7.32 ± 1.10 lb)
Gross Weight	4.66 ± 0.5 kg (10.27 ± 1.10 lb)
Packing List	Monitor × 1, Base component × 1, AC power cable (1.5 m) × 1, HDMI cable (1.5 m) × 1, User manual × 1, Multilingual manual × 1
Remarks	If the appearance and parameters in this specification vary from the actual product, the later prevails. You can also consult local sales staff.

Physical Interface


Interface	Description	Interface	Description
VGA	VGA Analog Signal Input Interface	BNC	BNC (CVBS) Signal Input Interface
HDMI	HDMI 1.4 Digital Signal Input Interface	USB	USB 2.0 Signal Input Interface
Audio IN	Audio Input Interface	AC	AC 100 to 240 VAC Power Input



Available Model

- DS-D5224F2-1V1S

Dimension



Accessory

Optional

DS-DM1940W
Wall-mounted
Bracket



CONTACT INFORMATION

- Headquarters
- No.555 Qianmo Road, Binjiang District,
- Hangzhou 310051, China
- T +86-571-8807-5998
- www.hikvision.com.



Follow us on social media to get the latest product and solution information.

-  Hikvision
-  HikvisionHQ
-  HikvisionHQ
-  Hikvision_Global
-  Hikvision Corporate Channel
-  hikvisionhq

© Hangzhou Hikvision Digital Technology Co., Ltd. Unless otherwise agreed, Hikvision makes no warranties, express or implied. We reserve the right to introduce modifications without notice.

Documents / Resources



[HIKVISION DS-D5224F2-1V1S 24 Inch FHD VA Monitor](#) [pdf] Owner's Manual
DS-D5224F2-1V1S 24 Inch FHD VA Monitor, DS-D5224F2-1V1S, 24 Inch FHD VA Monitor, FH
D VA Monitor, VA Monitor, Monitor

References

- [User Manual](#)

Manuals+, Privacy Policy

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.