



HILTI AI L2 / AI L5 Smart Label Owner's Manual

[Home](#) » [HILTI](#) » HILTI AI L2 / AI L5 Smart Label Owner's Manual 












Smart Label AI L2 / AI L5

Contents

- [1 AI L2 / AI L5 Smart Label](#)
- [2 Documents / Resources](#)
 - [2.1 References](#)

AI L2 / AI L5 Smart Label



qr.hilti.com/manual/?id=2153800

- Do not cover product labels or other tags.
- Do not cover ventilation slots in product casing.
- Do not obstruct safe operation of any device, in particular the functionality of switches, displays and warning lights.
- Check compatibility of the adhesive with the surface material prior to applying the label to avoid paint

dissolution and chemical reactions.

- Keep away from children.
 - To increase the label's adherence, the use of an additional primer is recommended.
 - If you use additional products from third parties such as detergents or primers, follow their instructions.
 - Shelf life 2 years from production date (see packaging) at storage temperature from -20°C (-4°F) to 45°C (113°F).
-

Documents / Resources

	HILTI AI L2 / AI L5 Smart Label [pdf] Owner's Manual AI L2 And AI L5 Smart Label, AI L2 And AI L5, Smart Label, Label
---	--

References

-  [HILTI Country selector](#)

Manuals+