



Hitron OS3411 Tri Band Mesh WiFi 6E Access Point User Guide

[Home](#) » [Hitron](#) » Hitron OS3411 Tri Band Mesh WiFi 6E Access Point User Guide 

Contents

- [1 Hitron OS3411 Tri Band Mesh WiFi 6E Access Point](#)
- [2 Product Information](#)
- [3 Product Usage Instructions](#)
- [4 Quick Install Guide](#)
- [5 Extender Placement Tips](#)
- [6 Ready to Install Plume HomePass](#)
- [7 Documents / Resources](#)



Hitron OS3411 Tri Band Mesh WiFi 6E Access Point



Product Information

Model: OS3411

Product: Hitron OS3411 Extender

Package Contents: Hitron OS3411 Extender, one 5' Ethernet cord

Compatibility: Cable, DSL, Fiber, FiOS, or Modem-Router combination

Manufacturer Part Number: PN 6OS3411...01G

Product Usage Instructions

1. Before starting installation, ensure that you have the Hitron OS3411 Extender and one 5' Ethernet cord.
2. Make sure you have a mobile phone device to download the Plume HomePass app.
3. Extender Placement Tips:
 - Place the extenders on inside walls to take advantage of the antennas inside the extenders.
 - Maximize WiFi coverage by placing extenders a maximum of 30-40 feet apart through walls.
 - Avoid placing extenders behind obstructions like furniture and appliances.
 - Turn off additional WiFi networks to avoid interference.
4. To install Plume HomePass:
 1. Download the Plume HomePass app from the iOS App Store or Google Play Store.
 2. Create a Plume HomePass account using a valid email address.

3. Connect one extender to your modem using the provided ethernet cord.
4. Plug the extender into a power outlet.
5. In the Plume HomePass app, create a WiFi name and password identical to your old network.
6. Plug in and connect the rest of your extenders.
7. Turn off the WiFi on your old router to avoid interference.
8. Connect your mobile phone to your HomePass WiFi network.

Quick Install Guide

- Before starting installation, please verify that you have:
- Hitron OS3411 Extender and one 5' Ethernet cord
- Mobile phone device to download the Plume HomePass app.


Extender Placement Tips

Every house is different so the placement of your extenders is important. Here are a few tips to enhance your WiFi coverage:



1. Be sure to place the extenders on inside walls to take advantage of the antennas inside the extenders.
2. You should place extenders a maximum of 30-40 feet apart through walls.
3. Avoid placing extenders behind obstructions like furniture and appliances.
4. Turn off additional WiFi networks to avoid interference.

Ready to Install Plume HomePass

1. Download the Plume HomePass app in the iOS App Store or Google Play Store.
2. Create a Plume HomePass account with a valid email address.
3. Connect an extender to your modem with the provided ethernet cord.
4. Plug the extender into a power outlet.
5. Create a WiFi name and password in the Plume HomePass app, using the same WiFi name and password as your old network.
6. Plug in and connect the rest of your extenders.
7. Turn off the WiFi on your old router to avoid interference.
8. Connect your mobile phone to your HomePass WiFi network.



Documents / Resources

| | |
|--|--|
|  OS3411 Quick Install Guide <small>Before connecting to the network, please verify that you have: • Hitron OS3411 Tri Band Mesh WiFi 6E Access Point • Hitron OS3411 Tri Band Mesh WiFi 6E Access Point • Hitron OS3411 Tri Band Mesh WiFi 6E Access Point</small>  Powered by Plume HomePass | Hitron OS3411 Tri Band Mesh WiFi 6E Access Point [pdf] User Guide OS3411 Tri Band Mesh WiFi 6E Access Point, OS3411, Tri Band Mesh WiFi 6E Access Point, WiFi 6E Access Point, 6E Access Point |
|--|--|