

11B Basic Motorcycle Bluetooth Communication System For HJC Helmet User Guide

Home » HJC » 11B Basic Motorcycle Bluetooth Communication System For HJC Helmet User Guide 🖺



11B Basic Motorcycle Bluetooth Communication System For HJC Helmet User Guide



SMART HJIC 11B
2nd GEN BASIC MOTORCYCLE BLUETOOTH®
COMMUNICATION SYSTEM FOR HJC HELMETS



Contents

- 1 Downloadable Software
- **2 Product Details**
- 3 Installation
- 4 Icon Legend
- **5 Basic Operations**
- 6 Checking the Battery Level
- 7 Phone Pairing
- 8 Using the Phone
- 9 Music Control
- 10 Bluetooth Intercom
- 11 Last-Come, First-Served
- 12 Two-way Intercom
- 13 Configuration Menu
- 14 Troubleshooting
- 15 Quick Reference
- 16 Documents / Resources
 - 16.1 References

Downloadable Software

Download the SMART HJC BT App on Google Play Store or App Store.



• Device Configuration Setting


Download the following items at www.smarthjc.com



- · Firmware upgrade
- Device configuration setting




Product Details





Installation


- For more information about installation, refer to the User's Guide.
- 1. Modular Chin Bar / Open & Full Face Visor Opening




2. Helmet Module Cover Removing









3. Helmet's Cheek Pad Take Off




4. Button Module Installation







5. Bluetooth Module Installation




6. Microphone Installation




6.2 Full Face Microphone Installation




7. Speaker Module Installation




8. Wire Arrangement



9. Cheek Pad Fasten Up




10. Modular Chin Bar / Open & Full Face Visor Closing



Icon Legend

(1x)	Tap button the specified number of times
HOLD 10s	Press and Hold button for the specified amount of time
冷	"Hello" Audible prompt


Basic Operations



Checking the Battery Level



Phone Pairing




3. Select SMART HJC 11B in the list of Bluetooth devices detected.




• The headset will enter the Phone Pairing mode automatically when you initially turn on the headset.

• For more information on phone pairing, refer to the User's Guide.

Using the Phone




Music Control



Bluetooth Intercom

Up to three other people can be paired with the headset for Bluetooth intercom conversations.



Intercom Pairing

There are two ways to pair the headset. Using the Smart Intercom Pairing (SIP)

SIP allows you to quickly pair with your friends for intercom communication by scanning the QR code on the SMART HJC BT App without remembering the button operation.

- 1. Pair the mobile phone with the headset.
- 2. Open the SMART HJC BT App and tap [(Smart Intercom Pairing Menu).
- 3. Scan the QR code displayed on your friend (B)'s mobile phone.
 - Your friend (B) can display the QR code on the mobile phone by tapping $\stackrel{\frown}{=}$ > QR code ($\stackrel{\blacksquare}{=}$) on the SMART HJC BT App.



- 4. Tap Save and check that your friend (B) is paired with you (A) correctly.
- 5. Tap Scan (and repeat steps 3-4 to pair with Intercom Friends (C) and (D).

Note: The Smart Intercom Pairing (SIP) is not compatible with SMART HJC headsets that use Bluetooth 3.0 or below.

Using the Button



1. Each user simultaneously presses and holds the TAP Button for 5 seconds until users hear the voice prompt, "Intercom Pairing."




2. Tap the TAP Button on either headset.



3. Repeat the steps above to pair with other headsets (C and D).

Last-Come, First-Served

If the headset has multiple paired headsets for intercom conversations, the last paired headset is set as the First Intercom Friend.




Two-way Intercom

Start/End Conversation with the First Intercom Friend D




Start/End Conversation with the Second Intercom Friend C




Configuration Menu






Troubleshooting

Fault Reset



Note:

- Fault Reset will not restore the headset to factory default settings.
- The charging LED is not the Pinhole Fault Reset Button. Do not press it.



Factory Reset



Quick Reference

TYPE	OPERATION	BUTTON COMMANDS
Basic Operations	Power on/ Power off	+ Thold (IAP)
	Volume up/Volume down	\leftarrow or \sim $(\frac{1}{1}x)$
Mobile Phone	Answer phone call	$ (\widehat{1x}) $
	End phone call	HOLD 2s
	Reject phone call	HOLD 2s
	Voice Dial	HOLD 3s

Intercom	Intercom pairing	HOLD 5s (TAP 1x)
	Start/End intercom	$ (\widehat{\underbrace{1x}}) $
Music	Play/Pause music	HOLD 1s
	Track forward	+ HOLD 1s
	Track backward	- HOLD 1s



Documents / Resources



HJC 11B Basic Motorcycle Bluetooth Communication System For HJC Helmet [pdf] User Guide

11B Basic Motorcycle Bluetooth Communication System For HJC Helmet, 11B, Basic Motorcycl e Bluetooth Communication System For HJC Helmet, Bluetooth Communication System For HJC Helmet, Helmet

References

• User Manual

Manuals+, Privacy Policy

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.