

Hobolite AVANT 110008US Portable Continuous LED Light Instructions

Home » Hobolite » Hobolite AVANT 110008US Portable Continuous LED Light Instructions



Contents

- 1 Hobolite AVANT 110008US Portable Continuous LED Light
- **2 Product Information**
- **3 Additional Accessories**
- **4 Product Usage Instructions**
- **5 FEATURES**
- **6 Specifications**
- **7 INCLUDED IN CREATOR KIT**
- **8 PHOTOMETRIC DATA**
- **9 Warranty Terms**
- 10 Documents / Resources
 - 10.1 References
- 11 Related Posts



Hobolite AVANT 110008US Portable Continuous LED Light



The Hobolite Avant is a portable and continuous LED light that weighs less than three pounds and packs 100W of power. It is designed to provide professional lighting on-the-go, wherever and whenever you need it. The light output ranges from 2700K to 6500K with an excellent CRI. You can further diffuse or focus the output by using accessory attachments. The Hobolite Avant Creator Kit includes various attachments such as barn doors, interchangeable lens accessories, softbox attachment, active cooling, bright high-contrast LCD screen, knurled control knobs, mobile app control, and a super portable package with a battery having a V-mount quick-release.

Operating Time Using 95WH V-Mount DC Battery

Brightness level	100%	75%	50%	25%
Operating time	50 mins	1.2h	1.75h	3.5h

Photometric Data

Distance	1 meter / 3.2 ft	3 meters / 9.8 ft	5 meters / 16.4 ft
Without Lens FC	39	291	628
Without Lens Lux	3133	429	829
With Lens FC	20	46	92
With Lens Lux	3729	502	220

Additional Accessories

- Avant Softbox SKU 142002
- Avant Bowen's Mount Adapter SKU 162001
- Desktop Tripod SKU 152001
- Avant Adjustable Lens SKU 141003
- V-Mount Ballhead Tripod Adapter SKU 161002
- Avant Lantern SKU 142007

Product Usage Instructions

To use the Hobolite Avant Portable Continuous LED Light, follow these steps:

- 1. Remove the Hobolite Avant from the packaging.
- 2. Attach the V-mount DC battery to the light by using the V-mount quick-release.
- 3. Turn on the light by using the knurled control knobs or the mobile app control.
- 4. Adjust the brightness level and color temperature of the light by using the knurled control knobs or the mobile app control.
- 5. Attach the barn doors, interchangeable lens accessories, or softbox attachment to diffuse or focus the output further, as needed.
- 6. Use the Hobolite Avant Portable Continuous LED Light for your professional lighting needs.

The Hobolite Avant is a continuous light that is as portable as it is powerful.

Weighing in under three pounds and packing 100W of power, it provides professional lighting where and when you need it. The light output ranges from 2700K – 6500K with excellent CRI. Accessory attachments can diffuse or focus the output further.




- Superior product performance 100W of power and light output range from 2700K 6500K
- Classic, stylish and award-winning design –2022 IF Design Award & Red Dot Award with environmentallyfriendly faux-leather detailing
- · Optimized and designed for portability to increase the ease of transport, set up and overall on-location mobility
- · Compact, lightweight, and made from high-quality materials
- Quality and softness of light even without a softbox, the diffused light is nicely softened with smooth shadow transitions
- · Built-in smooth dimming
- Easy-to-use integral accessories such as barndoors, gels, lenses, softboxes, stands etc. (sold separately)
- Easily switch from AC to DC power without changing cords. Hobolite V-Mount Battery included in DC kits or sold separately
- Between 48 and 210 mins run time from a full charge with the included battery, dependent on usage
- 1-year warranty

FEATURES

FOR THE PROFESSIONAL ON THE GO

- 1. Barn Door Attachment
- 2. Interchangeable Lens Accessories Honeycomb
 - Multicolored Filters
 - Frosted Dome
- 3. Softbox Attachment
- 4. Active Cooling
 - Smart Thermal Response System
- 5. Bright, High Contrast LCD Screen
- 6. Knurled Control Knobs
 - Adjustable brightness Adjustable color temperature
- 7. Mobile App Control

- With built-In NFC technology
- 8. Super Portable Package
 - Battery with V-mount quick-release



Specifications

• Power Luminous Flux (6500K): 100W

Luminous Flux (2700K): 100W
Input Battery: V-mount DC battery

• CRI: Excellent

• TLCI: N/A

• **CCT**: 2700K - 6500K

• Dimming Control Methods: Knurled Control Knobs, Mobile App Control

• Wireless Method: Built-In NFC technology

• Max Distance Wireless Control: N/A

• Noise: N/A

• Operating Temperature: N/A

• Color: Black

AVANT Creator Kit



• MSRP: \$1,399

Part Number: 110008USUPC: 6970878003233

• Light Dimensions: 3.29" x 4.63" x 4.91"

• Light Body Net Weight: 2.7 lbs

• Shipping Dimensions: 30"x16"x 11.5"

• Shipping Weight: 16.09 lbs


AVANT OPERATING TIME USING 95WH V-MOUNT DC BATTERY

Brightness level/Operating time


• 100%: 50 mins

75%:1.2h50%: 1.75h25%: 3.5h

INCLUDED IN CREATOR KIT



PHOTOMETRIC DATA



Warranty Terms

Hobolite provides a one-year warranty period for the original buyer of the product. For the detailed warranty scope, please log in to our website: www.hobolite.com. Please note that the complete supplier information is on the invoice, including the purchase date and product serial number, which will be needed when making a claim against the warranty.

WARRANTY TERMS

We provide a one-year warranty period for the original buyer of the product. For the detailed warranty scope, please log in to our website: www.hobolite.com.

Important notes:

Please retain your original purchase invoice and warranty card and ensure that the complete supplier
information is on the invoice, including the purchase date and product serial number, which will be needed
when making a claim against the warranty.

The warranty does not cover:

- Damage caused by improper use, false wiring, incompatible, poor quality or mis-adjusted external devices.
- Damage to the appearance of the product from mishandling or abuse
- · Exposure to rain or water.
- Damage caused by transportation. Please contact your dealer to issue a claim.

The warranty will be invalid if:

- The product serial number has been torn off or can't be identified.
- The product has been repaired or modified by unauthorized persons.

sales.us@hobolite.com hobolite.com

Documents / Resources



Hobolite AVANT 110008US Portable Continuous LED Light [pdf] Instructions 110008US, AVANT 110008US Portable Continuous LED Light, Portable Continuous LED Light, Continuous LED Light, LED Light, Light

References

- ► Hobolite Portable Continuous LED Light for Creators | Hobolite US
- ► Hobolite Portable Continuous LED Light for Creators | Hobolite US

Manuals+,