



Hobolite Pro 300W Bi-Color Continuous LED Light User Manual

[Home](#) » [Hobolite](#) » Hobolite Pro 300W Bi-Color Continuous LED Light User Manual 



Hobolite

PRO

300W BI-COLOR CONTINUOUS LED LIGHT
OPERATION MANUAL



Contents

- [1 Pro 300W Bi-Color Continuous LED Light](#)
- [2 Features](#)
- [3 Product Specifications](#)
- [4 Warranty Card](#)
- [5 Documents / Resources](#)
 - [5.1 References](#)
- [6 Related Posts](#)

Pro 300W Bi-Color Continuous LED Light



WORLD DESIGN INDEX

TOP10


Lighting

2018-2022



reddot winner 2022

Features



WARNINGS

- Please thoroughly read the manual prior to operating the product and operate in strict accordance with the manual.
- Don't disassemble the product by yourself. If the product requires repair, contact our maintenance personnel.
- Product failures caused by unauthorized disassembly are not covered by warranty, and will be chargeable.
- The product is designed to be actively cooled by fans.
Don't block the fan ducts of the product during operation.
- Don't touch the heat generating parts of the product during operation to avoid scalding injury.
- The power must be switched off during set-up and break down of the product.
- Don't submerge the product in water or other liquid/s to avoid safety risk and product failure.
- Allow the product to properly cool after each use before storage.
- Only use the originally supplied accessories to avoid product failure/s.
- Only use the supplied charging adapter and power cable to avoid damage to the product.

App Download

You can download the Hobolite app in the (Apple) App Store and Google Play store by scanning the following QR code.



Product Specifications

PRO

Power	320W
Lumens (6500K)	30000lm
Lumens (2700K)	24000lm
Input	AC 100-240V, 50~60Hz
	DC 24-48V
Battery (DC powered version)	14.8V 6400mAh, 94.72Wh
CRI	96
TLCI	96
CCT	2700-6500K
Dimming	0-100%
Wireless Method	Bluetooth
Wireless Operating Range	20m / 65.6ft
Noise	28db@1m
Operating Temperature	-10~40°C / 14~104°F
Dimension Light	168.5x179x322mm / 6.63x7.05x12.68in
Net Weight Light	3.7kg / 8.15Lbs

Warranty Card

Product No.	
Product name	
Purchase date	
User name	
User telephone	
User address	
Dealer stamp	

Warranty Terms

We provide a one-year warranty period for the original buyer of the product.

For the detailed warranty scope, please log in our website www.hobolite.com.

Important notes:

- Please retain your original purchase invoice and warranty card and ensure that the complete supplier information is on the invoice, including the purchase date and product serial number, which will be needed when making a claim against the warranty.

The warranty does not cover:

- Damage caused by improper use, false wiring, incompatible, poor quality or mis-adjusted external devices
- Damage to the appearance of the product from mishandling or abuse.
- Exposure to rain or water
- Damage caused by transportation. Please contact your dealer to issue a claim.

The warranty will be invalid if:

- The product serial number has been torn off or can't be identified.
- The product has been repaired or modified by unauthorized persons.

FCC Warning:

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Caution: Any changes or modifications to this device not explicitly approved by manufacturer could void your authority to operate this equipment.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

The device has been evaluated to meet general RF exposure requirement.

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment.

This equipment should be installed and operated with minimum distance 20cm between the radiator & your body.



Hobolite

AEC LIGHTING SOLUTIONS CO., LTD.


QUALIFIED: PASS

Add: 2548 Bao'an Highway, Jiading District,
Shanghai 201801, China

Tel: 86-021-69153369



Documents / Resources



[Hobolite Pro 300W Bi-Color Continuous LED Light](#) [pdf] User Manual

Pro 300W Bi-Color Continuous LED Light, Pro, 300W Bi-Color Continuous LED Light, Continuous LED Light, LED Light, Light

References

-  [Hobolite](#)