

# HOMCOM IN240100054V01\_GL High Gloss Buffet Sideboard **Installation Guide**

Home » HOMCOM » HOMCOM IN240100054V01\_GL High Gloss Buffet Sideboard Installation Guide The Property of the Pr



#### **Contents**

- 1 HOMCOM IN240100054V01\_GL High Gloss Buffet
- **Sideboard**
- **2 Product Usage Instructions**
- **3 Frequently Asked Questions**
- **4 FEATURES**
- **5 USING CAM LOCK AND QUICKFIT**
- **6 HINGE ADJUSTMENT GUIDE**
- 7 Precautions
- **8 PARTS**
- 9 INSTALLATION INSTRUCTION
- 10 Contact Service
- 11 Documents / Resources
  - 11.1 References
- 12 Related Posts





### **Product Specifications**

- Model: IN240100054V01\_GL
- **Dimensions:** 1200 x 385 x 15mm (one side), 776 x 72 x 15mm, 377 x 72 x 15mm, 375 x 363 x 15mm, 785 x 290 x 3mm, 580 x 386 x 3mm
- Hardware: A, B, C, D, E, F, G, H, I, J, K, L
- Hardware Quantity: A-20PCS, B-20PCS (8x30mm), C-6PCS (3.5x14mm), D-64PCS, E-4PCS, F-2PCS, G-12PCS, H-8PCS, I-2PCS, J-4PCS, K-8PCS, L-2PCS

# **Product Usage Instructions**

# **Assembly Steps**

- 1. Identify the different components as per the provided dimensions.
- 2. Arrange the components in the specified order for assembly.
- 3. Use the provided hardware (A-L) as per the quantity mentioned for each type.
- 4. Follow the exploded figure provided to correctly assemble the product.
- 5. Secure all parts using the appropriate hardware.

# Maintenance

Regularly check the tightness of hardware and make adjustments if needed. Clean the product with a damp cloth and avoid using harsh chemicals that may damage the finish.

## **Storage**

Store the product in a dry and cool place away from direct sunlight. Avoid stacking heavy items on top of the product to prevent damage.

#### **Safety Precautions**

- Ensure all parts are securely fastened during assembly.
- · Avoid overloading the product beyond its weight capacity.
- Keep small hardware away from children to prevent swallowing hazards.
- Seek professional help if unsure about any steps in the assembly process.

# **Frequently Asked Questions**

Q: How do I know which hardware to use for each part?

A: Refer to the hardware list in the manual which specifies the type and quantity of hardware for each component.

Q: Can I disassemble the product once it is assembled?


**A:** Yes, you can disassemble the product following the reverse order of assembly steps. Ensure to keep track of all hardware for reassembly.

Q: What should I do if I have missing hardware?

**A:** Contact customer support to request replacement hardware and refrain from using alternative hardware that may compromise product integrity.

IMPORTANT, RETAIN FOR FUTURE REFERENCE: READ CAREFULLY.

#### **FEATURES**



#### Dear customer,


Thank you for purchasing this product. So that your appliance serves you well, please read all the instructions in this user's manual. If you have any questions, please contact our customer care center.

#### Our contact details are below:


Country	Phone	Email
UK	0044- <u>800-240-4004</u>	enquiries@mhstar.co.uk
DE	0049-(0)40-88307530	service@aosom.de
FR	0033-1-84166106	aosom@mhfrance.fr
ES	0034-931294512	atencioncliente@aosom.es
PT	0034-931294512	info@aosom.pt.
IT	0039-02494 71447	clienti@aosom.it
us	001- <u>877-644-9366</u>	customerservice@aosom.com
CA	416-792-6088	customerservice@aosom.ca

# **USING CAM LOCK AND QUICKFIT**


• QUICK FIT: Tighten quick fit until the shoulder is flush with the panel Do not overtighten or undertake.



• CAM LOCK: When fitting the cam lock, ensure the starting position is correct before you insert the connecting quickfit.




- Quickfit head should be in the center of the cam lock when the two panels are joined.
- The Cam lock should be inserted before Quickfit.




• Turn the cam lock clockwise to tighten.

# **HINGE ADJUSTMENT GUIDE**


- It may be necessary to adjust the hinges so that the doors align. Use the instructions below as a guide.
- To adjust the door vertically loosen the screw shown and move up and down as needed.




• To adjust the gap from the door to the main frame turn the screw clockwise or anti-clockwise as needed.




• To adjust the door laterally adjust the screw as shown by turning clockwise or anti-clockwise.




• Please fix the other screws





# **Precautions**




**PARTS** 











**INSTALLATION INSTRUCTION** 























# **Contact Service**

- Imported by Aosom LLC
- 27150 SW Kinsman Rd Wilsonville, OR 97070 USA
- MADE IN CHINA
- IMPORTER ADDRESS:
- MH STAR UK LTD
- Unit 27, Perivale Park,
- · Horsenden lane South
- Perivale, UB6 7RH
- MADE IN CHINA
- INFO@AOSOM.PT

## WWW.AOSOM.PT

## **Documents / Resources**



HOMCOM IN240100054V01\_GL High Gloss Buffet Sideboard [pdf] Installation Guide 839-416, 839-935V80, IN240100054V01\_GL High Gloss Buffet Sideboard, IN240100054V01\_GL, High Gloss Buffet Sideboard, Gloss Buffet Sideboard, Sideboard

## References

• User Manual

#### Manuals+, Privacy Policy

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.