

HOMMIX Berta 3-Way Tap Instruction Manual

Home » HOMMIX » HOMMIX Berta 3-Way Tap Instruction Manual




Contents

- 1 Installation
- Instructions
- 2 Specifications
- **3 Installation Tools**
- 4 Accessories
- **5 Replacement Parts**
- **6 Profile Drawing**
- 7 Taking care of your tap
- 8 Documents /
- **Resources**
- 9 Related Posts

Installation Instructions

Hommix Berta Three Way Kitchen Tap



Specifications


- 1. Ceramic valve cartridge
- 2. Flow rate: 2.2G/M base on 0.5Mpa
- 3. 1/4" Connector for filtered water tube
- 4. 2 x G-1/2" Flexible Hoses

Installation Tools

- Adjustable Spanner / Monkey Wrench
- PTFE tape
- 2.5mm Allen key




Accessories




- 1. 1 Pc lock bolt
- 2. 1 pc rubber gasket
- 3. 1 Pc metal gasket
- 4. 1 Pc lock nut
- 5. 2 Pcs of fixing screws
- 6. 1 set filtered water pipe and a plastic adapter (1/4" push fit)
- 7. 2 Pcs hot and cold 600mm hoses

Replacement Parts




- 1. Mixer Water Bubbles
- 2. Filter Water Bubbles
- 3. Spout Assembly
- 4. Spout Assembly Lock Cover
- 5. Lock Ring: 28.8x23x2mm
- 6. Ø 25×2.5 O-ring x 2
- 7. Ø 14×2.3 O-ring x 2
- 8. Filter Water Lever Set
- 9. Filter Water Cartridge
- 10. Faucet Body
- 11. Mixer Water Cartridge
- 12. Cartridge Lock
- 13. Mixer Water Cartridge Cover
- 14. Mixer Water Lever set
- 15. Faucet Body Base
- 16. Faucet Body O-ring Ø47×3
- 17. Locking Sets
- 18. Filter water pipe
- 19. Filter Water Pipe plastic Adapter
- 20. Mixer Water Hose(Maybe not included)

Profile Drawing



Important Note 1


You do not need to drill any holes, the illustration below demonstrate measurements of the lock nut screws.



Important Note 2


Please ensure the tap hoses are attached to the correct positions as marked below.

(0.24")




F- Filter Water C- Cold Water H- Hot Water


Step: 1 Attach the lock bolt to the tap




Step: 2
Attach the filter water hose




Step: 3
Attach the Hot and Cold hoses



Insert the tap with the tubes attached through the hole and attach the rubber gasket, metal gasket and lock nut to the lock bolt.




Step: 5Lock the filter water pipe by hand tightening plastic adapter




Attach the fitting to the pipe if it's not already attached


Step: 6Attach the tube from the filtration system / hard water to the push fit



Step: 7
Connect the Hot & Cold Hoses to the supply water




Step: 8Test the your Hommix Verona to ensure it is dispensing water




Important Note 3

Please ensure any sand, silt, rubbles or anything that may block the valve cartridge and aerator is removed and cleaned before fixing the tap. During construction, the water pipes often end up with these, please ensure it is cleaned before connecting the hoses to the hot and cold.


Illustration of a Reverse Osmosis System connected to the Hommix Berta 3-Way Tap



Information 1



Information 2



Taking care of your tap

Your Hommix Verona 3-Way Tap requires minimal care and maintenance but here are a few tips: DON'Ts

DON'T use cleaning products, chemicals or any other types of substances to clean the tap

DON'T use organic solvents or acidic cleaners, lime-scale removers, household vinegar or cleaners containing acetic acid for cleaning

DON'T use any sort of brushes or abrasive sponges and scrubs

DOs

DO dry the tap after washing up with a dry soft cloth (we advise this for cleaning your sink too)

DO use a soft damp cloth followed by a dry soft cloth to clean if the taprequires cleaning

That's all! We did say minimal care and maintenance. If you have any questions or need help with installation, please do not hesitate to contact us.

Live Chat – https://www.hommix.co.uk
Call us – 0330 113 9292
Email us – info@hommix.co.uk

Documents / Resources



HOMMIX Berta 3-Way Tap [pdf] Instruction Manual DG-B3301, Berta, Berta 3-Way Tap, 3-Way Tap, Tap

Manuals+,