



Homoo KF068 Keyboard User Manual

[Home](#) » [Homoo](#) » Homoo KF068 Keyboard User Manual 


HOMOO

KF068 Keyboard
User Manual

Contents

- [1 Backlight mode](#)
- [2 List of special key functions](#)
- [3 Knob function definition](#)
- [4 Product parameters](#)
- [5 Documents / Resources](#)
 - [5.1 References](#)

Backlight mode




At the same time, press and hold FN and the corresponding key combination to achieve the corresponding graphic key function

FN + DEL –Backlight recording mode

You can edit the backlight pattern.

The specific operation steps are as follows:

- After pressing any key, start to select the required key light color, press red, green, blue, yellow, purple, green, pink, white in turn, select the light color and the required color. Long press FN + Del to save as recording light effect. FN + Tab — press and hold for 2 seconds, the backlight will flash and return to the default state, clear the recorded pattern and return to the default state



At the same time, press and hold FN and the corresponding key combination to achieve the corresponding graphic key function

List of special key functions

FN+1 =F1 FN+2=F2 FN+3=F3 FN+4=F4 FN+5=F5 FN+6=F6 FN+7=F7 FN+8=F8 FN+9=F9 FN+0=F10 FN+-=F11 FN++=F12

FN + WIN Lock win ke

FN + DEL Short press to switch backlight effect

FN + ↑ light up

FN + → light speed up

FN + Tab restore factory settings


FN + PgUp change

FN + ↓ light down


FN + ← light speed down

FN + Del long press 5 seconds backlight pattern recording

FN + PgDn full on / full off light



At the same time, press and hold **FN** and the corresponding key combination to achieve the corresponding graphic key function



Knob function definition



Clockwise rotation = volume increase




Counter clockwise = volume down



Press the knob switch = play / pause

Backlight mode



Product parameters

Size: 329.5*115.6*40mm+5

Wire length: 1.5M

Weight: 980g

Number keys: 67key

Switch type: hot swap support mechanical switch

Backlight: RGB

Side lights: RGB

Voltage: 4.4~5.25V

Electric current: 5V/200mA

Interface: Type-C

Compatible system: Windows XP/VISTA/7/8/10

HOMOO

Documents / Resources

	Homoo KF068 Keyboard [pdf] User Manual KF068 Keyboard, KF068, Keyboard
--	---

References

- [User Manual](#)

[Manuals+](#), [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.