



HOOC Connect H VPN Gateway Instruction Manual

[Home](#) » [HOOC](#) » HOOC Connect H VPN Gateway Instruction Manual 

Contents

- [1 HOOC Connect H VPN Gateway](#)
- [2 INSTRUCTION](#)
- [3 HOOC Connect technical data](#)
- [4 Documents / Resources](#)
 - [4.1 References](#)
- [5 Related Posts](#)




HOOC Connect H VPN Gateway



INSTRUCTION

STEP 1



STEP 2

HOOC Connect technical data

- Supply Rated voltage 24VDC
 - Enclosure Rated current 500mA
 - Safety class IP 20
 - Temperature Operation 0°C bis +45°C
Storage -25°C bis +55°C
 - Design Dimensions
DIN rail mounting 90 x 35.8 x 67.55mm(HxWxD)
 - Network The IP address is received from the DHCP server.
Permanent static address for service. IP: 172.17.17.17/24
 - Requirement for the external PSU Limited Power Source according to IEC60950-1 or PS2 classified IEC62368-1
Short-circuit-current < 8A
 - Copyright © HOOC AG, Torweg 8, CH-3930 Visp
-

Documents / Resources



[HOOC Connect H VPN Gateway](#) [pdf] Instruction Manual
HGU04, Connect H, Connect H VPN Gateway, VPN Gateway, Gateway

References

- [IoT-Lösungen und Gateways für VPN & SPS-Fernzugriff | HOOC](#)