



14495E Fence Tester



horizont 14495E Fence Tester Instruction Manual

[Home](#) » [Horizont](#) » horizont 14495E Fence Tester Instruction Manual 

Contents

- [1 horizont 14495E Fence Tester](#)
- [2 Product Information](#)
- [3 Product Usage Instructions](#)
- [4 FAQs](#)
- [5 Quick Voltage Checks](#)
- [6 EU Declaration of Conformity](#)
- [7 Documents / Resources](#)
 - [7.1 References](#)



horizont 14495E Fence Tester



Product Information

The Fence Voltmeter 7 LED is a handy fence tester designed for easy and quick voltage checks at your fence. It features LED indicators that show different voltage levels with corresponding colors for quick visual reference.

Specifications:

- Product Name: Fence Voltmeter 7 LED
- Model: Type 14495E
- Manufacturer: horizont Group Gmbh Animal Care
- Address: Homberger Weg 4-6, 34497 Korbach, Germany

Product Usage Instructions

Voltage Indication:

The Fence Voltmeter 7 LED provides voltage indication as follows:

- > 10.000 – 6.000 V: Green light
- 6.000 – 4.000 V: Green light
- 4.000 – 2.000 V: Green light
- < 2.000 V: Red light

How to Use:

1. Turn on the Fence Voltmeter by pressing the power button.
2. Place the tester on the fence to check the voltage level.
3. Observe the LED color to determine the voltage range.
4. After use, turn off the Fence Voltmeter to conserve battery.

Safety Precautions:

Ensure to handle the Fence Voltmeter with care and follow all safety guidelines provided in the user manual to avoid any accidents or electric shocks.

FAQs

• **Q: Can the Fence Voltmeter be used on all types of fences?**


A: The Fence Voltmeter can be used on most types of electric fences. However, it is recommended to check the compatibility with your specific fence type before use.

• **Q: How do I replace the batteries in the Fence Voltmeter?**

A: To replace the batteries, carefully open the battery compartment following the instructions in the user manual and replace the old batteries with new ones of the same type and size.

Quick Voltage Checks

Handy fence tester for easy and quick voltage checks at your fence:



- No earthing of the fence tester required (the human body serves as the reference point for the measurement). The index finger should be placed in the recess on the underside of the device.
- The measurement is taken by placing the fence tester against the fence material (1) and pressing the control button (2)
- Including battery control indicator (3) / indicator red = change battery !
- Operation with a 9 V block battery, (included in delivery)

- With 6 control displays: 10000, 8000, 6000, 4000, 2000 volts (4) and display below 2000 volts (5)

Volt / Volts	indication
> 10.000 - 6.000 V	green light
6.000 - 4.000 V	green light
4.000 - 2.000 V	green light
< 2.000 V	red light

We reserve the right for technical changes!

EU Declaration of Conformity

Wir
 horizont group gmbh
 Homberger Weg 4-6, D-34497 Korbach
 declare under our sole responsibility that the products
 Electric fencing units
Trademark: horizont

- FENCE SCOUT II 14151 / 14151c
- 6-LEVEL TESTER 14494 / 14494c
- WIRELESS TESTER 14495/ 14495c
- DIGITAL VOLTMETER 14496 / 14496c

to which this declaration relates, is in conformity with the following European Directives:

- 2001/95/EG/EC/CE (General Product Safety Directive)
- 2014/30/EU/UE (EMC Directive)
- 2011/65/EU/UE (Directive on the Restriction of Hazardous Substances in electronic equipment)

The products assessment concerning the “General product safety directive” is based on the following standards:

EN 61326-1: 2013

The products assessment concerning Electromagnetic Compatibility (EMC Directive) is based on the following standards:

EN 55011-1:2016


The products assessment concerning the “Waste of Electrical and Electronic Equipment” is based on the following standards:

EN 50581:2012

Korbach, 16.04.2018

Ort und Datum der Ausstellung:
Place and date of issue:
Lieu et date de l'exposition:

horizont group gmbh



Geschäftsführer, rechtsverbindliche Unterschrift:
Managing Director, legally binding signature:
Gérant, signature obligatoire de droit:

Dieter Hake

horizont group gmbh
Animal Care
Homberger Weg 4-6
34497 Korbach
Germany

Telefon: +49 (0) 56 31 / 5 65 – 1 00

Telefax: +49 (0) 56 31 / 5 65 – 1 20

animalcare@horizont.com

www.animalcare.horizont.com

Documents / Resources



[horizont 14495E Fence Tester](#) [pdf] Instruction Manual
14495E Fence Tester, 14495E, Fence Tester, 14495E Tester

References

-  [Ihr Spezialist für Weidezäune und Tierhaltung | animalcare.horizont.com](#)
- [User Manual](#)

Manuals, Privacy Policy

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.