HPE aruba networking ASIN0306 User Experience Insight Sensor





# HPE aruba networking ASIN0306 User Experience Insight Sensor User Manual

<u>Home</u> » <u>HPE Aruba Networking</u> » HPE aruba networking ASIN0306 User Experience Insight Sensor User Manual

#### **Contents**

- 1 HPE aruba networking ASIN0306 User Experience Insight Sensor
- **2 Product Usage Instructions**
- 3 Copyright Information
- **4 RF Exposure Statement**
- **5 Warranty Information**
- 6 Documents / Resources
  - **6.1 References**
- 7 Related Posts



HPE aruba networking ASIN0306 User Experience Insight Sensor



# **Specifications**

Regulatory Model Numbers: UX-G6E RMN: ASIN0305 UX-G6EC RMN: ASIN0306

# **Product Usage Instructions**

# **Safety and Compliance Information**

For regulatory compliance certifications, refer to the unique regulatory model number (RMN) found on the product nameplate label.

## **RF Exposure Statement**

Ensure a minimum distance of 7.9 inches (20cm) between the radiator and your body during installation and operation.

## License-Exempt Transmitter(s)/Receiver(s)

Complies with Canadian ICES-003. Operation in 5150-5250MHz is restricted to indoor use only.

# **EU and UK Regulatory Conformity**

View the Declaration of Conformity under Radio Equipment Directive 2014/53/EU and UK's Radio Equipment Regulations 2017/UK at www.hpe.com/eu/certificates.

# **European Union Wireless Channel Restrictions**

Technology	Frequency Range (MHz)	Max EIRP
Radio BLE Zigbee	2402-2480	10 dBm
Wi-Fi	2405-2475	10 dBm

## **Mexico and Ukraine Compliance**

In compliance with Ukrainian Technical Regulation on Radio Equipment. Refer to the UA declaration of conformity at <a href="https://certificates.ext.hpe.com">https://certificates.ext.hpe.com</a>.

### **FAQs**

- Q: Where can I find the regulatory model number?
  - A: The regulatory model number can be found on the product nameplate label.
- Q: What is the minimum distance required between the radiator and the body?
  - A: Maintain a minimum distance of 7.9 inches (20cm) between the radiator and your body during operation.
- Q: Can this product be used outdoors?
  - A: This product is limited for indoor use only.

# **Copyright Information**

© Copyright 2023 Hewlett Packard Enterprise Development LP.

Open Source Code

This product includes code licensed under certain open-source licenses which require source compliance. The corresponding source for these components is available upon request. This offer is valid to anyone in receipt of this information and shall expire three years following the date of the final distribution of this product version by Hewlett Packard Enterprise Company. To obtain such source code, please check if the code is available in the HPE Software Center at https://myenterpriselicense.hpe.com/cwp-ui/software but, if not, send a written request for the specific software version and product for which you want the open source code. Along with the request, please send a check or money order in the amount of US \$10.00 to:

Hewlett Packard Enterprise Company Attn: General Counsel WW Corporate Headquarters 1701 E Mossy Oaks Rd, Spring, TX-77389 United States of America

For the purpose of identification needed for regulatory compliance certifications, this product has been assigned a unique regulatory model number (RMN). The regulatory model number can be found on the product nameplate label, along with all the required approval markings and information. When requesting compliance information for this product, always refer to this regulatory model number. The regulatory model number is not the marketing name or model number of the product.

UX-G6E RMN: ASIN0305
UX-G6EC RMN: ASIN0306

Changes or modifications to this unit not expressly approved by Aruba Networks, a Hewlett Packard Enterprise company, for regulatory compliance can void the user's authority to operate this equipment.

## **RF Exposure Statement**

This equipment complies with RF radiation exposure limits. This equipment should be installed and operated with a minimum distance of 7.9 inches (20cm) between the radiator and your body. This transmitter must not be colocated or operating in conjunction with any other antenna or transmitter.

### Canada

This device contains license-exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development Canada's licence-exempt RSS(s). Operation is subject to the following two conditions: (1) This device may not cause interference. (2) This device must accept any interference, including interference that may cause undesired operation of the device.

Operation in 5150-5250MHz is restricted to indoor use only.

This Class B digital apparatus complies with Canadian ICES-003.

## **EU and UK Regulatory Conformity**

- The Declaration of Conformity made under Radio Equipment Directive 2014/53/EU as well as the United Kingdom's Radio Equipment Regulations 2017/UK is available for viewing at <a href="www.hpe.com/eu/certificates">www.hpe.com/eu/certificates</a>.
  Select the document that corresponds to your device's model number as it is indicated on the product label.
- This device is limited for indoor use. Use in trains with metal-coated windows (or similar structures made of materials with comparable attenuation characteristic) and aircraft is permitted. European Union Wireless Channel Restrictions
  - 5150-5350MHz band is limited to indoor only in the following countries; Austria (AT), Belgium (BE), Bulgaria (BG), Croatia (HR), Cyprus (CY), Czech Republic (CZ), Denmark (DK), Estonia (EE), Finland (FI), France (FR), Germany (DE), Greece (GR),
- Hungary (HU), Iceland (IS), Ireland (IE), Italy (IT), Latvia (LV), Liechtenstein (LI), Lithuania (LT), Luxembourg (LU), Malta (MT), Netherlands (NL), Norway (NO), Poland (PL), Portugal (PT), Romania (RO), Slovakia (SK), Slovenia (SL), Spain (ES), Sweden (SE), Switzerland (CH), Turkey (TR), United Kingdom (UK).

Radio	Frequency Range (MHz)	Max EIRP
BLE	2402-2480	10 dBm
Zigbee	2405-2475	10 dBm
Wi-Fi	2412-2472	20 dBm
	5150-5250	23 dBm
	5250-5350	23 dBm
	5470-5752	23 dBm
	5752-5850	14 dBm
	5945-6425	23 dBm
GSM900	880-915	38dBm
GSM1800	1710-1785	34dBm
WCDMA Band 1	1920-1980	26.5dBm
WCDMA Band 8	880-915	28dBm
LTE Band 1	1920-1980	26.5dBm
LTE Band 3	1710-1785	27dBm

Radio	Frequency Range (MHz)	Max EIRP
LTE Band 7	2500-2570	28dBm
LTE Band 8	880-915	28dBm
LTE Band 20	832-862	26.6dBm
LTE Band 28	703-748	29dBm
LTE Band 38	2570-2620	27dBm
LTE Band 40	2300-2400	27dBm

#### Ukraine

Hereby, Hewlett Packard Enterprise Company declares that the radio equipment type [The Regulatory Model Number [RMN] for this device can be found on page 1 of this document] is in compliance with Ukrainian Technical Regulation on Radio Equipment, approved by resolution of the CABINET OF MINISTERS OF UKRAINE dated May 24, 2017, No. 355. The full text of the UA declaration of conformity is available at the following internet address: <a href="https://certificates.ext.hpe.com">https://certificates.ext.hpe.com</a>.

#### **United States**

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) This device may not cause harmful interference, and (2) this device must accept any interference eceived, including interference that may cause undesired operation. This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules.

These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications.

However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

Reorient or relocate the receiving antenna. Increase the separation between the equipment and receiver. Connect the equipment into an outlet on a circuit that is different

from that to which the receiver is connected. Consult the dealer or an experienced radio or television technician for help.

Operation of transmitters in the 5.925-7.125 GHz band is prohibited for control of or communications with unmanned aircraft systems.

## **Turkey RoHS Material Content Declaration**

Türkiye Cumhuriyeti: AEEE Yönetmeliğine Uygundur

#### **India RoHS Material Content Declaration**

This product complies with the "India E-waste (Management) Rules, 2016" and prohibits the use of lead, mercury, hexavalent chromium, polybrominated biphenyls or polybrominated diphenyl ethers in concentrations exceeding 0.1 weight % and 0.01 weight % for cadmiun, except for the exemptions set in Scedule II of the Rule

# **Warranty Information**

This hardware product is protected by an HPE Aruba Networking warranty. For more details, visit www.hpe.com/us/en/support.html and select the HPE Servers, Storage, and Networking option from the Product Support menu to access HPE's Warranty Check.

**HPE ProLiant and IA-32 Servers and Options** 

www.hpe.com/support/ProLiantServers-Warranties

**HPE Enterprise and Cloudline Servers** 

www.hpe.com/support/EnterpriseServers-Warranties

**HPE Storage Products** 

www.hpe.com/support/Storage-Warranties

**HPE Networking Products** 

www.hpe.com/support/Networking-Warranties

The 2G functions provided in this equipment have no longer been in use in Taiwan since the 2G mobile telephone service was discontinued in June 2017.

The End User License Agreement (EULA) information for this product can be found at <a href="https://www.arubanetworks.com/support-services/product-warranties/">https://www.arubanetworks.com/support-services/product-warranties/</a>

The regulatory model number [RMN] for this device can be found on the product label, located on the back cover of this device

## **Country-specific Information**

EN Hereby, Hewlett Packard Enterprise Company declares that the radio equipment type [RMN] is in compliance with Directive 2014/53/EU. The full text of the EU declaration of conformity is available at the following internet address: <a href="https://www.hpe.com/eu/certificates">www.hpe.com/eu/certificates</a>

EU Regulatory Contact: HPE, Postfach 0001, 1122 Wien, Austria, e-mail: <a href="mailto:tre@hpe.com">tre@hpe.com</a> © 2023 Hewlett Packard Enterprise development LP

## **Documents / Resources**



<u>HPE aruba networking ASIN0306 User Experience Insight Sensor</u> [pdf] User Manual ASIN0306 User Experience Insight Sensor, ASIN0306, User Experience Insight Sensor, Experience Insight Sensor, Insight Sensor, Sensor



HPE aruba networking ASIN0306 User Experience Insight Sensor [pdf] User Manual ASIN0306 User Experience Insight Sensor, ASIN0306, User Experience Insight Sensor, Experience Insight Sensor, Insight Sensor, Sensor

## References

- Warranty Information HPE Networking | HPE®
- <u>hpe.com/support/Storage-Warranties</u>
- Product Regulatory Certifications (External) Application
- Product Regulatory Certifications (External) Application
- <u>My HPE Software Center</u>
- Anatel Agência Nacional de Telecomunicações
- User Manual

Manuals+, Privacy Policy

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.