

Contents [[hide](#)]

- [1 Hunter GT-884D Full Circle Opposing Nozzle Configuration](#)
- [2 Specifications](#)
- [3 Product Usage Instructions](#)
- [4 FAQs](#)
- [5 Documents / Resources](#)
 - [5.1 References](#)



Hunter GT-884D Full Circle Opposing Nozzle Configuration



Specifications

- **Brand:** Golf Irrigation

- **Product Model:** GT-884
- **SKU:** GT884D48P8
- **Description:** GT-884D Golf Rotor, full-circle opposing nozzle configuration, valve-in-head design, integrated Pilot-100 Two-Way Module, nozzle 48 installed, 80 PSI

Product Usage Instructions

Installation

1. Choose an appropriate location for the GT-884D Golf Rotor.
2. Dig a hole in the ground according to the specified dimensions in the user manual.
3. Place the rotor in the hole and ensure it is level.
4. Connect the necessary irrigation pipes to the rotor following the provided guidelines.
5. Adjust the nozzle to the desired settings based on your watering needs.

Operation

1. Turn on the water supply to the rotor.
2. Adjust the rotation and spray distance of the rotor as needed.
3. Monitor the performance of the rotor and make adjustments if necessary.
































Maintenance

1. Regularly inspect the rotor for any damage or blockages.
2. Clean the nozzles and filters to ensure proper water flow.
3. Replace any worn-out parts to maintain optimal performance.

Shipping Information

- UPC-A: 0611698656747
- Ocean Pallet: 216
- Land Pallet: 180
- Master Carton: 4

TTS-884 / G884 / G84B NOZZLE PERFORMANCE DATA

TTS-884 / G884 / G84B NOZZLE PERFORMANCE DATA*							
Nozzle			Pressure	Radius	Flow	Precip in/hr	
			PSI	ft	GPM		
 803611	15  White	Gray  315317	50	49	14.2	0.57	0.66
			60	51	15.7	0.58	0.67
			65	52	16.4	0.58	0.67
			70	53	17.0	0.58	0.67
			80	55	18.2	0.58	0.67
 803611	18  Orange	Gray  315317	50	56	17.2	0.53	0.61
			60	58	18.8	0.54	0.62
			65	59	19.7	0.54	0.63
			70	60	20.0	0.53	0.62
			80	61	21.2	0.55	0.63
 803611	20  Brown	Gray  3153147	50	57	18.4	0.55	0.63
			60	59	20.3	0.56	0.65
			65	61	21.4	0.55	0.64
			70	63	21.6	0.52	0.60
			80	64	22.7	0.53	0.62
 803611	23  Green	Lt. Blue  315311	50	63	21.6	0.52	0.60
			60	65	23.0	0.52	0.61
			65	66	24.0	0.53	0.61
			70	67	24.9	0.53	0.62
			80	68	26.6	0.55	0.64
 803611	25  Blue	Lt. Blue  315311	65	71	28.6	0.55	0.63
			70	73	29.7	0.54	0.62
			80	74	31.7	0.56	0.64
			90	75	33.7	0.58	0.67
			100	77	35.8	0.58	0.67
 803611	33  Grey	Lt. Blue  315311	65	74	30.9	0.54	0.63
			70	75	32.0	0.55	0.63
			80	77	34.2	0.56	0.64
			90	79	36.2	0.56	0.64
			100	81	38.2	0.56	0.65
 803611	38  Red	Lt. Blue  315311	65	77	35.1	0.57	0.66
			70	79	36.6	0.56	0.65
			80	82	38.9	0.56	0.64
			90	84	41.3	0.56	0.65
			100	87	43.6	0.55	0.64
 803611	43  Dk. Brown	Blue  315311	-	-	-	-	-
			70	83	41.3	0.58	0.67
			80	85	43.6	0.58	0.67
			90	87	46.3	0.59	0.68
			100	89	48.8	0.59	0.68
 803610	48  Dk. Green	Dk. Blue  833500	-	-	-	-	-
			70	90	46.9	0.56	0.64
			80	92	48.9	0.56	0.64
			90	94	50.5	0.55	0.63
			100	96	53.5	0.56	0.65
 803610	53  Dk. Blue	Dk. Blue  833500	-	-	-	-	-
			70	91	49.8	0.58	0.67
			80	93	52.2	0.58	0.67
			90	95	55.5	0.59	0.68
			100	97	58.5	0.60	0.69
Note: Nozzle plug P/N 315300 installed in the front side of the nozzle housing. * Preliminary performance data.							

- **Note:** Nozzle plug P/N 315300 installed in the front side of the nozzle housing.
- Preliminary performance data.
- Copyright © 2025 Hunter Industries Inc. Hunter, the Hunter logo, and other marks are trademarks of Hunter Industries Inc., registered in the U.S. and certain other countries.
- <https://www.hunterirrigation.com/irrigation-product/gt-884/gt-884-d-48-p8>
- 071525

FAQs

How do I adjust the spray distance of the GT-884D Golf Rotor?

To adjust the spray distance, use the provided tool to turn the radius adjustment screw clockwise to decrease the distance or counterclockwise to increase it.


Can I use different nozzles with the GT-884D Golf Rotor?

Yes, you can replace the installed nozzle with a different one from the compatible list provided in the user manual for varied watering needs.

What is the recommended operating pressure for the GT-884D Golf Rotor?

The recommended operating pressure for optimal performance is 80 PSI. Ensure that your irrigation system meets this requirement for best results.

Documents / Resources

	Hunter GT-884D Full Circle Opposing Nozzle Configuration [pdf] User Guide GT-884, GT-884D Full Circle Opposing Nozzle Configuration, GT-884D, Full Circle Opposing Nozzle Configuration, Opposing Nozzle Configuration, Nozzle Configuration, Configuration
-------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

References

- [User Manual](#)

Leave a comment

Your email address will not be published. Required fields are marked *

Comment *

Name

Email

Website

☐ Save my name, email, and website in this browser for the next time I comment.

Post Comment

Search:

e.g. whirlpool wrf535swhz

Search

[Manuals+](#) | [Upload](#) | [Deep Search](#) | [Privacy Policy](#) | [@manuals.plus](#) | [YouTube](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.