

HUUM DROP Embedding Flange User Manual

Home » **HUUM** » **HUUM** DROP Embedding Flange User Manual




Contents

- 1 DROP Embedding
- **Flange**
- 2 Documents / Resources
 - 2.1 References
- **3 Related Posts**


DROP Embedding Flange

DROP



Embedding Flange

- Place the plates of embedding flange on the desired place of the boarding. Make sure that the end edges of the embedding flange are against the wall.
- Mark the inner edge of the embedding flange on the boarding of the sauna platform.
- Follow the marked line and draw the second contour 52 mm / 2 in outwards. We recommend using a 52 mm / 2 in wide wooden block for that purpose.
- Cut the wider contour by following the aperture.
- Attach the brackets of the embedding flange to the plates by using bolts and nuts.
- Install the embedding flange to the cut aperture, adjust the cut edge, if necessary.
- Attach the brackets to the boards of the platform with screws.
- You can now install the DROP heater. Follow the minimum height from the figure below:
 Find the latest updates on our website www.huumsauna.com





#huumsauna HUUM Sauna OÜ Vahi tee 9, Tartumaa 60534, Estonia

Documents / Resources



HUUM DROP Embedding Flange [pdf] User Manual H300102L03, DROP Embedding Flange, DROP, Embedding Flange, Flange

References

- Sauna heaters and innovative sauna controllers HUUM
- Sauna heaters and innovative sauna controllers HUUM
- User Manual

Manuals+, Privacy Policy

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.